Regina Sordi

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7307207/regina-sordi-publications-by-year.pdf

Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

33
papers

465
citations

14
papers

4.9
ext. papers

4.9
ext. citations

4.9
avg, IF

L-index

#	Paper	IF	Citations
33	Pharmacological Inhibition of FAK-Pyk2 Pathway Protects Against Organ Damage and Prolongs the Survival of Septic Mice <i>Frontiers in Immunology</i> , 2022 , 13, 837180	8.4	O
32	Inhibition of Macrophage Migration Inhibitory Factor Activity Attenuates Haemorrhagic Shock-Induced Multiple Organ Dysfunction in Rats <i>Frontiers in Immunology</i> , 2022 , 13, 886421	8.4	0
31	Neuraminidase inhibitors rewire neutrophil function in murine sepsis and in COVID-19 2021 ,		1
30	Angiotensin II receptor type 1 blockade improves hyporesponsiveness to vasopressors in septic shock. <i>European Journal of Pharmacology</i> , 2021 , 897, 173953	5.3	2
29	Resolvin D1 Attenuates the Organ Injury Associated With Experimental Hemorrhagic Shock. <i>Annals of Surgery</i> , 2021 , 273, 1012-1021	7.8	7
28	The apoptosis clearance signal phosphatidylserine inhibits leukocyte migration and promotes inflammation resolution in vivo. <i>European Journal of Pharmacology</i> , 2020 , 877, 173095	5.3	3
27	Experimental periodontitis in rats potentiates inflammation at a distant site: Role of B kinin receptor. <i>Life Sciences</i> , 2018 , 194, 40-48	6.8	2
26	The role of potassium channels in the endothelial dysfunction induced by periodontitis. <i>Journal of Applied Oral Science</i> , 2018 , 26, e20180048	3.3	1
25	Artesunate Protects Against the Organ Injury and Dysfunction Induced by Severe Hemorrhage and Resuscitation. <i>Annals of Surgery</i> , 2017 , 265, 408-417	7.8	27
24	Protective role of cGMP in early sepsis. European Journal of Pharmacology, 2017, 807, 174-181	5.3	7
23	Inhibition of I B Kinase at 24 Hours After Acute Kidney Injury Improves Recovery of Renal Function and Attenuates Fibrosis. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	18
22	Neuronal Nitric Oxide Synthase is Involved in Vascular Hyporeactivity and Multiple Organ Dysfunction Associated with Hemorrhagic Shock. <i>Shock</i> , 2016 , 45, 525-33	3.4	8
21	Enhanced hypotensive effect of nimodipine solid dispersions produced by supercritical CO2 drying. <i>Powder Technology</i> , 2015 , 278, 204-210	5.2	14
20	Rapid NOS-1-derived nitric oxide and peroxynitrite formation act as signaling agents for inducible NOS-2 expression in vascular smooth muscle cells. <i>Pharmacological Research</i> , 2015 , 100, 73-84	10.2	11
19	Inhibition of I B Kinase Attenuates the Organ Injury and Dysfunction Associated with Hemorrhagic Shock. <i>Molecular Medicine</i> , 2015 , 21, 563-75	6.2	26
18	FPR2/ALX activation reverses LPS-induced vascular hyporeactivity in aorta and increases survival in a pneumosepsis model. <i>European Journal of Pharmacology</i> , 2015 , 746, 267-73	5.3	9
17	Preconditioning With low dose lipopolysaccharide aggravates the organ injury / dysfunction caused by hemorrhagic shock in rats. <i>PLoS ONE</i> , 2015 , 10, e0122096	3.7	6

LIST OF PUBLICATIONS

16	The effect of simvastatin on systemic inflammation and endothelial dysfunction induced by periodontitis. <i>Journal of Periodontal Research</i> , 2014 , 49, 634-41	4.3	15
15	Periodontitis increases vascular cyclooxygenase-2: potential effect on vascular tone. <i>Journal of Periodontal Research</i> , 2014 , 49, 85-92	4.3	8
14	Experimental periodontitis promotes transient vascular inflammation and endothelial dysfunction. <i>Archives of Oral Biology</i> , 2013 , 58, 1187-98	2.8	35
13	Dual role of lipoxin A4 in pneumosepsis pathogenesis. <i>International Immunopharmacology</i> , 2013 , 17, 283-92	5.8	36
12	Exacerbation of DSS-induced colitis in mice lacking kinin B(1) receptors through compensatory up-regulation of kinin B(2) receptors: the role of tight junctions and intestinal homeostasis. <i>British Journal of Pharmacology</i> , 2013 , 168, 389-402	8.6	22
11	Pneumonia-induced sepsis in mice: temporal study of inflammatory and cardiovascular parameters. <i>International Journal of Experimental Pathology</i> , 2013 , 94, 144-55	2.8	18
10	Opioid analgesics in experimental sepsis: effects on physiological, biochemical, and haemodynamic parameters. <i>Fundamental and Clinical Pharmacology</i> , 2013 , 27, 347-53	3.1	10
9	InibiB seletiva da ciclo-oxigenase-2: riscos e benefBios. <i>Revista Brasileira De Reumatologia</i> , 2012 , 52, 774-782		17
8	The effect of losartan on angiotensin II-induced cell proliferation in a rat aorta smooth muscle cell line. <i>Brazilian Archives of Biology and Technology</i> , 2012 , 55, 263-268	1.8	1
7	Early potassium channel blockade improves sepsis-induced organ damage and cardiovascular dysfunction. <i>British Journal of Pharmacology</i> , 2011 , 163, 1289-301	8.6	22
6	Role of beta-adrenergic receptors in the ventromedial prefrontal cortex during contextual fear extinction in rats. <i>Neurobiology of Learning and Memory</i> , 2010 , 94, 318-28	3.1	37
5	Differential involvement of potassium channel subtypes in early and late sepsis-induced hyporesponsiveness to vasoconstrictors. <i>Journal of Cardiovascular Pharmacology</i> , 2010 , 56, 184-9	3.1	8
4	Late, but not early, inhibition of soluble guanylate cyclase decreases mortality in a rat sepsis model. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009 , 328, 991-9	4.7	35
3	Cannabinoid-induced conditioned place preference in the spontaneously hypertensive rat-an animal model of attention deficit hyperactivity disorder. <i>Psychopharmacology</i> , 2009 , 205, 319-26	4.7	35
2	Kallikrein-kinin system activation by Lonomia obliqua caterpillar bristles: involvement in edema and hypotension responses to envenomation. <i>Toxicon</i> , 2007 , 49, 663-9	2.8	23
1	SUMOylation in peripheral tissues under low perfusion-related pathological states. <i>Journal of Cellular Biochemistry</i> ,	4.7	