Luisa Petti

List of Publications by Citations

Source: https://exaly.com/author-pdf/7307216/luisa-petti-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

88 26 46 2,255 g-index h-index citations papers 2,675 4.76 107 5.2 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
88	Metal oxide semiconductor thin-film transistors for flexible electronics. <i>Applied Physics Reviews</i> , 2016 , 3, 021303	17.3	380
87	Wafer-scale design of lightweight and transparent electronics that wraps around hairs. <i>Nature Communications</i> , 2014 , 5, 2982	17.4	249
86	Fabrication and transfer of flexible few-layers MoS2 thin film transistors to any arbitrary substrate. <i>ACS Nano</i> , 2013 , 7, 8809-15	16.7	158
85	Biodegradable and Highly Deformable Temperature Sensors for the Internet of Things. <i>Advanced Functional Materials</i> , 2017 , 27, 1702390	15.6	116
84	Flexible Self-Aligned Amorphous InGaZnO Thin-Film Transistors With Submicrometer Channel Length and a Transit Frequency of 135 MHz. <i>IEEE Transactions on Electron Devices</i> , 2013 , 60, 2815-2820	2.9	80
83	Biomimetic Microelectronics for Regenerative Neuronal Cuff Implants. <i>Advanced Materials</i> , 2015 , 27, 6797-805	24	72
82	IGZO TFT-Based All-Enhancement Operational Amplifier Bent to a Radius of 5 mm. <i>IEEE Electron Device Letters</i> , 2013 , 34, 1394-1396	4.4	67
81	Flexible Self-Aligned Double-Gate IGZO TFT. IEEE Electron Device Letters, 2014, 35, 69-71	4.4	56
80	Stretchable and Conformable Oxide Thin-Film Electronics. <i>Advanced Electronic Materials</i> , 2015 , 1, 14000) 3 84	50
79	Flexible a-IGZO Phototransistor for Instantaneous and Cumulative UV-Exposure Monitoring for Skin Health. <i>Advanced Electronic Materials</i> , 2016 , 2, 1600273	6.4	47
78	Contact resistance and overlapping capacitance in flexible sub-micron long oxide thin-film transistors for above 100 MHz operation. <i>Applied Physics Letters</i> , 2014 , 105, 263504	3.4	47
77	Buckled Thin-Film Transistors and Circuits on Soft Elastomers for Stretchable Electronics. <i>ACS Applied Materials & District Applied & District </i>	9.5	40
76	Flexible double gate a-IGZO TFT fabricated on free standing polyimide foil. <i>Solid-State Electronics</i> , 2013 , 84, 198-204	1.7	39
75	Low-temperature spray-deposited indium oxide for flexible thin-film transistors and integrated circuits. <i>Applied Physics Letters</i> , 2015 , 106, 092105	3.4	38
74	Flexible a-IGZO TFT amplifier fabricated on a free standing polyimide foil operating at 1.2 MHz while bent to a radius of 5 mm 2012 ,		38
73	Influence of Mechanical Bending on Flexible InGaZnO-Based Ferroelectric Memory TFTs. <i>IEEE Transactions on Electron Devices</i> , 2014 , 61, 1085-1092	2.9	37
72	Textile integrated sensors and actuators for near-infrared spectroscopy. <i>Optics Express</i> , 2013 , 21, 3213-	-254 3	37

(2016-2013)

71	A Compact a-IGZO TFT Model Based on MOSFET SPICE \${rm Level}=3\$ Template for Analog/RF Circuit Designs. <i>IEEE Electron Device Letters</i> , 2013 , 34, 1391-1393	4.4	33	
70	Flexible Intaint Thin-Film Transistors on Elastomeric Substrate Bent to 2.3% Strain. <i>IEEE Electron Device Letters</i> , 2015 , 36, 781-783	4.4	31	
69	Room temperature fabricated flexible NiO/IGZO pn diode under mechanical strain. <i>Solid-State Electronics</i> , 2013 , 87, 17-20	1.7	30	
68	Combining electronics on flexible plastic strips with textiles. <i>Textile Reseach Journal</i> , 2013 , 83, 1130-11	42 .7	30	
67	Design of Engineered Elastomeric Substrate for Stretchable Active Devices and Sensors. <i>Advanced Functional Materials</i> , 2018 , 28, 1705132	15.6	29	
66	Ferroelectric-Like Charge Trapping Thin-Film Transistors and Their Evaluation as Memories and Synaptic Devices. <i>Advanced Electronic Materials</i> , 2017 , 3, 1700309	6.4	27	
65	. IEEE Electron Device Letters, 2015 , 36, 475-477	4.4	27	
64	Bio-impedance and circuit parameters: An analysis for tracking fruit ripening. <i>Postharvest Biology and Technology</i> , 2020 , 159, 110978	6.2	27	
63	Entirely Flexible On-Site Conditioned Magnetic Sensorics. Advanced Electronic Materials, 2016 , 2, 1600	1884	26	
62	Solution-processed p-type copper(I) thiocyanate (CuSCN) for low-voltage flexible thin-film transistors and integrated inverter circuits. <i>Applied Physics Letters</i> , 2017 , 110, 113504	3.4	25	
61	22.5 dB open-loop gain, 31 kHz GBW pseudo-CMOS based operational amplifier with a-IGZO TFTs on a flexible film 2014 ,		25	
60	Charge Trapping Mechanism Leading to Sub-60-mV/decade-Swing FETs. <i>IEEE Transactions on Electron Devices</i> , 2017 , 64, 2789-2796	2.9	22	
59	Polymer-sorted (6,5) single-walled carbon nanotubes for solution-processed low-voltage flexible microelectronics. <i>Applied Physics Letters</i> , 2015 , 106, 193302	3.4	21	
58	Development of Flexible Dispense-Printed Electrochemical Immunosensor for Aflatoxin M1 Detection in Milk. <i>Sensors</i> , 2019 , 19,	3.8	18	
57	Flexible InGaZnO TFTs With \${f}\$ \$_{textsf{max}}\$ Above 300 MHz. <i>IEEE Electron Device Letters</i> , 2018 , 39, 1310-1313	4.4	18	
56	Investigation of gate material ductility enables flexible a-IGZO TFTs bendable to a radius of 1.7 mm 2013 ,		18	
55	Review of recent trends in flexible metal oxide thin-film transistors for analog applications. <i>Flexible and Printed Electronics</i> , 2020 , 5, 033001	3.1	17	
54	Positive charge trapping phenomenon in n-channel thin-film transistors with amorphous alumina gate insulators. <i>Journal of Applied Physics</i> , 2016 , 120, 244501	2.5	16	

53	2013,		15
52	Flexible and Printed Electrochemical Immunosensor Coated with Oxygen Plasma Treated SWCNTs for Histamine Detection. <i>Biosensors</i> , 2020 , 10,	5.9	14
51	Gain-Tunable Complementary Common-Source Amplifier Based on a Flexible Hybrid Thin-Film Transistor Technology. <i>IEEE Electron Device Letters</i> , 2017 , 38, 1536-1539	4.4	11
50	A 70thase margin OPAMP with positive feedback in flexible a-IGZO TFT technology 2015 ,		11
49	2013,		11
48	Cherry-Hooper amplifiers with 33 dB gain at 400 kHz BW and 10 dB gain at 3.5 MHz BW in flexible self-aligned a-IGZO TFT technology 2014 ,		11
47	High gain amplifiers in flexible self-aligned a-IGZO thin-film-transistor technology 2014,		10
46	Flexible Intalnto-Based Circuits With Two and Three Metal Layers: Simulation and Fabrication Study. <i>IEEE Electron Device Letters</i> , 2016 , 37, 1582-1585	4.4	10
45	Flexible Screen Printed Aptasensor for Rapid Detection of Furaneol: A Comparison of CNTs and AgNPs Effect on Aptasensor Performance. <i>Nanomaterials</i> , 2020 , 10,	5.4	9
44	Optimization of a Low-Power Chemoresistive Gas Sensor: Predictive Thermal Modelling and Mechanical Failure Analysis. <i>Sensors</i> , 2021 , 21,	3.8	9
43	Flexible InCaInD Thin-Film Transistors With Sub-300-nm Channel Lengths Defined by Two-Photon Direct Laser Writing. <i>IEEE Transactions on Electron Devices</i> , 2018 , 65, 3796-3802	2.9	8
42	Focused ion beam milling for the fabrication of 160 nm channel length IGZO TFTs on flexible polymer substrates. <i>Flexible and Printed Electronics</i> , 2020 , 5, 015007	3.1	8
41	Fabrication and AC Performance of Flexible Indium-Gallium-Zinc-Oxide Thin-Film Transistors. <i>ECS Transactions</i> , 2019 , 90, 55-63	1	7
40	Design and analysis of high-gain amplifiers in flexible self-aligned a-IGZO thin-film transistor technology. <i>Analog Integrated Circuits and Signal Processing</i> , 2016 , 87, 213-222	1.2	7
39	A transistor model for a-IGZO TFT circuit design built upon the RPI-aTFT model 2017,		7
38	Integration of solution-processed (7,5) SWCNTs with sputtered and spray-coated metal oxides for flexible complementary inverters 2014 ,		7
37	Wearable Triboelectric Nanogenerator from Waste Materials for Autonomous Information Transmission Morse Code ACS Applied Materials & Interfaces, 2022,	9.5	7
36	Electrolyte-gated carbon nanotube field-effect transistor-based biosensors: Principles and applications. <i>Applied Physics Reviews</i> , 2021 , 8, 041325	17.3	7

(2015-2017)

35	Fabrication, Modeling, and Evaluation of a Digital Output Tilt Sensor With Conductive Microspheres. <i>IEEE Sensors Journal</i> , 2017 , 17, 3635-3643	4	6
34	Bendable energy-harvesting module with organic photovoltaic, rechargeable battery, and a-IGZO TFT charging electronics 2015 ,		6
33	Oxide Thin-Film Electronics on Carbon Fiber Reinforced Polymer Composite. <i>IEEE Electron Device Letters</i> , 2017 , 38, 1043-1046	4.4	5
32	Oxide Thin-Film Transistors on Fibers for Smart Textiles. <i>Technologies</i> , 2017 , 5, 31	2.4	5
31	InGaZnO TFTs on a flexible membrane transferred to a curved surface with a radius of 2 mm 2013,		5
30	3.5mW 1MHz AM detector and digitally-controlled tuner in a-IGZO TFT for wireless communications in a fully integrated flexible system for audio bag 2016 ,		4
29	2015,		4
28	High performance flexible electronics for biomedical devices. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2014 , 2014, 4176-9	0.9	4
27	In tube integrated electronic nose system on a flexible polymer substrate. Sensors, 2012, 12, 13681-93	3.8	4
26	20 MHz carrier frequency AM receiver in flexible a-IGZO TFT technology with textile antennas 2015 ,		3
25	Overview of the EC project FLEXIBILITY: Organic and thin-film ICs up to radio frequencies for multifunctional flexible systems 2013 ,		3
24	Supervised binary classification methods for strawberry ripeness discrimination from bioimpedance data. <i>Scientific Reports</i> , 2021 , 11, 11202	4.9	3
23	Advances in printing technologies for soft robotics devices applications. <i>Advances in Chemical Engineering</i> , 2021 , 45-89	0.6	3
22	Design of bendable high-frequency circuits based on short-channel InGaZnO TFTs 2019,		2
21	Flexible Green Perovskite Light Emitting Diodes. <i>IEEE Journal of the Electron Devices Society</i> , 2019 , 7, 769-775	2.3	2
20	15 dB conversion gain, 20 MHz carrier frequency AM receiver in flexible a-IGZO TFT technology with textile antennas 2015 ,		2
19	Radio frequency electronics in a-IGZO TFT technology 2016 ,		2
18	Baseband amplifiers in a-IGZO TFT technology for flexible audio systems 2015 ,		2

17	Mechanically flexible double gate a-IGZO TFTs 2012 ,		2
16	Flexible Screen-Printed Electrochemical Sensors Functionalized with Electrodeposited Copper for Nitrate Detection in Water ACS Omega, 2021 , 6, 33523-33532	3.9	2
15	Long-Term Aging of Al2O3 Passivated and Unpassivated Flexible a-IGZO TFTs. <i>IEEE Transactions on Electron Devices</i> , 2020 , 67, 4934-4939	2.9	2
14	FruitMeter: An AD5933-Based Portable Impedance Analyzer for Fruit Quality Characterization 2020 ,		1
13	Selection of Cole Model Bio-Impedance Parameters for the Estimation of the Ageing Evolution of Apples. <i>IFMBE Proceedings</i> , 2020 , 25-32	0.2	1
12	20.3dB 0.39mW AM detector with single-transistor active inductor in bendable a-IGZO TFT 2016 ,		1
11	20.3dB 0.39mW AM detector with single-transistor active inductor in bendable a-IGZO TFT 2016 ,		1
10	Flexible Dispense-Printed Electrochemical Biosensor for Aflatoxin M1 Detection Employing NaOH and Oxygen Plasma Electrode Pre-treatment 2019 ,		1
9	Flexible electronics based on oxide semiconductors 2014,		1
8	Digital output flexible tilt sensor with conductive microspheres 2015,		1
7	Bioimpedance Data Statistical Modelling for Food Quality Classification and Prediction 2021,		1
6	Design and Validation of a Portable AD5933 B ased Impedance Analyzer for Smart Agriculture. <i>IEEE Access</i> , 2021 , 9, 63656-63675	3.5	1
5	Thermo-responsive nanofibers for on-demand biocompound delivery platform. <i>Chemical Engineering Journal</i> , 2022 , 445, 136744	14.7	1
4	Optimization of Focused Ion Beam Patterning Parameters for Direct Integration of Plasmonic Nanostructures on Silicon Photodiodes. <i>Engineering Proceedings</i> , 2021 , 10, 2	0.5	O
3	Field-Effect Transistor-Based Biosensors for Environmental and Agricultural Monitoring. <i>Sensors</i> , 2022 , 22, 4178	3.8	O
2	Design and simulation of a 800 Mbit/s data link for magnetic resonance imaging wearables. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in</i>	0.9	
	Medicine and Biology Society Annual International Conference, 2015 , 2015, 1323-6		