Robert Rutkowski

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7307717/publications.pdf

Version: 2024-02-01

687363 752698 40 464 13 20 citations h-index g-index papers 41 41 41 669 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Genetic Variability of Grayling (Thymallus thymallus L.) in Poland as a Consequence of Postglacial Colonization. Annales Zoologici, 2021, 71, .	0.8	О
2	First microsatellite markers for the European Robin (Erithacus rubecula) and their application in analysis of parentage and genetic diversity. Scientific Reports, 2021, 11, 18962.	3.3	1
3	Individual Heterozygosity Influences Arrival Times and Mating Success of Male Red-Breasted Flycatchers. Zoological Studies, 2020, 59, e12.	0.3	O
4	What keeps †living dead' alive: demography of a small and isolated population of Maculinea (= Phengaris) alcon. Journal of Insect Conservation, 2019, 23, 201-210.	1.4	13
5	Conservation Genetics of the Black Grouse Tetrao tetrix in Poland — Distribution of Genetic Diversity Among the Last Populations. Acta Ornithologica, 2019, 53, 181.	0.5	3
6	Taxonomic separateness of the subspecies of Noctua interjecta Hýbner (Lepidoptera: Noctuidae) inhabiting central Europe. Entomologica Fennica, 2019, 30, 33-42.	0.6	2
7	Microsatellite Polymorphism Suggests High Genetic Diversity But Disrupted Gene Flow in the Two-Spot Ladybird Adalia bipunctata (Linnaeus, 1758) (Coleoptera: Coccinellidae) Populations from Diverse Environments. Annales Zoologici, 2019, 69, 477.	0.8	1
8	Population structure of the expansive wasp spider (<i>Argiope bruennichi</i>) at the edge of its range. Journal of Arachnology, 2017, 45, 361-369.	0.5	8
9	The spatial genetic structure of the yellow-necked mouse in an urban environment – a recent invader vs. a closely related permanent inhabitant. Urban Ecosystems, 2017, 20, 581-594.	2.4	15
10	Genetic Diversity of an Invasive Invertebrate in an Urban Environment, as Exemplified by the Harlequin <i>Ladybird Harmonia</i> Axyridis (Pallas, 1773). Annales Zoologici, 2017, 67, 759-772.	0.8	3
11	Conservation Genetics of the Capercaillie <i>Tetrao urogallus</i> in Poland — Diversity of Mitochondrial DNA in Remnant and Extinct Populations. Acta Ornithologica, 2017, 52, 179-196.	0.5	3
12	Conservation genetics of the capercaillie in Poland - Delineation of conservation units. PLoS ONE, 2017, 12, e0174901.	2.5	16
13	Fish introductions in the former Soviet Union: The Sevan trout (Salmo ischchan) $\hat{a} \in \text{``}80$ years later. PLoS ONE, 2017, 12, e0180605.	2.5	4
14	Impacts of forest fragmentation and post-glacial colonization on the distribution of genetic diversity in the Polish population of the hazel grouse Terastes bonasia. European Journal of Wildlife Research, 2016, 62, 293-306.	1.4	7
15	Spatial patterns of extra-pair paternity in a waterbird colony: separating the effects of nesting density and nest site location. Behavioral Ecology and Sociobiology, 2016, 70, 369-376.	1.4	9
16	Local Heterozygosity Effects on Nestling Growth and Condition in the Great Cormorant. Evolutionary Biology, 2015, 42, 452-460.	1.1	7
17	Population genetics of the endangered obligatorily myrmecophilous butterfly <i>Phengaris</i> (= <i>Maculinea</i>) <i>arion</i>) in two areas of its European range. Insect Conservation and Diversity, 2015, 8, 505-516.	3.0	7
18	A European Concern? Genetic Structure and Expansion of Golden Jackals (Canis aureus) in Europe and the Caucasus. PLoS ONE, 2015, 10, e0141236.	2.5	68

#	Article	lF	Citations
19	Female Red-Breasted Flycatchers <i>(Ficedula Parva</i>) mated with older males produce male-biased broods. Wilson Journal of Ornithology, 2015, 127, 259-265.	0.2	3
20	Anthropopressure gradients and the population genetic structure of Apodemus agrarius. Conservation Genetics, 2015, 16, 649-659.	1.5	19
21	Genetic Variability in Island Populations of Two Rodent Species: Bank Vole (Myodes glareolus) and Yellow-Necked Mouse (Apodemus flavicollis). Annales Zoologici Fennici, 2015, 52, 145-159.	0.6	7
22	Genetic structure and diversity of breeding Montagu's harrier (Circus pygargus) in Europe. European Journal of Wildlife Research, 2015, 61, 691-701.	1.4	5
23	Extra-pair Paternity in Relation to Age of the Red-breasted Flycatcher <i>Ficedula Parva</i> males. Avian Biology Research, 2014, 7, 111-116.	0.9	7
24	Preliminary Analysis of Genetic Variability in Montagu's Harrier (Circus pygargus) using Cross-Amplified Microsatellites. Annales Zoologici, 2014, 64, 535-547.	0.8	3
25	Contrasting genetic structure of rear edge and continuous range populations of a parasitic butterfly infected by Wolbachia. BMC Evolutionary Biology, 2013, 13, 14.	3.2	21
26	Population Genetics and Bat Rabies: A Case Study of Eptesicus serotinus in Poland. Acta Chiropterologica, 2013, 15, 35-56.	0.6	15
27	Restitution of vimba (Vimba vimba, Cyprinidae) in Poland: genetic variability of existing and restored populations. Ichthyological Research, 2013, 60, 149-158.	0.8	2
28	Characterisation of Cross-Amplified Microsatellite Markers in the Red-Breasted FlycatcherFicedula parva. Annales Zoologici, 2013, 63, 517-523.	0.8	5
29	Genetic structure in urban and rural populations of Apodemus agrarius in Poland. Mammalian Biology, 2013, 78, 171-177.	1.5	26
30	Differences in genetic variability between two ecotypes of the endangered myrmecophilous butterfly $\langle i \rangle$ Phengaris $\langle i \rangle$ (= $\langle i \rangle$ Maculinea $\langle i \rangle$) $\langle i \rangle$ alcon $\langle i \rangle$ at the setting of conservation priorities. Insect Conservation and Diversity, 2012, 5, 223-236.	3.0	33
31	Population genetics of the hazel hen Bonasa bonasia in Poland assessed with non-invasive samples. Open Life Sciences, 2012, 7, 759-775.	1.4	6
32	Population isolation rather than ecological variation explains the genetic structure of endangered myrmecophilous butterfly Phengaris (=Maculinea) arion. Journal of Insect Conservation, 2012, 16, 39-50.	1.4	20
33	Divergent patterns in the mitochondrial and nuclear diversity of the specialized butterfly Plebejus argus (Lepidoptera: Lycaenidae). European Journal of Entomology, 2011, 108, 537-545.	1.2	14
34	Population genetic structure of the European kestrel Falco tinnunculus in Central Poland. European Journal of Wildlife Research, 2010, 56, 297-305.	1.4	29
35	Landscape pattern and genetic structure of a yellow-necked mouse Apodemus flavicollis population in north-eastern Poland. Acta Theriologica, 2010, 55, 109-121.	1.1	12

The spatial genetic structure of bank vole (Myodes glareolus) and yellow-necked mouse (Apodemus) Tj ETQq0 0 0 0 rgBT /Overlock 10 Tf

#	Article	IF	CITATIONS
37	Contrasting levels of polymorphism in cross-amplified microsatellites in two endangered xerothermophilous, obligatorily myrmecophilous, butterflies of the genus Phengaris (Maculinea) (Lepidoptera: Lycaenidae). European Journal of Entomology, 2009, 106, 457-469.	1.2	22
38	Multiple paternity in a wild population of the yellow-necked mouseApodemus flavicollis. Acta Theriologica, 2008, 53, 251-258.	1.1	7
39	Mitochondrial Marker for Studying European Picidae at Various Taxonomic Levels. Annales Zoologici, 2008, 58, 907-913.	0.8	2
40	Genetic Variability of Polish Population of the CapercaillieTetrao urogallus. Acta Ornithologica, 2005, 40, 27-34.	0.5	15