

Samuel Shephard

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/730859/publications.pdf>

Version: 2024-02-01

59
papers

944
citations

471509

17
h-index

526287

27
g-index

60
all docs

60
docs citations

60
times ranked

1312
citing authors

#	ARTICLE	IF	CITATIONS
1	Plants as agents of hydromorphological recovery in lowland streams. <i>Geomorphology</i> , 2022, 400, 108090.	2.6	3
2	Wild Atlantic salmon exposed to sea lice from aquaculture show reduced marine survival and modified response to ocean climate. <i>ICES Journal of Marine Science</i> , 2021, 78, 368-376.	2.5	18
3	From Amazon Catfish to Mekong Money Fish: Size-based Assessment of Data-limited Commercial Inland Fisheries. <i>Fisheries</i> , 2021, 46, 170-187.	0.8	7
4	The spawning location of vulnerable ferox trout (<i>Salmo trutta</i> L.) in the Lough Corrib and Lough Mask catchments, Western Ireland. <i>Journal of Fish Biology</i> , 2021, 98, 485-497.	1.6	1
5	System-specific salmon louse infestation thresholds for salmon farms to minimize impacts on wild sea trout populations. <i>Aquaculture Environment Interactions</i> , 2021, 13, 377-388.	1.8	2
6	Body condition of returning Atlantic salmon (<i>Salmo salar</i> L.) correlates with scale $\delta^{13}C$ and $\delta^{15}N$ content deposited at the last marine foraging location. <i>Journal of Fish Biology</i> , 2021, , .	1.6	0
7	Informing CITES Parties: Strengthening science-based decision-making when listing marine species. <i>Fish and Fisheries</i> , 2020, 21, 13-31.	5.3	9
8	Dome-shaped selectivity in LB-SPR: Length-Based assessment of data-limited inland fish stocks sampled with gillnets. <i>Fisheries Research</i> , 2020, 229, 105574.	1.7	10
9	The efficacy of riparian tree cover as a climate change adaptation tool is affected by hydromorphological alterations. <i>Hydrological Processes</i> , 2020, 34, 2433.	2.6	7
10	Biogeography and fish community structure in Irish estuaries. <i>Regional Studies in Marine Science</i> , 2019, 32, 100836.	0.7	8
11	Evaluating management options for two fisheries that conflict through predator-prey interactions of target species. <i>Ecological Modelling</i> , 2019, 410, 108740.	2.5	1
12	Shifts in diet of an apex predator following the colonisation of an invasive fish. <i>Hydrobiologia</i> , 2019, 837, 205-218.	2.0	3
13	Combining empirical indicators and expert knowledge for surveillance of data-limited sea trout stocks. <i>Ecological Indicators</i> , 2019, 104, 96-106.	6.3	9
14	Salmonid Conservation in an Invaded Lake: Changing Outcomes of Predator Removal with Introduction of Nonnative Prey. <i>Transactions of the American Fisheries Society</i> , 2019, 148, 219-231.	1.4	3
15	Estimating sea trout (<i>Salmo trutta</i> L.) growth from scale chemistry profiles: an objective approach using LA-ICPMS. <i>Fisheries Research</i> , 2019, 211, 69-80.	1.7	6
16	River modification reduces climate resilience of brown trout (<i>Salmo trutta</i>) populations in Ireland. <i>Fisheries Management and Ecology</i> , 2019, 26, 512-526.	2.0	6
17	Potential climate change impacts on Arctic char <i>Salvelinus alpinus</i> L. in Ireland. <i>Fisheries Management and Ecology</i> , 2019, 26, 527-539.	2.0	9
18	Length-based assessment of larval lamprey population structure at differing spatial scales. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2019, 29, 39-46.	2.0	4

#	ARTICLE	IF	CITATIONS
19	Angling records track the near extirpation of angel shark <i>Squatina squatina</i> from two Irish hotspots. <i>Endangered Species Research</i> , 2019, 38, 153-158.	2.4	9
20	A river vegetation quality metric in the eco-hydromorphology philosophy. <i>River Research and Applications</i> , 2018, 34, 207-217.	1.7	8
21	Moving from multiple pass depletion to single pass timed electrofishing for fish community assessment in wadeable streams. <i>Fisheries Research</i> , 2018, 198, 99-108.	1.7	4
22	Length-based indicators and reference points for assessing data-poor stocks of diadromous trout <i>Salmo trutta</i> . <i>Fisheries Research</i> , 2018, 199, 36-43.	1.7	20
23	Coexistence of pike <i>Esox lucius</i> and brown trout <i>Salmo trutta</i> in Irish lakes. <i>Journal of Fish Biology</i> , 2018, 93, 1005-1011.	1.6	3
24	Non-native species and lake warming negatively affect Arctic char <i>Salvelinus alpinus</i> abundance; deep thermal refugia facilitate coexistence. <i>Journal of Fish Biology</i> , 2018, 94, 5-16.	1.6	11
25	Inland fish stock assessment: Applying data-poor methods from marine systems. <i>Fisheries Management and Ecology</i> , 2018, 25, 240-252.	2.0	26
26	Fishing for MSY: using "pretty good yield" ranges without impairing recruitment. <i>ICES Journal of Marine Science</i> , 2017, 74, 525-534.	2.5	31
27	Pioneer macrophyte species engineer fine-scale physical heterogeneity in a shallow lowland river. <i>Ecological Engineering</i> , 2017, 102, 451-458.	3.6	15
28	River reaches with impaired riparian tree cover and channel morphology have reduced thermal resilience. <i>Ecohydrology</i> , 2017, 10, e1890.	2.4	12
29	Quantifying the contribution of sea lice from aquaculture to declining annual returns in a wild Atlantic salmon population. <i>Aquaculture Environment Interactions</i> , 2017, 9, 181-192.	1.8	21
30	Fishing impact and environmental status in European seas: a diagnosis from stock assessments and ecosystem indicators. <i>Fish and Fisheries</i> , 2016, 17, 31-55.	5.3	78
31	Temporal stability and rates of post-depositional change in geochemical signatures of brown trout <i>Salmo trutta</i> scales. <i>Journal of Fish Biology</i> , 2016, 89, 1704-1719.	1.6	11
32	Aquaculture and environmental drivers of salmon lice infestation and body condition in sea trout. <i>Aquaculture Environment Interactions</i> , 2016, 8, 597-610.	1.8	41
33	Temporal variation in sea trout <i>Salmo trutta</i> life history traits in the Erriff River, western Ireland. <i>Aquaculture Environment Interactions</i> , 2016, 8, 675-689.	1.8	20
34	Identifying marine pelagic ecosystem management objectives and indicators. <i>Marine Policy</i> , 2015, 55, 23-32.	3.2	15
35	Estimating biomass, fishing mortality, and "total allowable discards" for surveyed non-target fish. <i>ICES Journal of Marine Science</i> , 2015, 72, 458-466.	2.5	8
36	Making progress towards integration of existing sampling activities to establish Joint Monitoring Programmes in support of the MSFD. <i>Marine Policy</i> , 2015, 59, 105-111.	3.2	33

#	ARTICLE	IF	CITATIONS
37	Surveillance indicators and their use in implementation of the Marine Strategy Framework Directive. ICES Journal of Marine Science, 2015, 72, 2269-2277.	2.5	56
38	Scavenging on trawled seabeds can modify trophic size structure of bottom-dwelling fish. ICES Journal of Marine Science, 2014, 71, 398-405.	2.5	18
39	Assessing the state of pelagic fish communities within an ecosystem approach and the European Marine Strategy Framework Directive. ICES Journal of Marine Science, 2014, 71, 1572-1585.	2.5	27
40	Parallel decadal variability of inferred water temperatures for Northern and Southern Hemisphere intermediate water masses. Geophysical Research Letters, 2014, 41, 1232-1237.	4.0	11
41	Modelling recovery of Celtic Sea demersal fish community size-structure. Fisheries Research, 2013, 140, 91-95.	1.7	16
42	Thermal, trophic and metabolic life histories of inaccessible fishes revealed from stable isotope analyses: a case study using orange roughy <i>Hoplostethus atlanticus</i> . Journal of Fish Biology, 2013, 83, 1613-1636.	1.6	18
43	Why the size structure of marine communities can require decades to recover from fishing. Marine Ecology - Progress Series, 2013, 484, 155-171.	1.9	38
44	Size-selective fishing drives species composition in the Celtic Sea. ICES Journal of Marine Science, 2012, 69, 223-234.	2.5	46
45	Spatial Heterogeneity in Fishing Creates de facto Refugia for Endangered Celtic Sea Elasmobranchs. PLoS ONE, 2012, 7, e49307.	2.5	27
46	Fine-scale population structure in a deep-sea teleost (orange roughy, <i>Hoplostethus atlanticus</i>). Deep-Sea Research Part I: Oceanographic Research Papers, 2011, 58, 627-636.	1.4	12
47	Benthivorous fish may go hungry on trawled seabed. Proceedings of the Royal Society B: Biological Sciences, 2011, 278, 2240-2240.	2.6	1
48	Interpreting the large fish indicator for the Celtic Sea. ICES Journal of Marine Science, 2011, 68, 1963-1972.	2.5	54
49	Fishing and environment drive spatial heterogeneity in Celtic Sea fish community size structure. ICES Journal of Marine Science, 2011, 68, 2106-2113.	2.5	15
50	Density-independent growth of floodplain river channel catfish <i>Ictalurus punctatus</i> . Journal of Fish Biology, 2009, 74, 2409-2414.	1.6	8
51	Hydrodredge: Reducing the negative impacts of scallop dredging. Fisheries Research, 2009, 95, 206-209.	1.7	18
52	Analytical approaches for addressing the variation in back-calculated age-length relationships for fish. Tropical Life Sciences Research, 2009, 20, 79-87.	0.9	0
53	Establishing stakeholder connections for management of the Irish orange roughy fishery. ICES Journal of Marine Science, 2007, 64, 841-845.	2.5	13
54	Juvenile life history of NE Atlantic orange roughy from otolith stable isotopes. Deep-Sea Research Part I: Oceanographic Research Papers, 2007, 54, 1221-1230.	1.4	44

#	ARTICLE	IF	CITATIONS
55	Seasonal distribution of orange roughy (<i>Hoplostethus atlanticus</i>) on the Porcupine Bank west of Ireland. <i>Fisheries Research</i> , 2006, 77, 17-23.	1.7	14
56	Difference in Channel Catfish Growth among Mississippi Stream Basins. <i>Transactions of the American Fisheries Society</i> , 2006, 135, 1224-1229.	1.4	15
57	Channel Catfish Maturation in Mississippi Streams. <i>North American Journal of Fisheries Management</i> , 2005, 25, 1467-1475.	1.0	12
58	Size Selection of Channel Catfish in Slat Traps of Different Interslat Space Widths. <i>Transactions of the American Fisheries Society</i> , 2004, 133, 197-203.	1.4	1
59	Move and you're dead: commercial trawl fisheries select for fish that don't move far. <i>ICES Journal of Marine Science</i> , 0, , .	2.5	1