
Elizabeth H Skinner, B Physio

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7309121/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Expert consensus and recommendations on safety criteria for active mobilization of mechanically ventilated critically ill adults. Critical Care, 2014, 18, 658.	2.5	391
2	Exercise rehabilitation for patients with critical illness: a randomized controlled trial with 12 months of follow-up. Critical Care, 2013, 17, R156.	2.5	305
3	Early mobilization and recovery in mechanically ventilated patients in the ICU: a bi-national, multi-centre, prospective cohort study. Critical Care, 2015, 19, 81.	2.5	248
4	Preoperative physiotherapy for the prevention of respiratory complications after upper abdominal surgery: pragmatic, double blinded, multicentre randomised controlled trial. BMJ: British Medical Journal, 2018, 360, j5916.	2.4	183
5	A Binational Multicenter Pilot Feasibility Randomized Controlled Trial of Early Goal-Directed Mobilization in the ICU*. Critical Care Medicine, 2016, 44, 1145-1152.	0.4	164
6	A Physical Function Test for Use in the Intensive Care Unit: Validity, Responsiveness, and Predictive Utility of the Physical Function ICU Test (Scored). Physical Therapy, 2013, 93, 1636-1645.	1.1	132
7	Psychosocial Outcomes in Informal Caregivers of the Critically III. Critical Care Medicine, 2015, 43, 1112-1120.	0.4	119
8	Safety and Feasibility of an Exercise Prescription Approach to Rehabilitation Across the Continuum of Care for Survivors of Critical Illness. Physical Therapy, 2012, 92, 1524-1535.	1.1	83
9	Preoperative intervention reduces postoperative pulmonary complications but not length of stay in cardiac surgical patients: a systematic review. Journal of Physiotherapy, 2014, 60, 66-77.	0.7	81
10	Rehabilitation and exercise prescription in Australian intensive care units. Physiotherapy, 2008, 94, 220-229.	0.2	79
11	Early mobilization on continuous renal replacement therapy is safe and may improve filter life. Critical Care, 2014, 18, R161.	2.5	56
12	Health-related quality of life in Australian survivors of critical illness*. Critical Care Medicine, 2011, 39, 1896-1905.	0.4	55
13	Closing the Gap Between Ethics Knowledge and Practice Through Active Engagement: An Applied Model of Physical Therapy Ethics. Physical Therapy, 2010, 90, 1068-1078.	1.1	54
14	The Untapped Potential of Patient and Family Engagement in the Organization of Critical Care. Critical Care Medicine, 2017, 45, 899-906.	0.4	52
15	Minimum standards of clinical practice for physiotherapists working in critical care settings in Australia and New Zealand: A modified Delphi technique. Physiotherapy Theory and Practice, 2016, 32, 468-482.	0.6	47
16	Development of a physical function outcome measure (PFIT) and a pilot exercise training protocol for use in intensive care. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2009, 11, 110-5.	0.0	45
17	Impact of disinvestment from weekend allied health services across acute medical and surgical wards: 2 stepped-wedge cluster randomised controlled trials. PLoS Medicine, 2017, 14, e1002412.	3.9	43
18	Effectiveness of a Bundled Intervention Including Adjunctive Corticosteroids on Outcomes of Hospitalized Patients With Community-Acquired Pneumonia. JAMA Internal Medicine, 2019, 179, 1052.	2.6	41

#	Article	IF	CITATIONS
19	Educators and students prefer traditional clinical education to a peer-assisted learning model, despite similar student performance outcomes: a randomised trial. Journal of Physiotherapy, 2014, 60, 209-216.	0.7	38
20	Mobilization of ventilated patients in the intensive care unit: An elicitation study using the theory of planned behavior. Journal of Critical Care, 2015, 30, 1243-1250.	1.0	33
21	A novel research design can aid disinvestment from existing health technologies with uncertain effectiveness, cost-effectiveness, and/or safety. Journal of Clinical Epidemiology, 2014, 67, 144-151.	2.4	32
22	Usual Care Physiotherapy During Acute Hospitalization in Subjects Admitted to the ICU: An Observational Cohort Study. Respiratory Care, 2015, 60, 1476-1485.	0.8	29
23	Study protocol for two randomized controlled trials examining the effectiveness and safety of current weekend allied health services and a new stakeholder-driven model for acute medical/surgical patients versus no weekend allied health services. Trials, 2015, 16, 133.	0.7	28
24	Future of specialised roles in allied health practice: who is responsible?. Australian Health Review, 2015, 39, 255.	0.5	27
25	A real time biofeedback using Kinect and Wii to improve gait for post-total knee replacement rehabilitation: a case study report. Disability and Rehabilitation: Assistive Technology, 2016, 11, 251-262.	1.3	26
26	Physiotherapy education and training prior to upper abdominal surgery is memorable and has high treatment fidelity: a nested mixed-methods randomised-controlled study. Physiotherapy, 2018, 104, 194-202.	0.2	25
27	Is physiotherapy effective in the management of child and adolescent conversion disorder? A systematic review. Journal of Paediatrics and Child Health, 2015, 51, 159-167.	0.4	24
28	The effect of prehabilitation on the range of motion and functional outcomes in patients following the total knee or hip arthroplasty: A pilot randomized trial. Physiotherapy Theory and Practice, 2016, 32, 262-270.	0.6	24
29	Embedding research culture and productivity in hospital physiotherapy departments: challenges and opportunities. Australian Health Review, 2015, 39, 312.	0.5	23
30	Experiences of Physical Therapists Working in the Acute Hospital Setting: Systematic Review. Physical Therapy, 2016, 96, 1317-1332.	1.1	23
31	Preoperative physiotherapy is cost-effective for preventing pulmonary complications after major abdominal surgery: a health economic analysis of a multicentre randomised trial. Journal of Physiotherapy, 2020, 66, 180-187.	0.7	23
32	The LIPPSMAck POP (Lung Infection Prevention Post Surgery - Major Abdominal - with Pre-Operative) Tj ETQq0 (573.	0 0 rgBT /C 0.7	overlock 10 Tf 17
33	Using simulation pedagogy to teach clinical education skills: A randomized trial. Physiotherapy Theory and Practice, 2016, 32, 284-295.	0.6	17
34	A novel counterbalanced implementation study design: methodological description and application to implementation research. Implementation Science, 2019, 14, 45.	2.5	16
35	Commencing Out-of-Bed Rehabilitation in Critical Care—What Influences Clinical Decision-Making?. Archives of Physical Medicine and Rehabilitation, 2019, 100, 261-269.e2.	0.5	15
36	Does eating environment have an impact on the protein and energy intake in the hospitalised elderly?. Nutrition and Dietetics, 2017, 74, 224-228.	0.9	14

#	Article	IF	CITATIONS
37	Implementation of evidence-based weekend service recommendations for allied health managers: a cluster randomised controlled trial protocol. Implementation Science, 2018, 13, 60.	2.5	13
38	Translating evidence into practice: a longitudinal qualitative exploration of allied health decision-making. Health Research Policy and Systems, 2021, 19, 38.	1.1	13
39	Do daily ward interviews improve measurement of hospital quality and safety indicators? A prospective observational study. Journal of Evaluation in Clinical Practice, 2016, 22, 792-798.	0.9	12
40	An Ai Chi-based aquatic group improves balance and reduces falls in community-dwelling adults: A pilot observational cohort study. Physiotherapy Theory and Practice, 2016, 32, 581-590.	0.6	12
41	Feasibility and adherence to moderate intensity cardiovascular fitness training following stroke: a pilot randomized controlled trial. BMC Neurology, 2021, 21, 132.	0.8	12
42	A rehabilitation programme for people with multimorbidity versus usual care. Journal of Comorbidity, 2018, 8, 2235042X1878391.	3.9	11
43	Physiotherapy departments in Australian tertiary hospitals regularly participate in and disseminate research results despite a lack of allocated staff: a prospective cross-sectional survey. Physiotherapy Theory and Practice, 2015, 31, 200-206.	0.6	10
44	Comparison of the measurement properties of the AQoL and SF-6D in critical illness. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2013, 15, 205-12.	0.0	10
45	The IMPROVE-GAP Trial aiming to improve evidence-based management of community-acquired pneumonia: study protocol for a stepped-wedge randomised controlled trial. Trials, 2018, 19, 88.	0.7	7
46	Lung management protocols increase the incidence of lung procurement and organ transplantation: A meta-analysis. Physiotherapy Theory and Practice, 2020, 36, 459-468.	0.6	7
47	Pulmonary Rehabilitation With Balance Training for Fall Reduction in Chronic Obstructive Pulmonary Disease: Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2017, 6, e228.	0.5	7
48	Organisation and resource management in the intensive care unit: A critical review. International Journal of Therapy and Rehabilitation, 2015, 22, 187-196.	0.1	6
49	Key Measurement and Feasibility Characteristics When Selecting Outcome Measures. Current Physical Medicine and Rehabilitation Reports, 2015, 3, 255-267.	0.3	6
50	Development of a Performance Standard and Assessment Tool for Ventilator Hyperinflation Competency. Journal of Pulmonary & Respiratory Medicine, 2015, 05, .	0.1	5
51	Evaluation of the implementation of a Tracheostomy Review Services (TRS): an observational cohort study. Journal of Interprofessional Care, 2019, 33, 697-705.	0.8	5
52	Re: Assisted Vaginal Birth: Greenâ€ŧop guideline no. 26. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 1297-1298.	1.1	5
53	Age and Sex Differences in Balance Outcomes among Individuals with Chronic Obstructive Pulmonary Disease (COPD) at Risk of Falls. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2022, 19, 166-173.	0.7	5
54	Intensive preoperative rehabilitation improves functional capacity and postoperative hospital length of stay in elderly patients with lung cancer [synopsis]. Journal of Physiotherapy, 2017, 63, 184.	0.7	4

#	Article	IF	CITATIONS
55	Challenges in Providing Timely Physiotherapy and Opportunities to Influence Outcomes for Potential Lung Donors. Progress in Transplantation, 2017, 27, 112-124.	0.4	3
56	Postgraduate clinical physiotherapy education in acute hospitals: a cohort study. Physiotherapy Theory and Practice, 2020, 36, 157-169.	0.6	2
57	How Can Clinicians Use Outcome Measures in Routine Care? Knowledge Translation Strategies. Current Physical Medicine and Rehabilitation Reports, 2015, 3, 268-279.	0.3	1
58	Validity of the Activities-specific Balance Confidence Scale in individuals with chronic obstructive pulmonary disease. Expert Review of Respiratory Medicine, 0, , 1-8.	1.0	1
59	High-flow oxygen reduces 90-day mortality, compared with standard oxygen or non-invasive ventilation, in patients with acute hypoxaemic respiratory failure [synopsis]. Journal of Physiotherapy, 2015, 61, 222.	0.7	Ο
60	Outpatient-based physical rehabilitation does not affect exercise capacity in survivors of prolonged critical illness [synopsis]. Journal of Physiotherapy, 2016, 62, 169.	0.7	0
61	Physical Rehabilitation Programmes Following ICU Discharge. , 2021, , 113-122.		0
62	Variation in inpatient allied health service provision in Australian and New Zealand hospitals. Australasian Journal on Ageing, 2022, 41, 70-80.	0.4	0