

A P Gerlich

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7310081/publications.pdf>

Version: 2024-02-01

106
papers

4,405
citations

117625

34
h-index

123424

61
g-index

106
all docs

106
docs citations

106
times ranked

2536
citing authors

#	ARTICLE	IF	CITATIONS
1	Interlayer Characterization and Properties Evaluation of Zirconium and 304-Stainless Steel Rotary Friction Weld Joints. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2022, 53, 1590-1596.	2.2	0
2	Effect of beam wobbling on microstructure and hardness during laser welding of X70 pipeline steel. <i>Science and Technology of Welding and Joining</i> , 2022, 27, 326-338.	3.1	2
3	Effect of non-lamellar $\hat{\pm}$ precipitate morphology on the mechanical properties of Ti5553 parts made by laser powder-bed fusion at high laser scan speeds. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022, 841, 143039.	5.6	7
4	Joining of Zirconium Alloys to Nickel Bearing Alloys for In-Core Components. <i>Journal of Nuclear Engineering and Radiation Science</i> , 2022, , .	0.4	0
5	Closed-loop control of microstructure and mechanical properties in additive manufacturing by directed energy deposition. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 803, 140483.	5.6	34
6	Friction stir welding/processing of metals and alloys: A comprehensive review on microstructural evolution. <i>Progress in Materials Science</i> , 2021, 117, 100752.	32.8	436
7	Continuous cooling transformation behaviour and toughness of heat-affected zones in an X80 line pipe steel. <i>Journal of Materials Research and Technology</i> , 2021, 12, 613-628.	5.8	20
8	Welding thermal efficiency in cold wire gas metal arc welding. <i>Welding in the World, Le Soudage Dans Le Monde</i> , 2021, 65, 1079-1095.	2.5	6
9	Enhancing metallurgical and mechanical properties of friction stir butt welded joints of Al-Cu via cold sprayed Ni interlayer. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 809, 140992.	5.6	28
10	Interfacial Bonding and Mechanical Properties of Al/Mg Dissimilar Refill Friction Stir Spot Welds Using a Grooved Tool. <i>Crystals</i> , 2021, 11, 429.	2.2	6
11	Stability of ultra-fine and nano-grains after severe plastic deformation: a critical review. <i>Journal of Materials Science</i> , 2021, 56, 15513-15537.	3.7	13
12	Suppression of arc wandering during cold wire-assisted pulsed gas metal arc welding. <i>Welding in the World, Le Soudage Dans Le Monde</i> , 2021, 65, 1749-1758.	2.5	3
13	Refill Friction Stir Spot Welding Al Alloy to Copper via Pure Metallurgical Joining Mechanism. <i>Chinese Journal of Mechanical Engineering (English Edition)</i> , 2021, 34, .	3.7	20
14	Advances in friction stir spot welding. <i>Critical Reviews in Solid State and Materials Sciences</i> , 2020, 45, 457-534.	12.3	110
15	High-Resolution Residual Stress Mapping of Magnesium AZ80 Friction Stir Welds for Three Processing Conditions. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2020, 51, 1195-1207.	2.2	2
16	An overview on the cold wire pulsed gas metal arc welding. <i>Welding in the World, Le Soudage Dans Le Monde</i> , 2020, 64, 123-140.	2.5	7
17	Fabrication of a nanostructured high strength steel tube by friction-forging tubular additive manufacturing (FFTAM) technology. <i>Journal of Manufacturing Processes</i> , 2020, 58, 724-735.	5.9	29
18	Evolution of process parameters in friction stir welding of AA6061 aluminum alloy by varying tool eccentricity. <i>International Journal of Advanced Manufacturing Technology</i> , 2020, 109, 1601-1612.	3.0	6

#	ARTICLE	IF	CITATIONS
19	Characterization of Anisotropy of Strength in API-X80 Line Pipe Welds Through Instrumented Indentation. <i>Metallography, Microstructure, and Analysis</i> , 2020, 9, 884-894.	1.0	6
20	Enhanced strength and ductility in dissimilar friction stir butt welded Al/Cu joints by addition of a cold-spray Ni interlayer. <i>Journal of Manufacturing Processes</i> , 2020, 60, 573-577.	5.9	20
21	Evolution of Transient Nature Nanoscale Softening During Martensite Tempering. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2020, 51, 3772-3777.	2.2	4
22	On the correlation between indentation hardness and tensile strength in friction stir processed materials. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 789, 139682.	5.6	33
23	Monte Carlo simulation of grain refinement during friction stir processing. <i>Journal of Materials Science</i> , 2020, 55, 13438-13456.	3.7	31
24	A preliminary study on the double cold wire gas metal arc welding process. <i>International Journal of Advanced Manufacturing Technology</i> , 2020, 106, 5393-5405.	3.0	4
25	The role of tool offset on the microstructure and mechanical properties of Al/Cu friction stir welded joints. <i>Journal of Alloys and Compounds</i> , 2020, 825, 154045.	5.5	62
26	Surface Modification of a Cold Gas Dynamic Spray-Deposited Titanium Coating on Aluminum Alloy by using Friction-Stir Processing. <i>Journal of Thermal Spray Technology</i> , 2019, 28, 1185-1198.	3.1	26
27	Dissimilar friction stir welding of thick plate AA5052-AA6061 aluminum alloys: effects of material positioning and tool eccentricity. <i>International Journal of Advanced Manufacturing Technology</i> , 2019, 105, 889-904.	3.0	27
28	Effect of martensite-austenite (MA) distribution on mechanical properties of inter-critical Reheated Coarse Grain heat affected zone in X80 linepipe steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 765, 138301.	5.6	29
29	Investigation of local tensile strength and ductility properties of an X100 submerged arc seam weld. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 768, 138475.	5.6	15
30	Multi-variable statistical models for predicting bead geometry in gas metal arc welding. <i>International Journal of Advanced Manufacturing Technology</i> , 2019, 105, 1573-1584.	3.0	9
31	Tool eccentricity in friction stir welding: a comprehensive review. <i>Science and Technology of Welding and Joining</i> , 2019, 24, 566-578.	3.1	23
32	Effects of intermetallic particles on cavitation during superplastic forming of aluminium alloy. <i>Materials Science and Technology</i> , 2019, 35, 1428-1435.	1.6	0
33	Tailoring by Direct Contact Heating During Hot Forming/Die Quenching. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2019, 50, 3705-3713.	2.2	3
34	Printability and microstructural evolution of Ti-5553 alloy fabricated by modulated laser powder bed fusion. <i>International Journal of Advanced Manufacturing Technology</i> , 2019, 103, 4399-4409.	3.0	11
35	Application of Cold Wire Gas Metal Arc Welding for Narrow Gap Welding (NGW) of High Strength Low Alloy Steel. <i>Materials</i> , 2019, 12, 335.	2.9	19
36	Microstructure, static and fatigue properties of refill friction stir spot welded 7075-T6 aluminium alloy using a modified tool. <i>Science and Technology of Welding and Joining</i> , 2019, 24, 587-600.	3.1	33

#	ARTICLE	IF	CITATIONS
37	A Study on Sulfide Stress Cracking Susceptibility of GMA Girth Welds in X80 Grade Pipes. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2019, 50, 249-256.	2.2	4
38	Effect of beam wobbling on laser welding of aluminum and magnesium alloy with nickel interlayer. Journal of Manufacturing Processes, 2019, 37, 212-219.	5.9	46
39	Role of interfacial reaction on the mechanical performance of Al/steel dissimilar refill friction stir spot welds. Science and Technology of Welding and Joining, 2018, 23, 462-477.	3.1	30
40	Strain localisation and failure of dissimilar magnesium-based alloy friction stir welds. Science and Technology of Welding and Joining, 2018, 23, 628-634.	3.1	8
41	Failure analysis of tool used in refill friction stir spot welding of Al 2099 alloy. Engineering Failure Analysis, 2018, 84, 25-33.	4.0	28
42	Review of research progress on aluminium-magnesium dissimilar friction stir welding. Science and Technology of Welding and Joining, 2018, 23, 256-270.	3.1	103
43	Design guideline for intermetallic compound mitigation in Al-Mg dissimilar welding through addition of interlayer. International Journal of Advanced Manufacturing Technology, 2018, 94, 2667-2678.	3.0	34
44	The Effect of Second Phase Particle Dissolution on the Corrosion of Friction Stir Spot Welded AZ31B. Journal of the Electrochemical Society, 2018, 165, C794-C806.	2.9	5
45	Calculation of welding tool pin width for friction stir welding of thin overlapping sheets. International Journal of Advanced Manufacturing Technology, 2018, 98, 1721-1731.	3.0	18
46	Dynamic restoration and crystallographic texture of a friction-stir processed Al-Mg-SiC surface nanocomposite. Materials Science and Technology, 2018, 34, 1773-1791.	1.6	24
47	Influence of CNTs decomposition during reactive friction-stir processing of an Al-Mg alloy on the correlation between microstructural characteristics and microtextural components. Journal of Microscopy, 2018, 271, 188-206.	1.8	22
48	Interfacial bonding mechanisms between aluminum and titanium during cold gas spraying followed by friction-stir modification. Applied Surface Science, 2018, 462, 739-752.	6.1	46
49	Fatigue life assessment of weld joints manufactured by GMAW and CW-GMAW processes. Science and Technology of Welding and Joining, 2017, 22, 87-96.	3.1	16
50	Influence of magnesium AZ80 friction stir weld texture on tensile strain localisation. Materials Science and Technology, 2017, 33, 189-199.	1.6	7
51	Pulse profile and metal transfer in pulsed gas metal arc welding: droplet formation, detachment and velocity. Science and Technology of Welding and Joining, 2017, 22, 627-641.	3.1	28
52	Feasibility of narrow gap welding using the cold-wire gas metal arc welding (CW-GMAW) process. Welding in the World, Le Soudage Dans Le Monde, 2017, 61, 659-666.	2.5	14
53	Critical Assessment 25: Friction stir processing, potential and problems. Materials Science and Technology, 2017, 33, 1139-1144.	1.6	31
54	High frequency pulsed gas metal arc welding (GMAW-P): The metal beam process. Manufacturing Letters, 2017, 11, 1-4.	2.2	17

#	ARTICLE	IF	CITATIONS
55	Temper-treatment development to decompose detrimental martensite-austenite and its effect on linepipe welds. <i>Materials Science and Technology</i> , 2017, 33, 1978-1992.	1.6	5
56	Study of MA Effect on Yield Strength and Ductility of X80 Linepipe Steels Weld. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2017, 48, 4166-4179.	2.2	15
57	Influence of hard inclusions on microstructural characteristics and textural components during dissimilar friction-stir welding of an PM Al ₂ O ₃ -SiC hybrid nanocomposite with AA1050 alloy. <i>Science and Technology of Welding and Joining</i> , 2017, 22, 412-427.	3.1	38
58	On the Visualization of Gas Metal Arc Welding Plasma and the Relationship Between Arc Length and Voltage. <i>Applied Sciences (Switzerland)</i> , 2017, 7, 503.	2.5	15
59	Assessing residual stresses in friction stir welding: neutron diffraction and nanoindentation methods. <i>International Journal of Advanced Manufacturing Technology</i> , 2017, 93, 3733-3747.	3.0	19
60	Texture Analyses of Ti/Al ₂ O ₃ Nanocomposite Produced Using Friction Stir Processing. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2016, 47, 5618-5629.	2.2	15
61	Fusion zone microstructure evolution of fiber laser welded press-hardened steels. <i>Scripta Materialia</i> , 2016, 121, 18-22.	5.2	63
62	Influence of martensite-austenite (MA) on impact toughness of X80 line pipe steels. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 662, 481-491.	5.6	93
63	Effect of real-time cooling rate on microstructure in Laser Additive Manufacturing. <i>Journal of Materials Processing Technology</i> , 2016, 231, 468-478.	6.3	242
64	Real-time control of microstructure in laser additive manufacturing. <i>International Journal of Advanced Manufacturing Technology</i> , 2016, 82, 1173-1186.	3.0	95
65	Comparison of nozzle gas shielding techniques for laser cladding of zirconium. , 2015, , .		1
66	Microstructures and properties of Mg alloy/DP600 steel dissimilar refill friction stir spot welds. <i>Science and Technology of Welding and Joining</i> , 2015, 20, 494-501.	3.1	56
67	Reactive friction stir processing of AA 5052-TiO ₂ nanocomposite: process-microstructure-mechanical characteristics. <i>Materials Science and Technology</i> , 2015, 31, 426-435.	1.6	69
68	Influence of processing parameters on microstructure and mechanical performance of refill friction stir spot welded 7075-T6 aluminium alloy. <i>Science and Technology of Welding and Joining</i> , 2015, 20, 48-57.	3.1	54
69	Friction stir welding of co-cast aluminium clad sheet. <i>Science and Technology of Welding and Joining</i> , 2014, 19, 9-14.	3.1	9
70	Mechanism of Secondary Hardening in Rapid Tempering of Dual-Phase Steel. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2014, 45, 6153-6162.	2.2	22
71	Grain Growth Behavior and Hall-Petch Strengthening in Friction Stir Processed Al 5059. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2014, 45, 5635-5644.	2.2	31
72	Feasibility study of resistance spot welding of dissimilar Al/Mg combinations with Ni based interlayers. <i>Science and Technology of Welding and Joining</i> , 2013, 18, 541-550.	3.1	59

#	ARTICLE	IF	CITATIONS
73	Correlation Between Experimental and Calculated Phase Fractions in Aged 20Cr32Ni1Nb Austenitic Stainless Steels Containing Nitrogen. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2013, 44, 627-639.	2.2	20
74	Analysis of tool geometry in dissimilar Al alloy friction stir welds using optical microscopy and serial sectioning. Science and Technology of Welding and Joining, 2013, 18, 307-313.	3.1	23
75	Room-temperature pressureless bonding with silver nanowire paste: towards organic electronic and heat-sensitive functional devices packaging. Journal of Materials Chemistry, 2012, 22, 12997.	6.7	66
76	Functionalization of silver nanowire surfaces with copper oxide for surface-enhanced Raman spectroscopic bio-sensing. Journal of Materials Chemistry, 2012, 22, 15495.	6.7	33
77	Reinforcement of Ag nanoparticle paste with nanowires for low temperature pressureless bonding. Journal of Materials Science, 2012, 47, 6801-6811.	3.7	51
78	Distribution and stability of carbon nanotubes during multi-pass friction stir processing of carbon nanotube/aluminum composites. Carbon, 2012, 50, 4744-4749.	10.3	132
79	Interfacial heating during low-pressure cold-gas dynamic spraying of aluminum coatings. Journal of Materials Science, 2012, 47, 184-198.	3.7	37
80	Liquid film formation and cracking during friction stir welding. Science and Technology of Welding and Joining, 2011, 16, 295-299.	3.1	20
81	Fabrication of an aluminum-carbon nanotube metal matrix composite by accumulative roll-bonding. Journal of Materials Science, 2011, 46, 409-415.	3.7	53
82	Constants for hot deformation constitutive models for recent experimental data. Science and Technology of Welding and Joining, 2010, 15, 260-266.	3.1	82
83	Effect of microstructure on liquation cracking during AZ91 friction stir spot welding. Science and Technology of Welding and Joining, 2010, 15, 671-675.	3.1	5
84	Tool design and stir zone grain size in AZ31 friction stir spot welds. Science and Technology of Welding and Joining, 2009, 14, 747-752.	3.1	34
85	Joint formation in dissimilar Al alloy/steel and Mg alloy/steel friction stir spot welds. Science and Technology of Welding and Joining, 2009, 14, 500-508.	3.1	156
86	Textures in Single-Crystal Aluminum Friction Stir Spot Welds. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2009, 40, 920-931.	2.2	28
87	Local Melting and Cracking during Friction Stir Spot Welding on Mg-Al binary Alloy. Yosetsu Gakkai Ronbunshu/Quarterly Journal of the Japan Welding Society, 2009, 27, 94s-98s.	0.5	2
88	Local melting and tool slippage during friction stir spot welding of Al-alloys. Journal of Materials Science, 2008, 43, 2-11.	3.7	56
89	Cracking and Local Melting in Mg-Alloy and Al-Alloy During Friction Stir Spot Welding. Welding in the World, Le Soudage Dans Le Monde, 2008, 52, 38-46.	2.5	15
90	Liquid Penetration Induced Cracking in Mg-Alloy Spot Welds. Materials Science Forum, 2008, 580-582, 409-412.	0.3	5

#	ARTICLE	IF	CITATIONS
91	Cracking in dissimilar Mg alloy friction stir spot welds. Science and Technology of Welding and Joining, 2008, 13, 583-592.	3.1	30
92	Resistance and friction stir spot welding of DP600: a comparative study. Science and Technology of Welding and Joining, 2007, 12, 175-182.	3.1	140
93	Mechanism of cracking in AZ91 friction stir spot welds. Science and Technology of Welding and Joining, 2007, 12, 208-216.	3.1	33
94	Local melting and cracking in Al 7075-T6 and Al 2024-T3 friction stir spot welds. Science and Technology of Welding and Joining, 2007, 12, 472-480.	3.1	37
95	Effect of welding parameters on the strain rate and microstructure of friction stir spot welded 2024 aluminum alloy. Journal of Materials Science, 2007, 42, 5589-5601.	3.7	69
96	Cracking in the stir zones of Mg-alloy friction stir spot welds. Journal of Materials Science, 2007, 42, 7657-7666.	3.7	42
97	Formation and retention of local melted films in AZ91 friction stir spot welds. Journal of Materials Science, 2007, 42, 9954-9965.	3.7	25
98	Intermixing in Dissimilar Friction Stir Spot Welds. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2007, 38, 584-595.	2.2	136
99	Strain Rates and Grain Growth in Al 5754 and Al 6061 Friction Stir Spot Welds. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2007, 38, 1291-1302.	2.2	79
100	Stir zone microstructure and strain rate during Al 7075-T6 friction stir spot welding. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2006, 37, 2773-2786.	2.2	145
101	Energy utilisation and generation during friction stir spot welding. Science and Technology of Welding and Joining, 2006, 11, 163-169.	3.1	89
102	Tool penetration during friction stir spot welding of Al and Mg alloys. Journal of Materials Science, 2005, 40, 6473-6481.	3.7	109
103	Peak temperatures and microstructures in aluminium and magnesium alloy friction stir spot welds. Science and Technology of Welding and Joining, 2005, 10, 647-652.	3.1	117
104	Friction Stir Spot Welding of Aluminum and Magnesium Alloy Sheets. , 0, , .		35
105	Energy Generation and Stir Zone Dimensions in Friction Stir Spot Welds. , 0, , .		23
106	Selection of Welding Parameter during Friction Stir Spot Welding. SAE International Journal of Materials and Manufacturing, 0, 1, 1-8.	0.3	12