

Masaya Yamamoto

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7310331/masaya-yamamoto-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113
papers

4,748
citations

39
h-index

67
g-index

120
ext. papers

5,062
ext. citations

5.3
avg, IF

5.27
L-index

#	Paper	IF	Citations
113	Development of a spheroid-permeable polymer. <i>Drug Delivery System</i> , 2021 , 36, 248-255	0	
112	Design of an LCST-UCST-Like Thermoresponsive Zwitterionic Copolymer. <i>Langmuir</i> , 2021 , 37, 3261-3269	4	4
111	Addition of glycerol enhances the flexibility of gelatin hydrogel sheets; application for in utero tissue engineering. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2021 , 109, 921-931	3.5	4
110	Preparation of cell aggregates incorporating gelatin hydrogel microspheres of sugar-responsive water solubilization. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2020 , 14, 1050-1062	4.4	4
109	3D Model of Vascular Medial Thickening in Pulmonary Arterial Hypertension. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020 , 8, 482	5.8	6
108	The Design of Sulfobetaine Polymers with Thermoresponsiveness under Physiological Salt Conditions. <i>Macromolecular Chemistry and Physics</i> , 2020 , 221, 1900429	2.6	9
107	Recent Challenges in Biomaterials-Based Regenerative Medicine. <i>Membrane</i> , 2020 , 45, 250-254	0	
106	Effective Permeation of Anticancer Drugs into Glioblastoma Spheroids via Conjugation with a Sulfobetaine Copolymer. <i>Biomacromolecules</i> , 2020 , 21, 5044-5052	6.9	1
105	Control of Mitochondrial Localization Using Thermoresponsive Sulfobetaine Polymer. <i>Macromolecular Bioscience</i> , 2020 , 20, e2000205	5.5	2
104	Engineering Multi-Cellular Spheroids for Tissue Engineering and Regenerative Medicine. <i>Advanced Healthcare Materials</i> , 2020 , 9, e2000608	10.1	39
103	Internalization Mechanisms of Pyridinium Sulfobetaine Polymers Evaluated by Induced Protic Perturbations on Cell Surfaces. <i>Langmuir</i> , 2020 , 36, 9977-9984	4	4
102	Fast and effective mitochondrial delivery of Rhodamine-B-polysulfobetaine-PEG copolymers. <i>Scientific Reports</i> , 2018 , 8, 1128	4.9	13
101	Safety and durability of the biodegradable felt in aortic surgery: a propensity score-matched study. <i>European Journal of Cardio-thoracic Surgery</i> , 2018 , 54, 361-368	3	2
100	Studies on Sandwich Culture by Making Use of Biofunctional Hydrogels as a Three-Dimensional Culture Environment. <i>Kobunshi Ronbunshu</i> , 2018 , 75, 23-31	0	
99	A therapeutic angiogenesis of sustained release of basic fibroblast growth factor using biodegradable gelatin hydrogel sheets in a canine chronic myocardial infarction model. <i>Heart and Vessels</i> , 2018 , 33, 1251-1257	2.1	21
98	Design of magnetic gene complexes as effective and serum resistant gene delivery systems for mesenchymal stem cells. <i>International Journal of Pharmaceutics</i> , 2017 , 520, 1-13	6.5	14
97	Effect of hydrogel elasticity and ephrinB2-immobilized manner on Runx2 expression of human mesenchymal stem cells. <i>Acta Biomaterialia</i> , 2017 , 58, 312-322	10.8	7

96	Effect of Isoelectric Point on Enzyme Immobilization Property of Magnetic Apatite Microcapsules Encapsulating Maghemite. <i>Key Engineering Materials</i> , 2017 , 758, 178-183	0.4	
95	Safety and efficacy of sustained release of basic fibroblast growth factor using gelatin hydrogel in patients with critical limb ischemia. <i>Heart and Vessels</i> , 2016 , 31, 713-21	2.1	41
94	Fabrication of hydrogels with elasticity changed by alkaline phosphatase for stem cell culture. <i>Acta Biomaterialia</i> , 2016 , 29, 215-227	10.8	16
93	Complete tissue coverage achieved by scaffold-based tissue engineering in the fetal sheep model of Myelomeningocele. <i>Biomaterials</i> , 2016 , 76, 133-43	15.6	46
92	Easy-to-Use Preservation and Application of Platelet-Rich Plasma in Combination Wound Therapy With a Gelatin Sheet and Freeze-Dried Platelet-Rich Plasma: A Case Report. <i>Eplasty</i> , 2016 , 16, e22	0.3	4
91	Combination of BMP-2-releasing gelatin/βTCP sponges with autologous bone marrow for bone regeneration of X-ray-irradiated rabbit ulnar defects. <i>Biomaterials</i> , 2015 , 56, 18-25	15.6	41
90	Exploratory clinical trial of combination wound therapy with a gelatin sheet and platelet-rich plasma in patients with chronic skin ulcers: study protocol. <i>BMJ Open</i> , 2015 , 5, e007733	3	23
89	Intraleural administration of gelatin-embedded, sustained-release basic fibroblast growth factor for the regeneration of emphysematous lungs in rats. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014 , 147, 1644-9	1.5	6
88	Scaffold biomaterials for nano-pathophysiology. <i>Advanced Drug Delivery Reviews</i> , 2014 , 74, 104-14	18.5	8
87	Protocol of Osteoblastic Differentiation of BMSC in Biodegradable Scaffolds Composed of Gelatin and Tricalcium Phosphate. <i>Manuals in Biomedical Research</i> , 2014 , 83-90		
86	Degree of biological apatite c-axis orientation rather than bone mineral density controls mechanical function in bone regenerated using recombinant bone morphogenetic protein-2. <i>Journal of Bone and Mineral Research</i> , 2013 , 28, 1170-9	6.3	118
85	Comparative physicochemical properties and cytotoxicity of polyphosphoester ionomers with bisphosphonates. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2013 , 24, 882-95	3.5	15
84	Preparation of polymer-based multimodal imaging agent to visualize the process of bone regeneration. <i>Journal of Controlled Release</i> , 2012 , 157, 398-405	11.7	20
83	Blood clearance and biodistribution of polymer brush-afforded silica particles prepared by surface-initiated living radical polymerization. <i>Biomacromolecules</i> , 2012 , 13, 927-36	6.9	33
82	The Effect of Partial Dissolution-Precipitation Treatment on Calcium Phosphate Ceramics in the Release of BMP-2 and Osteoinduction. <i>Journal of Hard Tissue Biology</i> , 2012 , 21, 459-468	0.4	3
81	Stromal-derived factor-1 delivered via hydrogel drug-delivery vehicle accelerates wound healing in vivo. <i>Wound Repair and Regeneration</i> , 2011 , 19, 420-5	3.6	46
80	Orientation-regulated immobilization of Jagged1 on glass substrates for ex vivo proliferation of a bone marrow cell population containing hematopoietic stem cells. <i>Biomaterials</i> , 2011 , 32, 6920-8	15.6	22
79	Biomechanical evaluation of regenerating long bone by nanoindentation. <i>Journal of Materials Science: Materials in Medicine</i> , 2011 , 22, 969-76	4.5	43

78	Osteogenic differentiation of bone-marrow-derived stem cells cultured with mixed gelatin and chitooligosaccharide scaffolds. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2011 , 22, 1083-98	3.5	17
77	Preparation of cationized polysaccharides as gene transfection carrier for bone marrow-derived mesenchymal stem cells. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2010 , 21, 185-204	3.5	37
76	Generation of stable co-cultures of vascular cells in a honeycomb alginate scaffold. <i>Tissue Engineering - Part A</i> , 2010 , 16, 299-308	3.9	30
75	Generation of Type I Collagen Gradient in Polyacrylamide Hydrogels by a Simple Diffusion-Controlled Hydrolysis of Amide Groups. <i>Materials</i> , 2010 , 3, 2393-2404	3.5	12
74	Effect of amine type on the expression of plasmid DNA by cationized dextran. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2010 , 21, 225-36	3.5	9
73	Basic fibroblast growth factor combined with biodegradable hydrogel promotes healing of facial nerve after compression injury: an experimental study. <i>Acta Oto-Laryngologica</i> , 2010 , 130, 173-8	1.6	28
72	Mineralization, biodegradation, and drug release behavior of gelatin/apatite composite microspheres for bone regeneration. <i>Biomacromolecules</i> , 2010 , 11, 2653-9	6.9	52
71	Continuous delivery of stromal cell-derived factor-1 from alginate scaffolds accelerates wound healing. <i>Cell Transplantation</i> , 2010 , 19, 399-408	4	124
70	Bone regeneration using a bone morphogenetic protein-2 saturated slow-release gelatin hydrogel sheet: evaluation in a canine orbital floor fracture model. <i>Annals of Plastic Surgery</i> , 2010 , 64, 496-502	1.7	42
69	Topical insulin-like growth factor 1 treatment using gelatin hydrogels for glucocorticoid-resistant sudden sensorineural hearing loss: a prospective clinical trial. <i>BMC Medicine</i> , 2010 , 8, 76	11.4	70
68	Angiogenesis induced by controlled release of neuropeptide substance P. <i>Biomaterials</i> , 2010 , 31, 8617-25	5.6	71
67	Enhanced regeneration of critical bone defects using a biodegradable gelatin sponge and beta-tricalcium phosphate with bone morphogenetic protein-2. <i>Journal of Biomaterials Applications</i> , 2009 , 24, 327-42	2.9	19
66	Controlled release of matrix metalloproteinase 1 with or without skeletal myoblasts transplantation improves cardiac function of rat hearts with chronic myocardial infarction. <i>Tissue Engineering - Part A</i> , 2009 , 15, 2699-706	3.9	3
65	BMP-2 release and dose-response studies in hydroxyapatite and beta-tricalcium phosphate. <i>Bio-Medical Materials and Engineering</i> , 2009 , 19, 141-6	1	31
64	Biologic anastomosis: the first case of biologic coronary bypass surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2009 , 138, 775-7	1.5	0
63	Widespread and early tracheal cartilage regeneration by synchronous slow release of b-FGF and BMP-2. <i>ASAIO Journal</i> , 2009 , 55, 266-70	3.6	12
62	Controlled release of matrix metalloproteinase-1 plasmid DNA prevents left ventricular remodeling in chronic myocardial infarction of rats. <i>Circulation Journal</i> , 2009 , 73, 2315-21	2.9	19
61	Tracheal cartilage regeneration and new bone formation by slow release of bone morphogenetic protein (BMP)-2. <i>ASAIO Journal</i> , 2008 , 54, 104-8	3.6	10

60	A Study of Magnetic Drug Delivery System Using Bulk High Temperature Superconducting Magnet. <i>IEEE Transactions on Applied Superconductivity</i> , 2008 , 18, 874-877	1.8	29
59	In vitro and in vivo release of vascular endothelial growth factor from gelatin microparticles and biodegradable composite scaffolds. <i>Pharmaceutical Research</i> , 2008 , 25, 2370-8	4.5	120
58	Biodegradable gelatin microparticles as delivery systems for the controlled release of bone morphogenetic protein-2. <i>Acta Biomaterialia</i> , 2008 , 4, 1126-38	10.8	216
57	Skull bone regeneration in nonhuman primates by controlled release of bone morphogenetic protein-2 from a biodegradable hydrogel. <i>Tissue Engineering</i> , 2007 , 13, 293-300		70
56	Magnetic nanoparticles-based DDS therapeutic system of next generation for deep body site. <i>Drug Delivery System</i> , 2007 , 22, 558-568	0	6
55	Blood permeability of a novel ceramic scaffold for bone morphogenetic protein-2. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2007 , 81, 469-75	3.5	23
54	Preparation of PEG-conjugated fullerene containing Gd ³⁺ ions for photodynamic therapy. <i>Journal of Controlled Release</i> , 2007 , 117, 104-10	11.7	118
53	Expression profile of plasmid DNA by spermine derivatives of pullulan with different extents of spermine introduced. <i>Journal of Controlled Release</i> , 2007 , 118, 389-98	11.7	53
52	Tracheal cartilage regeneration by slow release of basic fibroblast growth factor from a gelatin sponge. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2007 , 134, 170-5	1.5	33
51	Expression profile of plasmid DNA obtained using spermine derivatives of pullulan with different molecular weights. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2007 , 18, 883-99	3.5	21
50	Comparison of HAp and β -TCP in BMP-2 Dose-Response and Release Study. <i>Key Engineering Materials</i> , 2007 , 361-363, 1033-1036	0.4	1
49	Change in Material and Structural Parameters of Bone Mechanical Function during Long-Bone Regeneration. <i>Materials Science Forum</i> , 2007 , 561-565, 1451-1454	0.4	4
48	A novel approach to therapeutic angiogenesis for patients with critical limb ischemia by sustained release of basic fibroblast growth factor using biodegradable gelatin hydrogel: an initial report of the phase I-IIa study. <i>Circulation Journal</i> , 2007 , 71, 1181-6	2.9	105
47	Skull Bone Regeneration in Nonhuman Primates by Controlled Release of Bone Morphogenetic Protein-2 from a Biodegradable Hydrogel. <i>Tissue Engineering</i> , 2007 , 070108073527001		
46	Efficient gene transfer by pullulan-spermine occurs through both clathrin- and raft/caveolae-dependent mechanisms. <i>Journal of Controlled Release</i> , 2006 , 116, 75-82	11.7	68
45	Role of Osteoclast in Preferential Alignment of Biological Apatite (BAp) in Long Bones. <i>Materials Science Forum</i> , 2006 , 512, 265-268	0.4	13
44	Role of Stress Distribution on Healing Process of Preferential Alignment of Biological Apatite in Long Bones. <i>Materials Science Forum</i> , 2006 , 512, 261-264	0.4	25
43	Crystallographic Approach to Regenerated and Pathological Hard Tissues. <i>Materials Science Forum</i> , 2006 , 512, 255-260	0.4	8

42	BMP-2 Dose-Response and Release Studies in Functionally Graded HAp. <i>Key Engineering Materials</i> , 2006 , 309-311, 965-968	0.4	8
41	Enhanced bone regeneration at a segmental bone defect by controlled release of bone morphogenetic protein-2 from a biodegradable hydrogel. <i>Tissue Engineering</i> , 2006 , 12, 1305-11		107
40	Regeneration of canine tracheal cartilage by slow release of basic fibroblast growth factor from gelatin sponge. <i>ASAIO Journal</i> , 2006 , 52, 86-91	3.6	20
39	Enhanced ectopic bone formation using a combination of plasmid DNA impregnation into 3-D scaffold and bioreactor perfusion culture. <i>Biomaterials</i> , 2006 , 27, 1387-98	15.6	87
38	Tissue engineering by modulated gene delivery. <i>Advanced Drug Delivery Reviews</i> , 2006 , 58, 535-54	18.5	47
37	Liver targeting of plasmid DNA with a cationized pullulan for tumor suppression. <i>Journal of Nanoscience and Nanotechnology</i> , 2006 , 6, 2853-9	1.3	29
36	Enhanced Bone Regeneration at a Segmental Bone Defect by Controlled Release of Bone Morphogenetic Protein-2 from a Biodegradable Hydrogel. <i>Tissue Engineering</i> , 2006 , 060511071910001		
35	Simultaneous application of basic fibroblast growth factor and hepatocyte growth factor to enhance the blood vessels formation. <i>Journal of Vascular Surgery</i> , 2005 , 41, 82-90	3.5	72
34	Control-released hepatocyte growth factor prevents the progression of heart failure in stroke-prone spontaneously hypertensive rats. <i>Annals of Thoracic Surgery</i> , 2005 , 79, 1627-34	2.7	22
33	Design of an osteoinductive biodegradable cell scaffold based on controlled release technology of bone morphogenetic protein. <i>Israel Journal of Chemistry</i> , 2005 , 45, 465-475	3.4	3
32	Osteogenic differentiation of mesenchymal stem cells in biodegradable sponges composed of gelatin and beta-tricalcium phosphate. <i>Biomaterials</i> , 2005 , 26, 3587-96	15.6	264
31	Enhanced osteoinduction by controlled release of bone morphogenetic protein-2 from biodegradable sponge composed of gelatin and beta-tricalcium phosphate. <i>Biomaterials</i> , 2005 , 26, 4856-65	15.6	223
30	Basic Fibroblast Growth Factor and Angiogenesis 2005 , 145-156		1
29	Bone Induction by Controlled Release of BMP-2 from a Biodegradable Hydrogel in Various Animal Species - From Mouse to Non-Human Primate -. <i>Key Engineering Materials</i> , 2005 , 288-289, 253-256	0.4	1
28	Enhanced Osteoinduction by Biodegradable Gelatin-BETA-tricalcium Phosphate Sponge Capable for Bone Morphogenetic Protein Release. <i>Journal of Hard Tissue Biology</i> , 2005 , 14, 286-287	0.4	1
27	Induction therapy of tissue regeneration based on tissue engineering Induction therapy of tissue regeneration for chronic fibrotic diseases. <i>Drug Delivery System</i> , 2005 , 20, 110-117	0	
26	Administration of control-released hepatocyte growth factor enhances the efficacy of skeletal myoblast transplantation in rat infarcted hearts by greatly increasing both quantity and quality of the graft. <i>Circulation</i> , 2005 , 112, 1129-34	16.7	47
25	Type I collagen can function as a reservoir of basic fibroblast growth factor. <i>Journal of Controlled Release</i> , 2004 , 99, 281-92	11.7	95

24	Carrier dependent cell differentiation of bone morphogenetic protein-2 induced osteogenesis and chondrogenesis during the early implantation stage in rats. <i>Journal of Biomedical Materials Research Part B</i> , 2004 , 71, 181-9		24
23	EFFECTS OF APPLIED STRESS ON PREFERENTIAL ALIGNMENT OF BIOLOGICAL APATITE IN RABBIT FORELIMB BONES. <i>Phosphorus Research Bulletin</i> , 2004 , 17, 77-82	0.3	13
22	Toward surgical angiogenesis using slow-released basic fibroblast growth factor. <i>European Journal of Cardio-thoracic Surgery</i> , 2003 , 24, 105-11; discussion 112	3	73
21	Experimental study of bone morphogenetic proteins-2 slow release from an artificial trachea made of biodegradable materials: evaluation of stenting time. <i>ASAIO Journal</i> , 2003 , 49, 533-6	3.6	15
20	Cartilage regeneration using slow release of bone morphogenetic protein-2 from a gelatin sponge to treat experimental canine tracheomalacia: a preliminary report. <i>ASAIO Journal</i> , 2003 , 49, 63-9	3.6	21
19	Repairing of rabbit skull defect by dehydrothermally crosslinked collagen sponges incorporating transforming growth factor beta1. <i>Journal of Controlled Release</i> , 2003 , 88, 55-64	11.7	28
18	Controlled release by biodegradable hydrogels enhances the ectopic bone formation of bone morphogenetic protein. <i>Biomaterials</i> , 2003 , 24, 4375-83	15.6	292
17	Improved therapeutic efficacy in cardiomyocyte transplantation for myocardial infarction with release system of basic fibroblast growth factor. <i>Artificial Organs</i> , 2003 , 27, 181-4	2.6	30
16	Prevascularization with gelatin microspheres containing basic fibroblast growth factor enhances the benefits of cardiomyocyte transplantation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2002 , 124, 50-6	1.5	131
15	Use of collagen sponge incorporating transforming growth factor-beta1 to promote bone repair in skull defects in rabbits. <i>Biomaterials</i> , 2002 , 23, 1003-10	15.6	100
14	Controlled release of growth factors based on biodegradation of gelatin hydrogel. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2001 , 12, 77-88	3.5	322
13	Bone regeneration by transforming growth factor beta1 released from a biodegradable hydrogel. <i>Journal of Controlled Release</i> , 2000 , 64, 133-42	11.7	170
12	Promotion of fibrovascular tissue ingrowth into porous sponges by basic fibroblast growth factor. <i>Journal of Materials Science: Materials in Medicine</i> , 2000 , 11, 213-8	4.5	41
11	Collagen immobilization onto the surface of artificial hair for improving the tissue adhesion. <i>Journal of Adhesion Science and Technology</i> , 2000 , 14, 635-650	2	12
10	Bone regeneration at rabbit skull defects treated with transforming growth factor-beta1 incorporated into hydrogels with different levels of biodegradability. <i>Journal of Neurosurgery</i> , 2000 , 92, 315-25	3.2	63
9	Vascularization into a porous sponge by sustained release of basic fibroblast growth factor. <i>Journal of Biomaterials Science, Polymer Edition</i> , 1999 , 10, 957-68	3.5	43
8	Growth Factor Release from Gelatin Hydrogel for Tissue Engineering. <i>Journal of Bioactive and Compatible Polymers</i> , 1999 , 14, 474-489	2	33
7	Controlled release of growth factors from biodegradable hydrogels based on polyion complexation.. <i>Drug Delivery System</i> , 1999 , 14, 506-510	0	1

6	Bone regeneration at rabbit skull defects by gelatin hydrogels incorporating transforming growth factor- β 1. <i>Drug Delivery System</i> , 1999 , 14, 43-50	0	
5	Ectopic bone formation induced by biodegradable hydrogels incorporating bone morphogenetic protein. <i>Journal of Biomaterials Science, Polymer Edition</i> , 1998 , 9, 439-58	3.5	60
4	Comparison of bone regeneration in a rabbit skull defect by recombinant human BMP-2 incorporated in biodegradable hydrogel and in solution. <i>Journal of Biomaterials Science, Polymer Edition</i> , 1998 , 9, 1001-14	3.5	61
3	Biodegradable hydrogels for bone regeneration through growth factor release. <i>Pure and Applied Chemistry</i> , 1998 , 70, 1277-1282	2.1	21
2	Ultrastructure of the interface between cultured osteoblasts and surface-modified polymer substrates. <i>Journal of Biomedical Materials Research Part B</i> , 1997 , 37, 29-36		41
1	Effect of the structure of bone morphogenetic protein carriers on ectopic bone regeneration. <i>Tissue Engineering</i> , 1996 , 2, 315-26		12