Enrico Ragni

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7311046/enrico-ragni-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68	1,446	25	35
papers	citations	h-index	g-index
73 ext. papers	1,800 ext. citations	5.2 avg, IF	4.54 L-index

#	Paper	IF	Citations
68	Adipose-Derived Stem/Stromal Cells, Stromal Vascular Fraction, and Microfragmented Adipose Tissue 2022 , 47-61		
67	The effects of orthobiologics in the treatment of tendon pathologies: a systematic review of preclinical evidence <i>Journal of Experimental Orthopaedics</i> , 2022 , 9, 31	2.3	0
66	A single step, centrifuge-free method to harvest bone marrow highly concentrated in mesenchymal stem cells: results of a pilot trial. <i>International Orthopaedics</i> , 2021 , 1	3.8	1
65	Tendon Cells Derived From The Long Head Of The Biceps And The Supraspinatus Tendons Of Patients Affected By Rotator Cuff Tears Show Different Expression Of Inflammatory Markers. <i>Connective Tissue Research</i> , 2021 , 62, 570-579	3.3	0
64	Amniotic membrane-mesenchymal stromal cells secreted factors and extracellular vesicle-miRNAs: Anti-inflammatory and regenerative features for musculoskeletal tissues. <i>Stem Cells Translational Medicine</i> , 2021 , 10, 1044-1062	6.9	8
63	Cartilage Protective and Immunomodulatory Features of Osteoarthritis Synovial Fluid-Treated Adipose-Derived Mesenchymal Stem Cells Secreted Factors and Extracellular Vesicles-Embedded miRNAs. <i>Cells</i> , 2021 , 10,	7.9	6
62	Adipose-Derived Mesenchymal Stromal Cells Treated with Interleukin 1 Beta Produced Chondro-Protective Vesicles Able to Fast Penetrate in Cartilage. <i>Cells</i> , 2021 , 10,	7.9	1
61	Autologous microfragmented adipose tissue reduces inflammatory and catabolic markers in supraspinatus tendon cells derived from patients affected by rotator cuff tears. <i>International Orthopaedics</i> , 2021 , 45, 419-426	3.8	7
60	Superior Osteo-Inductive and Osteo-Conductive Properties of Trabecular Titanium vs. PEEK Scaffolds on Human Mesenchymal Stem Cells: A Proof of Concept for the Use of Fusion Cages. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
59	miR-103a-3p and miR-22-5p Are Reliable Reference Genes in Extracellular Vesicles From Cartilage, Adipose Tissue, and Bone Marrow Cells. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021 , 9, 632440	5.8	3
58	Human Tendon Stem/Progenitor Cell Features and Functionality Are Highly Influenced by Culture Conditions. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021 , 9, 711964	5.8	3
57	Management of Osteoarthritis During the COVID-19 Pandemic. <i>Clinical Pharmacology and Therapeutics</i> , 2020 , 108, 719-729	6.1	8
56	Innovative Visualization and Quantification of Extracellular Vesicles Interaction with and Incorporation in Target Cells in 3D Microenvironments. <i>Cells</i> , 2020 , 9,	7.9	7
55	Secreted Factors and EV-miRNAs Orchestrate the Healing Capacity of Adipose Mesenchymal Stem Cells for the Treatment of Knee Osteoarthritis. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	22
54	Inflammatory priming enhances mesenchymal stromal cell secretome potential as a clinical product for regenerative medicine approaches through secreted factors and EV-miRNAs: the example of joint disease. Stem Cell Research and Therapy, 2020, 11, 165	8.3	35
53	miRNA Reference Genes in Extracellular Vesicles Released from Amniotic Membrane-Derived Mesenchymal Stromal Cells. <i>Pharmaceutics</i> , 2020 , 12,	6.4	5
52	Comparison of two ASC-derived therapeutics in an in vitro OA model: secretome versus extracellular vesicles. <i>Stem Cell Research and Therapy</i> , 2020 , 11, 521	8.3	14

51	In Vitro Study of Extracellular Vesicles Migration in Cartilage-Derived Osteoarthritis Samples Using Real-Time Quantitative Multimodal Nonlinear Optics Imaging. <i>Pharmaceutics</i> , 2020 , 12,	6.4	3
50	Reliable Reference Genes for Gene Expression Assessment in Tendon-Derived Cells under Inflammatory and Pro-Fibrotic/Healing Stimuli. <i>Cells</i> , 2019 , 8,	7.9	3
49	In Vitro Induction of Tendon-Specific Markers in Tendon Cells, Adipose- and Bone Marrow-Derived Stem Cells is Dependent on TGFB, BMP-12 and Ascorbic Acid Stimulation. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	24
48	miR-26a-5p is a Stable Reference Gene for miRNA Studies in Chondrocytes from Developing Human Cartilage. <i>Cells</i> , 2019 , 8,	7.9	3
47	miR-22-5p and miR-29a-5p Are Reliable Reference Genes for Analyzing Extracellular Vesicle-Associated miRNAs in Adipose-Derived Mesenchymal Stem Cells and Are Stable under Inflammatory Priming Mimicking Osteoarthritis Condition. <i>Stem Cell Reviews and Reports</i> , 2019 , 15, 743-	7·3 - 754	15
46	Insights into Inflammatory Priming of Adipose-Derived Mesenchymal Stem Cells: Validation of Extracellular Vesicles-Embedded miRNA Reference Genes as A Crucial Step for Donor Selection. <i>Cells</i> , 2019 , 8,	7.9	13
45	Identification of miRNA Reference Genes in Extracellular Vesicles from Adipose Derived Mesenchymal Stem Cells for Studying Osteoarthritis. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	25
44	Interaction with hyaluronan matrix and miRNA cargo as contributors for in vitro potential of mesenchymal stem cell-derived extracellular vesicles in a model of human osteoarthritic synoviocytes. <i>Stem Cell Research and Therapy</i> , 2019 , 10, 109	8.3	35
43	FOXP1 circular RNA sustains mesenchymal stem cell identity via microRNA inhibition. <i>Nucleic Acids Research</i> , 2019 , 47, 5325-5340	20.1	58
42	Mesenchymal stem cells in the treatment of articular cartilage degeneration: New biological insights for an old-timer cell. <i>Cytotherapy</i> , 2019 , 21, 1179-1197	4.8	35
41	Autologous Microfragmented Adipose Tissue Reduces the Catabolic and Fibrosis Response in an In Vitro Model of Tendon Cell Inflammation. <i>Stem Cells International</i> , 2019 , 2019, 5620286	5	4
40	Cells, soluble factors and matrix harmonically play the concert of allograft integration. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019 , 27, 1717-1725	5.5	8
39	Housekeeping Gene Stability in Human Mesenchymal Stem and Tendon Cells Exposed to Tenogenic Factors. <i>Tissue Engineering - Part C: Methods</i> , 2018 , 24, 360-367	2.9	12
38	Suppressive effects of tenofovir disoproxil fumarate, an antiretroviral prodrug, on mineralization and type II sodium-dependent phosphate transporters expression in primary human osteoblasts. <i>Journal of Cellular Biochemistry</i> , 2018 , 119, 4855-4866	4.7	9
37	Low-affinity Nerve Growth Factor Receptor (CD271) Heterogeneous Expression in Adult and Fetal Mesenchymal Stromal Cells. <i>Scientific Reports</i> , 2018 , 8, 9321	4.9	37
36	Evaluation of Different Seeding Methods for Cell-Seeded Collagen Matrix-Supported Autologous Chondrocyte Transplantation. <i>Joints</i> , 2018 , 6, 215-219	1.1	1
35	Silk/Fibroin Microcarriers for Mesenchymal Stem Cell Delivery: Optimization of Cell Seeding by the Design of Experiment. <i>Pharmaceutics</i> , 2018 , 10,	6.4	11
34	Validation of reference and identity-defining genes in human mesenchymal stem cells cultured under unrelated fetal bovine serum batches for basic science and clinical application. Stem Cell Reviews and Reports, 2018, 14, 837-846	6.4	6

33	Making Them Commit: Strategies to Influence Phenotypic Differentiation in Mesenchymal Stem Cells. <i>Sports Medicine and Arthroscopy Review</i> , 2018 , 26, 64-69	2.5	12
32	Extracellular Vesicle-Shuttled mRNA in Mesenchymal Stem Cell Communication. <i>Stem Cells</i> , 2017 , 35, 1093-1105	5.8	77
31	Protein O-mannosylation is crucial for human mesencyhmal stem cells fate. <i>Cellular and Molecular Life Sciences</i> , 2016 , 73, 445-58	10.3	8
30	A Chemically Defined Medium-Based Strategy to Efficiently Generate Clinically Relevant Cord Blood Mesenchymal Stromal Colonies. <i>Cell Transplantation</i> , 2016 , 25, 1501-14	4	12
29	Hydroquinone induces DNA hypomethylation-independent overexpression of retroelements in human leukemia and hematopoietic stem cells. <i>Biochemical and Biophysical Research Communications</i> , 2016 , 474, 691-695	3.4	10
28	Genomic and functional analyses unveil the response to hyphal wall stress in Candida albicans cells lacking [1,3)-glucan remodeling. <i>BMC Genomics</i> , 2016 , 17, 482	4.5	4
27	Angiogenic and anti-inflammatory properties of mesenchymal stem cells from cord blood: soluble factors and extracellular vesicles for cell regeneration. <i>European Journal of Cell Biology</i> , 2016 , 95, 228-3	86.1	28
26	Defining the identity of human adipose-derived mesenchymal stem cells. <i>Biochemistry and Cell Biology</i> , 2015 , 93, 74-82	3.6	14
25	Vulvar lichen sclerosus: A new regenerative approach through fat grafting. <i>Gynecologic Oncology</i> , 2015 , 139, 471-5	4.9	25
24	Diet composition transiently modulates proliferative and potency features of human cord blood-derived mesenchymal stem cells. <i>International Journal of Biochemistry and Cell Biology</i> , 2014 , 55, 269-78	5.6	5
23	Expression and phylogenetic analyses of the Gel/Gas proteins of Tuber melanosporum provide insights into the function and evolution of glucan remodeling enzymes in fungi. <i>Fungal Genetics and Biology</i> , 2013 , 53, 10-21	3.9	13
22	Adipogenic potential in human mesenchymal stem cells strictly depends on adult or foetal tissue harvest. <i>International Journal of Biochemistry and Cell Biology</i> , 2013 , 45, 2456-66	5.6	28
21	What is beyond a qRT-PCR study on mesenchymal stem cell differentiation properties: how to choose the most reliable housekeeping genes. <i>Journal of Cellular and Molecular Medicine</i> , 2013 , 17, 168-	- 80 6	103
20	Differential microRNA signature of human mesenchymal stem cells from different sources reveals an "environmental-niche memory" for bone marrow stem cells. <i>Experimental Cell Research</i> , 2013 , 319, 1562-74	4.2	43
19	Phr1p, a glycosylphosphatidylinsitol-anchored (11,3)-glucanosyltransferase critical for hyphal wall formation, localizes to the apical growth sites and septa in Candida albicans. <i>Fungal Genetics and Biology</i> , 2011 , 48, 793-805	3.9	26
18	Functional and genomic analyses of blocked protein O-mannosylation in baker's yeast. <i>Molecular Microbiology</i> , 2011 , 79, 1529-46	4.1	50
17	Catalytic properties of the Gas family E(1,3)-glucanosyltransferases active in fungal cell-wall biogenesis as determined by a novel fluorescent assay. <i>Biochemical Journal</i> , 2011 , 438, 275-82	3.8	20
16	Generation of an evolved Saccharomyces cerevisiae strain with a high freeze tolerance and an improved ability to grow on glycerol. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2011 , 38, 103	1 24	19

LIST OF PUBLICATIONS

15	The genetic interaction network of CCW12, a Saccharomyces cerevisiae gene required for cell wall integrity during budding and formation of mating projections. <i>BMC Genomics</i> , 2011 , 12, 107	4.5	27
14	Expression, stability, and replacement of glucan-remodeling enzymes during developmental transitions in Saccharomyces cerevisiae. <i>Molecular Biology of the Cell</i> , 2011 , 22, 1585-98	3.5	23
13	PHR1, a pH-regulated gene of Candida albicans encoding a glucan-remodelling enzyme, is required for adhesion and invasion. <i>Microbiology (United Kingdom)</i> , 2010 , 156, 2484-2494	2.9	54
12	GAS3, a developmentally regulated gene, encodes a highly mannosylated and inactive protein of the Gas family of Saccharomyces cerevisiae. <i>Yeast</i> , 2010 , 27, 597-610	3.4	15
11	Immobilization of the glycosylphosphatidylinositol-anchored Gas1 protein into the chitin ring and septum is required for proper morphogenesis in yeast. <i>Molecular Biology of the Cell</i> , 2009 , 20, 4856-70	3.5	35
10	Disulfide bond structure and domain organization of yeast beta(1,3)-glucanosyltransferases involved in cell wall biogenesis. <i>Journal of Biological Chemistry</i> , 2008 , 283, 18553-65	5.4	27
9	Characterization of Ccw12p, a major key player in cell wall stability of Saccharomyces cerevisiae. <i>Yeast</i> , 2007 , 24, 309-19	3.4	19
8	The Gas family of proteins of Saccharomyces cerevisiae: characterization and evolutionary analysis. <i>Yeast</i> , 2007 , 24, 297-308	3.4	88
7	The GPI-anchored Gas and Crh families are fungal antigens. <i>Yeast</i> , 2007 , 24, 289-96	3.4	26
6	GAS2 and GAS4, a pair of developmentally regulated genes required for spore wall assembly in Saccharomyces cerevisiae. <i>Eukaryotic Cell</i> , 2007 , 6, 302-16		46
5	Deletion of PDE2, the gene encoding the high-affinity cAMP phosphodiesterase, results in changes of the cell wall and membrane in Candida albicans. <i>Yeast</i> , 2005 , 22, 285-94	3.4	45
4	Characterization of recombinant forms of the yeast Gas1 protein and identification of residues essential for glucanosyltransferase activity and folding. <i>FEBS Journal</i> , 2004 , 271, 3635-45		45
3	The cell wall sensor Wsc1p is involved in reorganization of actin cytoskeleton in response to hypo-osmotic shock in Saccharomyces cerevisiae. <i>Yeast</i> , 2004 , 21, 1107-20	3.4	27
2	Transcriptome profiling of a Saccharomyces cerevisiae mutant with a constitutively activated Ras/cAMP pathway. <i>Physiological Genomics</i> , 2003 , 16, 107-18	3.6	42
1	The yeast cell-wall salvage pathway		6