

# Run Hu

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7312153/run-hu-publications-by-citations.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

156  
papers

6,326  
citations

42  
h-index

76  
g-index

178  
ext. papers

8,201  
ext. citations

9.6  
avg, IF

6.53  
L-index

#	Paper	IF	Citations
156	Experimental demonstration of a bilayer thermal cloak. <i>Physical Review Letters</i> , <b>2014</b> , 112, 054302	7.4	362
155	Ultrathin pancharatnam-berry metasurface with maximal cross-polarization efficiency. <i>Advanced Materials</i> , <b>2015</b> , 27, 1195-200	24	341
154	Visible-Frequency Metasurface for Structuring and Spatially Multiplexing Optical Vortices. <i>Advanced Materials</i> , <b>2016</b> , 28, 2533-9	24	289
153	Heat and fluid flow in high-power LED packaging and applications. <i>Progress in Energy and Combustion Science</i> , <b>2016</b> , 56, 1-32	33.6	284
152	Full control and manipulation of heat signatures: cloaking, camouflage and thermal metamaterials. <i>Advanced Materials</i> , <b>2014</b> , 26, 1731-4	24	262
151	Hybrid bilayer plasmonic metasurface efficiently manipulates visible light. <i>Science Advances</i> , <b>2016</b> , 2, e1501168	14.3	218
150	Homogeneous thermal cloak with constant conductivity and tunable heat localization. <i>Scientific Reports</i> , <b>2013</b> , 3, 1593	4.9	161
149	Illusion Thermotics. <i>Advanced Materials</i> , <b>2018</b> , 30, e1707237	24	155
148	Invisible Sensors: Simultaneous Sensing and Camouflaging in Multiphysical Fields. <i>Advanced Materials</i> , <b>2015</b> , 27, 7752-8	24	145
147	Giant intrinsic chiro-optical activity in planar dielectric nanostructures. <i>Light: Science and Applications</i> , <b>2018</b> , 7, 17158	16.7	141
146	Structured thermal surface for radiative camouflage. <i>Nature Communications</i> , <b>2018</b> , 9, 273	17.4	134
145	Quantum Dots-Converted Light-Emitting Diodes Packaging for Lighting and Display: Status and Perspectives. <i>Journal of Electronic Packaging, Transactions of the ASME</i> , <b>2016</b> , 138,	2	122
144	Anti-parity-time symmetry in diffusive systems. <i>Science</i> , <b>2019</b> , 364, 170-173	33.3	116
143	Emerging Materials and Strategies for Personal Thermal Management. <i>Advanced Energy Materials</i> , <b>2020</b> , 10, 1903921	21.8	115
142	Directional Janus Metasurface. <i>Advanced Materials</i> , <b>2020</b> , 32, e1906352	24	111
141	Theoretical realization of an ultra-efficient thermal-energy harvesting cell made of natural materials. <i>Energy and Environmental Science</i> , <b>2013</b> , 6, 3537	35.4	99
140	Creation of Ghost Illusions Using Wave Dynamics in Metamaterials. <i>Advanced Functional Materials</i> , <b>2013</b> , 23, 4028-4034	15.6	89

139	Chirality-Assisted High-Efficiency Metasurfaces with Independent Control of Phase, Amplitude, and Polarization. <i>Advanced Optical Materials</i> , <b>2018</b> , 7, 1801479	8.1	87
138	Electromagnetic chirality: from fundamentals to nontraditional chiroptical phenomena. <i>Light: Science and Applications</i> , <b>2020</b> , 9, 139	16.7	85
137	Twisted Acoustics: Metasurface-Enabled Multiplexing and Demultiplexing. <i>Advanced Materials</i> , <b>2018</b> , 30, e1800257	24	84
136	An optical-thermal model for laser-excited remote phosphor with thermal quenching. <i>International Journal of Heat and Mass Transfer</i> , <b>2018</b> , 116, 694-702	4.9	77
135	Moiré Hyperbolic Metasurfaces. <i>Nano Letters</i> , <b>2020</b> , 20, 3217-3224	11.5	75
134	Design of a novel freeform lens for LED uniform illumination and conformal phosphor coating. <i>Optics Express</i> , <b>2012</b> , 20, 13727-37	3.3	74
133	Thermally drawn advanced functional fibers: New frontier of flexible electronics. <i>Materials Today</i> , <b>2020</b> , 35, 168-194	21.8	74
132	3D Metaphotonic Nanostructures with Intrinsic Chirality. <i>Advanced Functional Materials</i> , <b>2018</b> , 28, 1803147.6	14.6	73
131	Effect of phosphor settling on the optical performance of phosphor-converted white light-emitting diode. <i>Journal of Luminescence</i> , <b>2012</b> , 132, 1252-1256	3.8	71
130	Encrypted Thermal Printing with Regionalization Transformation. <i>Advanced Materials</i> , <b>2019</b> , 31, e1807849.4	4.4	70
129	Thermal illusion with twinborn-like heat signatures. <i>International Journal of Heat and Mass Transfer</i> , <b>2018</b> , 127, 607-613	4.9	70
128	Local heating realization by reverse thermal cloak. <i>Scientific Reports</i> , <b>2014</b> , 4, 3600	4.9	69
127	Targeting Cooling for Quantum Dots in White QDs-LEDs by Hexagonal Boron Nitride Platelets with Electrostatic Bonding. <i>Advanced Functional Materials</i> , <b>2018</b> , 28, 1801407	15.6	68
126	Transforming heat transfer with thermal metamaterials and devices. <i>Nature Reviews Materials</i> , <b>2021</b> , 6, 488-507	73.3	68
125	Study on the Optical Properties of Conformal Coating Light-Emitting Diode by Monte Carlo Simulation. <i>IEEE Photonics Technology Letters</i> , <b>2011</b> , 23, 1673-1675	2.2	63
124	Full-Parameter Omnidirectional Thermal Metadevices of Anisotropic Geometry. <i>Advanced Materials</i> , <b>2018</b> , 30, e1804019	24	61
123	Wavenumber-Splitting Metasurfaces Achieve Multichannel Diffusive Invisibility. <i>Advanced Optical Materials</i> , <b>2018</b> , 6, 1800010	8.1	55
122	Manipulating DC currents with bilayer bulk natural materials. <i>Advanced Materials</i> , <b>2014</b> , 26, 3478-83	24	53

121	Passive thermal management system for downhole electronics in harsh thermal environments. <i>Applied Thermal Engineering</i> , <b>2017</b> , 118, 593-599	5.8	52
120	Soft bimorph actuator with real-time multiplex motion perception. <i>Nano Energy</i> , <b>2020</b> , 76, 104926	17.1	52
119	A modified bidirectional thermal resistance model for junction and phosphor temperature estimation in phosphor-converted light-emitting diodes. <i>International Journal of Heat and Mass Transfer</i> , <b>2017</b> , 106, 1-6	4.9	51
118	Conformal phosphor coating using capillary microchannel for controlling color deviation of phosphor-converted white light-emitting diodes. <i>Optics Express</i> , <b>2012</b> , 20, 5092-8	3.3	50
117	Polarization-Controlled Dual-Programmable Metasurfaces. <i>Advanced Science</i> , <b>2020</b> , 7, 1903382	13.6	50
116	Flexible and Robust Biomaterial Microstructured Colored Textiles for Personal Thermoregulation. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 19015-19022	9.5	49
115	Thermal camouflaging metamaterials. <i>Materials Today</i> , <b>2021</b> , 45, 120-141	21.8	48
114	Artificial Metaphotonics Born Naturally in Two Dimensions. <i>Chemical Reviews</i> , <b>2020</b> , 120, 6197-6246	68.1	42
113	Structural optimization for remote white light-emitting diodes with quantum dots and phosphor: packaging sequence matters. <i>Optics Express</i> , <b>2016</b> , 24, A1560-A1570	3.3	42
112	Effect of Packaging Method on Performance of Light-Emitting Diodes With Quantum Dot Phosphor. <i>IEEE Photonics Technology Letters</i> , <b>2016</b> , 28, 1115-1118	2.2	41
111	Doublet Thermal Metadevice. <i>Physical Review Applied</i> , <b>2019</b> , 11,	4.3	40
110	Radiative metasurface for thermal camouflage, illusion and messaging. <i>Optics Express</i> , <b>2020</b> , 28, 875-885	3.3	40
109	Dynamic thermal camouflage via a liquid-crystal-based radiative metasurface. <i>Nanophotonics</i> , <b>2020</b> , 9, 855-863	6.3	38
108	Calculation of the phosphor heat generation in phosphor-converted light-emitting diodes. <i>International Journal of Heat and Mass Transfer</i> , <b>2014</b> , 75, 213-217	4.9	38
107	Binary Thermal Encoding by Energy Shielding and Harvesting Units. <i>Physical Review Applied</i> , <b>2018</b> , 10,	4.3	38
106	Hotspot Location Shift in the High-Power Phosphor-Converted White Light-Emitting Diode Packages. <i>Japanese Journal of Applied Physics</i> , <b>2012</b> , 51, 09MK05	1.4	37
105	Modularized thermal storage unit of metal foam/paraffin composite. <i>International Journal of Heat and Mass Transfer</i> , <b>2018</b> , 125, 596-603	4.9	34
104	Quo Vadis, Metasurfaces?. <i>Nano Letters</i> , <b>2021</b> , 21, 5461-5474	11.5	34

103	Study on phosphor sedimentation effect in white light-emitting diode packages by modeling multi-layer phosphors with the modified Kubelka-Munk theory. <i>Journal of Applied Physics</i> , <b>2013</b> , 113, 063108	2.5	32
102	Banyan-inspired hierarchical evaporators for efficient solar photothermal conversion. <i>Applied Energy</i> , <b>2020</b> , 276, 115545	10.7	32
101	While rotating while cloaking. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , <b>2019</b> , 383, 759-763	2.3	32
100	Carpet thermal cloak realization based on the refraction law of heat flux. <i>Europhysics Letters</i> , <b>2015</b> , 111, 54003	1.6	30
99	Machine-Learning-Optimized Aperiodic Superlattice Minimizes Coherent Phonon Heat Conduction. <i>Physical Review X</i> , <b>2020</b> , 10,	9.1	29
98	Machine learning-optimized Tamm emitter for high-performance thermophotovoltaic system with detailed balance analysis. <i>Nano Energy</i> , <b>2020</b> , 72, 104687	17.1	29
97	Tailoring Light with Layered and Moiré Metasurfaces. <i>Trends in Chemistry</i> , <b>2021</b> , 3, 342-358	14.8	29
96	Spin-Encoded Wavelength-Direction Multitasking Janus Metasurfaces. <i>Advanced Optical Materials</i> , <b>2021</b> , 9, 2100190	8.1	28
95	A Model for Calculating the Bidirectional Scattering Properties of Phosphor Layer in White Light-Emitting Diodes. <i>Journal of Lightwave Technology</i> , <b>2012</b> , 30, 3376-3380	4	27
94	Distributed external cloak without embedded antiobjects. <i>Optics Letters</i> , <b>2010</b> , 35, 2642-4	3	26
93	Twisted Surface Plasmons with Spin-Controlled Gold Surfaces. <i>Advanced Optical Materials</i> , <b>2019</b> , 7, 1801060	10.6	25
92	Ion Write Microthermotics: Programing Thermal Metamaterials at the Microscale. <i>Nano Letters</i> , <b>2019</b> , 19, 3830-3837	11.5	24
91	An immersed jet array impingement cooling device with distributed returns for direct body liquid cooling of high power electronics. <i>Applied Thermal Engineering</i> , <b>2019</b> , 162, 114259	5.8	24
90	Effects of current crowding on light extraction efficiency of conventional GaN-based light-emitting diodes. <i>Optics Express</i> , <b>2013</b> , 21, 25381-8	3.3	24
89	Comprehensive Study on the Transmitted and Reflected Light Through the Phosphor Layer in Light-Emitting Diode Packages. <i>Journal of Display Technology</i> , <b>2013</b> , 9, 447-452		23
88	Hotspot Location Shift in the High-Power Phosphor-Converted White Light-Emitting Diode Packages. <i>Japanese Journal of Applied Physics</i> , <b>2012</b> , 51, 09MK05	1.4	23
87	Quenching Thermal Transport in Aperiodic Superlattices: A Molecular Dynamics and Machine Learning Study. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 8795-8804	9.5	23
86	Tunable analog thermal material. <i>Nature Communications</i> , <b>2020</b> , 11, 6028	17.4	22

85	Thermal routing via near-field radiative heat transfer. <i>International Journal of Heat and Mass Transfer</i> , <b>2020</b> , 150, 119346	4.9	21
84	Water droplet bouncing dynamics. <i>Nano Energy</i> , <b>2021</b> , 81, 105647	17.1	21
83	Design of double freeform-surface lens for LED uniform illumination with minimum Fresnel losses. <i>Optik</i> , <b>2013</b> , 124, 3895-3897	2.5	19
82	3D Printed Meta-Helmet for Wide-Angle Thermal Camouflages. <i>Advanced Functional Materials</i> , <b>2020</b> , 30, 2002061	15.6	19
81	A Continuously Tunable Solid-Like Convective Thermal Metadevice on the Reciprocal Line. <i>Advanced Materials</i> , <b>2020</b> , 32, e2003823	24	18
80	Cooling of high-power LEDs by liquid sprays: Challenges and prospects. <i>Applied Thermal Engineering</i> , <b>2021</b> , 184, 115640	5.8	18
79	Realization of wide circadian variability by quantum dots-luminescent mesoporous silica-based white light-emitting diodes. <i>Nanotechnology</i> , <b>2017</b> , 28, 425204	3.4	17
78	Dynamic Phosphor Sedimentation Effect on the Optical Performance of White LEDs. <i>IEEE Photonics Technology Letters</i> , <b>2017</b> , 29, 1195-1198	2.2	17
77	Effective medium theory for thermal scattering off rotating structures. <i>Optics Express</i> , <b>2020</b> , 28, 25894-25907	3.9	17
76	Two-dimensional phonon engineering triggers microscale thermal functionalities. <i>National Science Review</i> , <b>2019</b> , 6, 1071-1073	10.8	16
75	Modeling the Light Extraction Efficiency of Bi-Layer Phosphors in White LEDs. <i>IEEE Photonics Technology Letters</i> , <b>2013</b> , 25, 1141-1144	2.2	16
74	Many-body near-field radiative heat transfer: methods, functionalities and applications. <i>Reports on Progress in Physics</i> , <b>2021</b> ,	14.4	16
73	Nanoscale thermal cloaking by in-situ annealing silicon membrane. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , <b>2019</b> , 383, 2296-2301	2.3	15
72	Liquid Thermocells Enable Low-Grade Heat Harvesting. <i>Matter</i> , <b>2020</b> , 3, 1400-1402	12.7	14
71	Twistronics for photons: opinion. <i>Optical Materials Express</i> , <b>2021</b> , 11, 1377	2.6	14
70	Design of a brightness-enhancement-film-adaptive freeform lens to enhance overall performance in direct-lit light-emitting diode backlighting. <i>Applied Optics</i> , <b>2015</b> , 54, 5542-8	0.2	13
69	Illusion thermotics with topology optimization. <i>Journal of Applied Physics</i> , <b>2020</b> , 128, 045106	2.5	13
68	Near-/Mid-Field Effect of Color Mixing for Single Phosphor-Converted Light-Emitting Diode Package. <i>IEEE Photonics Technology Letters</i> , <b>2013</b> , 25, 246-249	2.2	12

67	Diffusive nonreciprocity and thermal diode. <i>Physical Review B</i> , <b>2021</b> , 103,	3.3	12
66	High-throughput screening of a high-Q mid-infrared Tamm emitter by material informatics. <i>Optics Letters</i> , <b>2021</b> , 46, 888-891	3	12
65	3D-Printed Curved Metasurface with Multifunctional Wavefronts. <i>Advanced Optical Materials</i> , <b>2020</b> , 8, 2000129	8.1	11
64	. <i>IEEE Photonics Technology Letters</i> , <b>2016</b> , 28, 1589-1592	2.2	11
63	A complementary study to "toward scatter-free phosphors in white phosphor-converted light-emitting diodes:" comment. <i>Optics Express</i> , <b>2013</b> , 21, 5071-3	3.3	11
62	Exploring the proper experimental conditions in 2D thermal cloaking demonstration. <i>Journal Physics D: Applied Physics</i> , <b>2016</b> , 49, 415302	3	11
61	First-principle-based full-dispersion Monte Carlo simulation of the anisotropic phonon transport in the wurtzite GaN thin film. <i>Journal of Applied Physics</i> , <b>2016</b> , 119, 145706	2.5	11
60	Phosphor Temperature Overestimation in High-Power Light-Emitting Diode by Thermocouple. <i>IEEE Transactions on Electron Devices</i> , <b>2017</b> , 64, 463-466	2.9	10
59	Explosive bouncing on heated silicon surfaces under low ambient pressure. <i>Soft Matter</i> , <b>2019</b> , 15, 4320-4325	3.2	10
58	Study on effective thermal conductivity of silicone/phosphor composite and its size effect by Lattice Boltzmann method. <i>Heat and Mass Transfer</i> , <b>2016</b> , 52, 2813-2821	2.2	10
57	Colored radiative cooling: How to balance color display and radiative cooling performance. <i>International Journal of Thermal Sciences</i> , <b>2021</b> , 170, 107172	4.1	10
56	Directional heat transport through thermal reflection meta-device. <i>AIP Advances</i> , <b>2016</b> , 6, 125111	1.5	9
55	Optical constants study of YAG:Ce phosphor layer blended with SiO <sub>2</sub> particles by Mie theory for white light-emitting diode package. <i>Frontiers of Optoelectronics</i> , <b>2012</b> , 5, 138-146	2.8	9
54	Low thermal resistance LED light source with vapor chamber coupled fin heat sink <b>2010</b> ,		9
53	Examination of the Thermal Cloaking Effectiveness with Layered Engineering Materials. <i>Chinese Physics Letters</i> , <b>2016</b> , 33, 044401	1.8	9
52	Effect of melting temperature and amount of the phase change material (PCM) on thermal performance of hybrid heat sinks <b>2014</b> ,		8
51	Robustly printable freeform thermal metamaterials. <i>Nature Communications</i> , <b>2021</b> , 12, 7228	17.4	8
50	Big-data-accelerated aperiodic Si/Ge superlattice prediction for quenching thermal conduction via pattern analysis. <i>Energy and AI</i> , <b>2021</b> , 3, 100046	12.6	8

49	Non-monotonously tuning thermal conductivity of graphite-nanosheets/paraffin composite by ultrasonic exfoliation. <i>International Journal of Thermal Sciences</i> , <b>2018</b> , 131, 20-26	4.1	8
48	Inverse design of rotating metadvice for adaptive thermal cloaking. <i>International Journal of Heat and Mass Transfer</i> , <b>2021</b> , 176, 121417	4.9	8
47	Bio-Inspired Flexible Fluoropolymer Film for All-Mode Light Extraction Enhancement. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 19623-19630	9.5	7
46	Effect Study of Chip Offset on the Optical Performance of Light-Emitting Diode Packaging. <i>IEEE Photonics Technology Letters</i> , <b>2015</b> , 27, 1337-1340	2.2	7
45	Experimental Investigation on Composite Phase-Change Material (CPCM)-Based Substrate. <i>Heat Transfer Engineering</i> , <b>2016</b> , 37, 351-358	1.7	7
44	Phosphor modeling based on fluorescent radiative transfer equation. <i>Optics Express</i> , <b>2018</b> , 26, 16442-16455	4.5	7
43	Phosphor distribution optimization to decrease the junction temperature in white pc-LEDs by genetic algorithm. <i>International Journal of Heat and Mass Transfer</i> , <b>2014</b> , 77, 891-896	4.9	7
42	Thermally-enhanced nanoencapsulated phase change materials for latent functionally thermal fluid. <i>International Journal of Thermal Sciences</i> , <b>2021</b> , 159, 106619	4.1	7
41	Energy-Saving Light Source Spectrum Optimization by Considering Object Reflectance. <i>IEEE Photonics Journal</i> , <b>2017</b> , 9, 1-11	1.8	6
40	Path-Dependent Thermal Metadvice beyond Janus Functionalities. <i>Advanced Materials</i> , <b>2021</b> , 33, e2003084	10.4	6
39	Thermal management of downhole electronics cooling in oil & gas well logging at high temperature <b>2016</b> ,		5
38	Analysis of elliptical thermal cloak based on entropy generation and entransy dissipation approach. <i>Chinese Physics B</i> , <b>2019</b> , 28, 087804	1.2	5
37	A simple setup to test thermal contact resistance between interfaces of two contacted solid materials <b>2010</b> ,		5
36	Flexible Janus Functional Film for Adaptive Thermal Camouflage. <i>Advanced Materials Technologies</i> , <b>2018</b> , 2100821	8.1	5
35	Examining two-dimensional Frélich model and enhancing the electron mobility of monolayer InSe by dielectric engineering. <i>Journal of Applied Physics</i> , <b>2020</b> , 128, 035107	2.5	5
34	Adaptive Radiative Thermal Camouflage via Synchronous Heat Conduction. <i>Chinese Physics Letters</i> , <b>2021</b> , 38, 010502	1.8	5
33	An engineering method to estimate the junction temperatures of light-emitting diodes in multiple LED application. <i>Journal of the Korean Physical Society</i> , <b>2014</b> , 65, 176-184	0.6	4
32	A method to design freeform lens for uniform illumination in direct-lit led backlight with high distance-height ratio <b>2012</b> ,		4



31	Angular color uniformity improvement for phosphor-converted white light-emitting diodes by optimizing remote coating phosphor geometry <b>2012</b> ,		4
30	Three-Dimensional Illusion Thermotics with Separated Thermal Illusions. <i>ES Energy &amp; Environments</i> , <b>2019</b> ,	2.9	4
29	High-thermopower polarized electrolytes enabled by methylcellulose for low-grade heat harvesting.. <i>Science Advances</i> , <b>2022</b> , 8, eabl5318	14.3	4
28	Spectrum Manipulation for Sound with Effective Gauge Fields in Cascading Temporally Modulated Waveguides. <i>Physical Review Applied</i> , <b>2019</b> , 11,	4.3	3
27	Effect of the substrate temperature on the phosphor sedimentation of phosphor-converted LEDs <b>2017</b> ,		3
26	A small flat-plate vapor chamber fabricated by copper powder sintering and diffusion bonding for cooling electronic packages <b>2013</b> ,		3
25	Enhancing Light Output of GaN-Based LEDs With Graded-Thickness Quantum Wells and Barriers. <i>IEEE Photonics Technology Letters</i> , <b>2013</b> , 25, 1762-1765	2.2	3
24	Effect of the amount of phosphor silicone gel on optical property of white light-emitting diodes packaging <b>2011</b> ,		3
23	Near-field thermophotonic system for power generation and electroluminescent refrigeration. <i>Applied Physics Letters</i> , <b>2022</b> , 120, 053902	3.4	3
22	Electron mobility and mode analysis of scattering for EGaO from first principles. <i>Journal of Physics Condensed Matter</i> , <b>2020</b> , 32, 465704	1.8	3
21	Manipulating heat transport of photoluminescent composites in LEDs/LDs. <i>Journal of Applied Physics</i> , <b>2021</b> , 130, 070906	2.5	3
20	A statistical study to identify the effects of packaging structures on lumen reliability of LEDs. <i>Microelectronics Reliability</i> , <b>2017</b> , 71, 51-55	1.2	2
19	Is thermal management outside the package enough for higher LED reliability? <b>2014</b> ,		2
18	A novel LED un-symmetrical lens for road lighting with super energy saving <b>2012</b> ,		2
17	Temporally-adjustable radiative thermal diode based on metal-insulator phase change. <i>International Journal of Heat and Mass Transfer</i> , <b>2022</b> , 185, 122443	4.9	2
16	Metamaterials-Enabled Sensing for Human-Machine Interfacing. <i>Sensors</i> , <b>2020</b> , 21,	3.8	2
15	Passive ultra-conductive thermal metamaterials.. <i>Advanced Materials</i> , <b>2022</b> , e2200329	24	2
14	Real-time Self-adaptive Thermal Metasurface.. <i>Advanced Materials</i> , <b>2022</b> , e2201093	24	2

13	White-Light-Emitting Diodes: Targeting Cooling for Quantum Dots in White QDs-LEDs by Hexagonal Boron Nitride Platelets with Electrostatic Bonding (Adv. Funct. Mater. 30/2018). <i>Advanced Functional Materials</i> , <b>2018</b> , 28, 1870212	15.6	1
12	A comparative study of phosphor scattering model for phosphor-converted light-emitting diodes <b>2017</b> ,		1
11	Study on the effect of the phosphor distribution on the phosphor layer temperature in light emitting diodes by lattice Boltzmann method <b>2014</b> ,		1
10	Design of double freeform-surface lens by distributing the deviation angle for light-emitting diode uniform illumination <b>2013</b> ,		1
9	High thermoelectric figure of merit in monolayer TI2O from first principles. <i>Journal of Applied Physics</i> , <b>2020</b> , 128, 185111	2.5	1
8	Carpet thermal cloak realization with layered thermal metamaterials: Theory and experiment <b>2016</b> ,		1
7	Experimental study of measuring LED temperatures via thermocouple <b>2016</b> ,		1
6	Design of ultrathin thermal meta-substrate for uniform cooling. <i>Europhysics Letters</i> , <b>2021</b> , 135, 26003	1.6	1
5	Experimental Investigation on the Moisture Stability of QDs-LEDs With Layered Packaging Structure. <i>IEEE Photonics Technology Letters</i> , <b>2020</b> , 32, 1423-1426	2.2	
4	Fabrication and Thermal Characterization of the Modularized Thermal Storage Unit. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , <b>2016</b> , 1-10	1.7	
3	Thermal Nanostructure Design by Materials Informatics. <i>Springer Series in Materials Science</i> , <b>2021</b> , 153-195	1.5	
2	Detecting thermal metamaterial structures by flying laser point. <i>Journal of Physics: Conference Series</i> , <b>2018</b> , 1077, 012001	0.3	
1	Self-switchable radiative cooling. <i>Matter</i> , <b>2022</b> , 5, 780-782	12.7	