

Michael J Whelan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7313546/publications.pdf>

Version: 2024-02-01

85
papers

3,029
citations

147566

31
h-index

189595

50
g-index

85
all docs

85
docs citations

85
times ranked

3654
citing authors

#	ARTICLE	IF	CITATIONS
1	Application of multimedia models for understanding the environmental behavior of volatile methylsiloxanes: Fate, transport, and bioaccumulation. <i>Integrated Environmental Assessment and Management</i> , 2022, 18, 599-621.	1.6	5
2	Within-field spatial variability of greenhouse gas fluxes from an extensive and intensive sheep-grazed pasture. <i>Agriculture, Ecosystems and Environment</i> , 2021, 312, 107355.	2.5	2
3	Mechanistic Understanding of Nitrogen Behaviour in Floating Treatment Wetlands: Abatement of Ammonia Flux. <i>IOP Conference Series: Earth and Environmental Science</i> , 2021, 779, 012093.	0.2	1
4	Macroplastic Debris Transfer in Rivers: A Travel Distance Approach. <i>Frontiers in Water</i> , 2021, 3, .	1.0	25
5	Increasing plant availability of legacy phosphorus in calcareous soils using some phosphorus activators. <i>Journal of Environmental Management</i> , 2020, 256, 109952.	3.8	30
6	A new conceptual model of pesticide transfers from agricultural land to surface waters with a specific focus on metaldehyde. <i>Environmental Sciences: Processes and Impacts</i> , 2020, 22, 956-972.	1.7	4
7	On the potential of on-line free-surface constructed wetlands for attenuating pesticide losses from agricultural land to surface waters. <i>Environmental Chemistry</i> , 2019, 16, 563.	0.7	9
8	Uncertainty and equifinality in environmental modelling of organic pollutants with specific focus on cyclic volatile methyl siloxanes. <i>Environmental Sciences: Processes and Impacts</i> , 2019, 21, 1085-1098.	1.7	7
9	Microbial community composition and activity controls phosphorus transformation in rhizosphere soils of the Yeyahu Wetland in Beijing, China. <i>Science of the Total Environment</i> , 2018, 628-629, 1266-1277.	3.9	51
10	Fluvial organic carbon fluxes from oil palm plantations on tropical peatland. <i>Biogeosciences</i> , 2018, 15, 7435-7450.	1.3	41
11	A multi-component method to determine pesticides in surface water by liquid chromatography tandem quadrupole mass spectrometry. <i>Water and Environment Journal</i> , 2017, 31, 380-387.	1.0	9
12	Elucidating the Behavior of Cyclic Volatile Methylsiloxanes in a Subarctic Freshwater Food Web: A Modeled and Measured Approach. <i>Environmental Science & Technology</i> , 2017, 51, 12489-12497.	4.6	14
13	Predicting <i>Aspergillus fumigatus</i> exposure from composting facilities using a dispersion model: A conditional calibration and validation. <i>International Journal of Hygiene and Environmental Health</i> , 2017, 220, 17-28.	2.1	13
14	Estimating Daily Reference Evapotranspiration in a Semi-Arid Region Using Remote Sensing Data. <i>Remote Sensing</i> , 2017, 9, 779.	1.8	20
15	Application of Satellite-Based Precipitation Estimates to Rainfall-Runoff Modelling in a Data-Scarce Semi-Arid Catchment. <i>Climate</i> , 2017, 5, 32.	1.2	20
16	Insensitivity of soil biological communities to phosphorus fertilization in intensively managed grassland systems. <i>Grass and Forage Science</i> , 2016, 71, 139-152.	1.2	17
17	The UK's total nitrogen budget from 1990 to 2020: a transition from source to sink?. <i>Biogeochemistry</i> , 2016, 129, 325-340.	1.7	9
18	Development and application of a catchment scale pesticide fate and transport model for use in drinking water risk assessment. <i>Science of the Total Environment</i> , 2016, 563-564, 434-447.	3.9	28

#	ARTICLE	IF	CITATIONS
19	The application of expert knowledge in Bayesian networks to predict soil bulk density at the landscape scale. <i>European Journal of Soil Science</i> , 2015, 66, 930-941.	1.8	10
20	Comment on "Unexpected Occurrence of Volatile Dimethylsiloxanes in Antarctic Soils, Vegetation, Phytoplankton, and Krill". <i>Environmental Science & Technology</i> , 2015, 49, 7504-7506.	4.6	8
21	On the application of Bayesian Networks in Digital Soil Mapping. <i>Geoderma</i> , 2015, 259-260, 134-148.	2.3	20
22	Fate and transport of petroleum hydrocarbons in engineered biopiles in polar regions. <i>Chemosphere</i> , 2015, 131, 232-240.	4.2	95
23	Impact of European Water Framework Directive Article 7 on Drinking Water Directive compliance for pesticides: challenges of a prevention-led approach. <i>Water Policy</i> , 2014, 16, 280-297.	0.7	10
24	Identifying Adaptation Options and Constraints: The Role of Agronomist Knowledge in Catchment Management Strategy. <i>Water Resources Management</i> , 2014, 28, 511-526.	1.9	7
25	The determination of nonylphenol and its precursors in a trickling filter wastewater treatment process. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 3243-3253.	1.9	18
26	The effects of earthworms, botanical diversity and fertiliser type on the vertical distribution of soil nutrients and plant nutrient acquisition. <i>Biology and Fertility of Soils</i> , 2013, 49, 1189-1201.	2.3	7
27	Influence of biochar on isoproturon partitioning and bioaccessibility in soil. <i>Environmental Pollution</i> , 2013, 181, 44-50.	3.7	29
28	Organic phosphorus fractionation in wetland soil profiles by chemical extraction and phosphorus-31 nuclear magnetic resonance spectroscopy. <i>Applied Geochemistry</i> , 2013, 33, 213-221.	1.4	31
29	Predicting rapid herbicide leaching to surface waters from an artificially drained headwater catchment using a one dimensional two-domain model coupled with a simple groundwater model. <i>Journal of Contaminant Hydrology</i> , 2013, 145, 67-81.	1.6	13
30	Dynamic modelling of aquatic exposure and pelagic food chain transfer of cyclic volatile methyl siloxanes in the Inner Oslofjord. <i>Chemosphere</i> , 2013, 93, 794-804.	4.2	28
31	Is the EU Drinking Water Directive Standard for Pesticides in Drinking Water Consistent with the Precautionary Principle?. <i>Environmental Science & Technology</i> , 2013, 47, 4999-5006.	4.6	54
32	Evaluating the fate and behaviour of cyclic volatile methyl siloxanes in two contrasting North American lakes using a multi-media model. <i>Chemosphere</i> , 2013, 91, 1566-1576.	4.2	39
33	Phosphorus sorption and buffering mechanisms in suspended sediments from the Yangtze Estuary and Hangzhou Bay, China. <i>Biogeosciences</i> , 2013, 10, 3341-3348.	1.3	34
34	Farming for Water Quality: Balancing Food Security and Nitrate Pollution in UK River Basins. <i>Annals of the American Association of Geographers</i> , 2013, 103, 397-407.	3.0	33
35	Modelling soil bulk density at the landscape scale and its contributions to C stock uncertainty. <i>Biogeosciences</i> , 2013, 10, 4691-4704.	1.3	14
36	Measurement and conceptual modelling of herbicide transport to field drains in a heavy clay soil with implications for catchment-scale water quality management. <i>Science of the Total Environment</i> , 2012, 438, 103-112.	3.9	22

#	ARTICLE	IF	CITATIONS
37	The flux of dissolved nitrogen from the UK â€” Evaluating the role of soils and land use. <i>Science of the Total Environment</i> , 2012, 434, 90-100.	3.9	24
38	The effect of triclosan on microbial community structure in three soils. <i>Chemosphere</i> , 2012, 89, 1-9.	4.2	27
39	Estimating surface water concentrations of â€œdown-the-drainâ€-chemicals in China using a global model. <i>Environmental Pollution</i> , 2012, 165, 233-240.	3.7	15
40	Fate of triclosan in field soils receiving sewage sludge. <i>Environmental Pollution</i> , 2012, 167, 101-109.	3.7	66
41	The fluvial flux of nitrate from the UK terrestrial biosphere â€” An estimate of national-scale in-stream nitrate loss using an export coefficient model. <i>Journal of Hydrology</i> , 2012, 414-415, 31-39.	2.3	23
42	Monitoring fluvial water chemistry for trend detection: hydrological variability masks trends in datasets covering fewer than 12 years. <i>Journal of Environmental Monitoring</i> , 2011, 13, 514.	2.1	27
43	Nitrate in United Kingdom Rivers: Policy and Its Outcomes Since 1970. <i>Environmental Science & Technology</i> , 2011, 45, 175-181.	4.6	60
44	Nitrate pollution in intensively farmed regions: What are the prospects for sustaining highâ€quality groundwater?. <i>Water Resources Research</i> , 2011, 47, .	1.7	84
45	Solvent-based washing removes lipophilic contaminant interference with phospholipid fatty acid analysis of soil communities. <i>Soil Biology and Biochemistry</i> , 2011, 43, 2208-2212.	4.2	4
46	Modelling long-term diffuse nitrate pollution at the catchment-scale: Data, parameter and epistemic uncertainty. <i>Journal of Hydrology</i> , 2011, 403, 337-351.	2.3	52
47	Effects of triclosan on soil microbial respiration. <i>Environmental Toxicology and Chemistry</i> , 2011, 30, 360-366.	2.2	42
48	An assessment of the risk to surface water ecosystems of groundwater P in the UK and Ireland. <i>Science of the Total Environment</i> , 2010, 408, 1847-1857.	3.9	73
49	Multimedia fate of petroleum hydrocarbons in the soil: Oil matrix of constructed biopiles. <i>Chemosphere</i> , 2010, 81, 1454-1462.	4.2	51
50	Nitrate concentrations and fluxes in the River Thames over 140 years (1868â€2008): are increases irreversible?. <i>Hydrological Processes</i> , 2010, 24, 2657-2662.	1.1	132
51	A mass transfer model of ammonia volatilisation from anaerobic digestate. <i>Waste Management</i> , 2010, 30, 1808-1812.	3.7	31
52	Predicting accurate and ecologically relevant regional scale concentrations of triclosan in rivers for use in higher-tier aquatic risk assessments. <i>Environment International</i> , 2010, 36, 521-526.	4.8	49
53	Dynamic multi-phase partitioning of decamethylcyclopentasiloxane (D5) in river water. <i>Water Research</i> , 2010, 44, 3679-3686.	5.3	35
54	Long-term monitoring of river water nitrate: how much data do we need?. <i>Journal of Environmental Monitoring</i> , 2010, 12, 71-79.	2.1	57

#	ARTICLE	IF	CITATIONS
55	Effect of laundry activities on in-stream concentrations of linear alkylbenzene sulfonate in a small rural South African river. <i>Science of the Total Environment</i> , 2009, 407, 4465-4471.	3.9	13
56	Data requirements of GREAT-ER: Modelling and validation using LAS in four UK catchments. <i>Environmental Pollution</i> , 2009, 157, 2610-2616.	3.7	19
57	Effect of Aldrich humic acid on water-air atmosphere transfer of decamethylcyclopentasiloxane. <i>Chemosphere</i> , 2009, 74, 1111-1116.	4.2	29
58	Continuous-flow laboratory simulation of stream water quality changes downstream of an untreated wastewater discharge. <i>Water Research</i> , 2009, 43, 1993-2001.	5.3	14
59	Fluvial flux of nitrogen from Great Britain 1974-2005 in the context of the terrestrial nitrogen budget of Great Britain. <i>Global Biogeochemical Cycles</i> , 2009, 23, .	1.9	41
60	Environmental Persistence of Organic Pollutants: Guidance for Development and Review of POP Risk Profiles. <i>Integrated Environmental Assessment and Management</i> , 2009, 5, 539-556.	1.6	103
61	Phosphorus in groundwater-an overlooked contributor to eutrophication?. <i>Hydrological Processes</i> , 2008, 22, 5121-5127.	1.1	169
62	Determination of decamethylcyclopentasiloxane in river water and final effluent by headspace gas chromatography/mass spectrometry. <i>Journal of Chromatography A</i> , 2008, 1212, 124-129.	1.8	105
63	Consideration of exposure and species sensitivity of triclosan in the freshwater environment. <i>Integrated Environmental Assessment and Management</i> , 2008, 4, 15-23.	1.6	98
64	Importance of long-term monitoring for detecting environmental change: lessons from a lowland river in south east England. <i>Biogeosciences</i> , 2008, 5, 1529-1535.	1.3	58
65	The behaviour of linear alkyl benzene sulphonate under direct discharge conditions in Vientiane, Lao PDR. <i>Water Research</i> , 2007, 41, 4730-4740.	5.3	23
66	A new generic approach for estimating the concentrations of down-the-drain chemicals at catchment and national scale. <i>Environmental Pollution</i> , 2007, 148, 334-342.	3.7	20
67	Predicting diffuse-source transfers of surfactants to surface waters using SWAT. <i>Chemosphere</i> , 2007, 66, 1336-1345.	4.2	15
68	A comparison of river water quality sampling methodologies under highly variable load conditions. <i>Chemosphere</i> , 2007, 66, 746-756.	4.2	34
69	Mass balance modelling of contaminants in river basins: Application of the flexible matrix approach. <i>Chemosphere</i> , 2007, 68, 1232-1244.	4.2	13
70	Sensitivity analysis and identification of the best evapotranspiration and runoff options for hydrological modelling in SWAT-2000. <i>Journal of Hydrology</i> , 2007, 332, 456-466.	2.3	155
71	Hydrological modelling of a small catchment using SWAT-2000 - Ensuring correct flow partitioning for contaminant modelling. <i>Journal of Hydrology</i> , 2007, 334, 64-72.	2.3	56
72	A globally applicable location-specific screening model for assessing the relative risk of pesticide leaching. <i>Science of the Total Environment</i> , 2007, 377, 192-206.	3.9	11

#	ARTICLE	IF	CITATIONS
73	Pesticide Modelling for a Small Catchment Using SWAT-2000. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2006, 41, 1049-1070.	0.7	24
74	Modeling the fate of down-the-drain chemicals in rivers: An improved software for GREAT-ER. <i>Environmental Modelling and Software</i> , 2006, 21, 925-936.	1.9	47
75	Mass balance modelling of contaminants in river basins: A flexible matrix approach. <i>Chemosphere</i> , 2005, 61, 1458-1467.	4.2	24
76	A modelling assessment of the atmospheric fate of volatile methyl siloxanes and their reaction products. <i>Chemosphere</i> , 2004, 57, 1427-1437.	4.2	58
77	Modelling of spatial controls on denitrification at the landscape scale. <i>Hydrological Processes</i> , 2002, 16, 1437-1450.	1.1	28
78	On the relative role of hydrodynamic dispersion for river water quality. <i>Water Resources Research</i> , 2001, 37, 2365-2375.	1.7	22
79	A simple triangular approximation of the area function for the calculation of network hydrological response. , 1999, 13, 2639-2653.		10
80	A simple stochastic model of point source solute transport in rivers based on gauging station data with implications for sampling requirements. <i>Water Research</i> , 1999, 33, 3171-3181.	5.3	24
81	Spatial patterns of throughfall and mineral ion deposition in a lowland Norway spruce (<i>Picea abies</i>) plantation at the plot scale. <i>Atmospheric Environment</i> , 1998, 32, 3493-3501.	1.9	50
82	Variability in the quality and potential decomposability of <i>Pinus sylvestris</i> litter from sites with different soil characteristics: acid detergent fibre (ADF) and carbohydrate signatures. <i>Soil Biology and Biochemistry</i> , 1998, 30, 455-461.	4.2	26
83	The Characterization of a Lignin-Derived Organic Matter Fraction in Soils Developed Under Different Vegetation Types. <i>Journal of Applied Ecology</i> , 1997, 34, 14.	1.9	10
84	Variability in the quality of <i>Pinus sylvestris</i> needles and litter from sites with different soil characteristics: Lignin and phenylpropanoid signature. <i>Soil Biology and Biochemistry</i> , 1996, 28, 829-835.	4.2	35
85	Modelling spatial patterns of throughfall and interception loss in a Norway spruce (<i>Picea abies</i>) plantation at the plot scale. <i>Journal of Hydrology</i> , 1996, 186, 335-354.	2.3	66