

Dayana Farias

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7313980/publications.pdf>

Version: 2024-02-01

31
papers

445
citations

623574

14
h-index

752573

20
g-index

31
all docs

31
docs citations

31
times ranked

800
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence of psychiatric disorders in the first trimester of pregnancy and factors associated with current suicide risk. <i>Psychiatry Research</i> , 2013, 210, 962-968.	1.7	63
2	Agreement between self-reported pre-pregnancy weight and measured first-trimester weight in Brazilian women. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 734.	0.9	32
3	Blood Pressure Variation Throughout Pregnancy According to Early Gestational BMI: A Brazilian Cohort. <i>Arquivos Brasileiros De Cardiologia</i> , 2015, 104, 284-91.	0.3	30
4	Maternal lipids and leptin concentrations are associated with large-for-gestational-age births: a prospective cohort study. <i>Scientific Reports</i> , 2017, 7, 804.	1.6	27
5	Prepregnancy Healthy Dietary Pattern Is Inversely Associated with Depressive Symptoms among Pregnant Brazilian Women. <i>Journal of Nutrition</i> , 2014, 144, 1612-1618.	1.3	26
6	Omega-3 supplementation from pregnancy to postpartum to prevent depressive symptoms: a randomized placebo-controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 180.	0.9	26
7	HDL-cholesterol concentrations are inversely associated with Edinburgh Postnatal Depression Scale scores during pregnancy: Results from a Brazilian cohort study. <i>Journal of Psychiatric Research</i> , 2014, 58, 181-188.	1.5	22
8	Association between early pregnancy vitamin D status and changes in serum lipid profiles throughout pregnancy. <i>Metabolism: Clinical and Experimental</i> , 2017, 70, 85-97.	1.5	19
9	Factors associated with maternal serum C-reactive protein throughout pregnancy: A longitudinal study in women of Rio de Janeiro, Brazil. <i>Nutrition</i> , 2015, 31, 1103-1108.	1.1	17
10	Serum docosahexaenoic acid (DHA) is inversely associated with anxiety disorders in early pregnancy. <i>Journal of Anxiety Disorders</i> , 2015, 30, 34-40.	1.5	17
11	Association of the FTO (rs9939609) and MC4R (rs17782313) gene polymorphisms with maternal body weight during pregnancy. <i>Nutrition</i> , 2016, 32, 1223-1230.	1.1	16
12	Polymorphisms in the leptin (rs7799039) gene are associated with an increased risk of excessive gestational weight gain but not with leptin concentration during pregnancy. <i>Nutrition Research</i> , 2017, 47, 53-62.	1.3	16
13	Prepregnancy Dietary Patterns and Their Association with Perinatal Outcomes: A Prospective Cohort Study. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2019, 119, 1439-1451.	0.4	16
14	Gestational dietary patterns are not associated with blood pressure changes during pregnancy and early postpartum in a Brazilian prospective cohort. <i>European Journal of Nutrition</i> , 2016, 55, 21-32.	1.8	14
15	Serum saturated fatty acid decreases plasma adiponectin and increases leptin throughout pregnancy independently of BMI. <i>Nutrition</i> , 2016, 32, 740-747.	1.1	13
16	Brazilian Maternal and Child Nutrition Consortium: establishment, data harmonization and basic characteristics. <i>Scientific Reports</i> , 2020, 10, 14869.	1.6	12
17	Prepregnancy Dietary Patterns Are Associated with Blood Lipid Level Changes During Pregnancy: A Prospective Cohort Study in Rio de Janeiro, Brazil. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2017, 117, 1066-1079.e1.	0.4	11
18	Early pregnancy body mass index modifies the association of prepregnancy dietary patterns with serum polyunsaturated fatty acid concentrations throughout pregnancy in Brazilian women. <i>Maternal and Child Nutrition</i> , 2018, 14, .	1.4	10

#	ARTICLE	IF	CITATIONS
19	Maternal mental health and gestational weight gain in a Brazilian Cohort. Scientific Reports, 2021, 11, 10787.	1.6	10
20	General methodological aspects in the Brazilian National Survey on Child Nutrition (ENANI-2019): a population-based household survey. Cadernos De Saude Publica, 2021, 37, e00300020.	0.4	8
21	Prevalence and temporal trends in prepregnancy nutritional status and gestational weight gain of adult women followed in the Brazilian Food and Nutrition Surveillance System from 2008 to 2018. Maternal and Child Nutrition, 2022, 18, e13240.	1.4	8
22	Impact of the Dietary Approaches to Stop Hypertension (DASH) diet on glycaemic control and consumption of processed and ultraprocessed foods in pregnant women with pre-gestational diabetes mellitus: a randomised clinical trial. British Journal of Nutrition, 2021, 126, 865-876.	1.2	7
23	Maternal C-reactive protein concentrations during pregnancy and birth weight in a prospective cohort in Rio de Janeiro, Brazil. Journal of Maternal-Fetal and Neonatal Medicine, 2017, 30, 2346-2353.	0.7	6
24	High cholesterol dietary intake during pregnancy is associated with large for gestational age in a sample of low-income women of Rio de Janeiro, Brazil. Maternal and Child Nutrition, 2017, 13, .	1.4	6
25	Leptin gene polymorphism (rs7799039; G2548A) is associated with changes in serum lipid concentrations during pregnancy: a prospective cohort study. European Journal of Nutrition, 2020, 59, 1999-2009.	1.8	4
26	Adiponectin and leptin gene variants and their effects on body weight trajectories in children from birth to 6 years of age: the PREDI Study. British Journal of Nutrition, 2021, 125, 241-250.	1.2	4
27	Methodological aspects of the assessment of dietary intake in the Brazilian National Survey on Child Nutrition (ENANI-2019): a population-based household survey. Cadernos De Saude Publica, 2021, 37, e00301420.	0.4	3
28	Serum fatty acids are positively associated with changes in systemic blood pressure throughout pregnancy. Pregnancy Hypertension, 2018, 13, 7-13.	0.6	1
29	Association of ADIPOQ-rs2241766 and FTO-rs9939609 genetic variants with body mass index trajectory in women of reproductive age over 6 years of follow-up: the PREDI study. European Journal of Clinical Nutrition, 2021, , .	1.3	1
30	Agreement Between Self-Reported Pre-Pregnancy Weight and Weight Measured During the First Trimester of Pregnancy: A Comparison of Research and Administrative Data. Current Developments in Nutrition, 2020, 4, nzaa054_025.	0.1	0
31	Maternal Serum Fatty Acids are Positively Associated with Systolic Blood Pressure Changes during Pregnancy: Longitudinal Study.. FASEB Journal, 2015, 29, 598.19.	0.2	0