Antonio Benedetti

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7314747/antonio-benedetti-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

6,876 80 129 45 h-index g-index citations papers 6.6 7,640 4.76 137 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
129	Therapeutic effects of dexamethasone-loaded hyaluronan nanogels in the experimental cholestasis <i>Drug Delivery and Translational Research</i> , 2022 , 1	6.2	
128	A prospective study of DAA Effectiveness and Relapse Risk in HCV Cryoglobulinemic Vasculitis by the Italian PITER Cohort <i>Hepatology</i> , 2021 ,	11.2	3
127	Gut epithelial impairment, microbial translocation and immune system activation in inflammatory bowel disease-associated spondyloarthritis. <i>Rheumatology</i> , 2021 , 60, 92-102	3.9	6
126	The Management of Cholestatic Liver Diseases: Current Therapies and Emerging New Possibilities. Journal of Clinical Medicine, 2021 , 10,	5.1	6
125	X Chromosome Contribution to the Genetic Architecture of Primary Biliary Cholangitis. <i>Gastroenterology</i> , 2021 , 160, 2483-2495.e26	13.3	9
124	Multicenter Validation of the DETAIL Questionnaire for the Screening of Spondyloarthritis in Patients With Inflammatory Bowel Diseases. <i>Journal of Rheumatology</i> , 2021 , 48, 179-187	4.1	0
123	Role of autophagy in cholangiocarcinoma: Pathophysiology and implications for therapy. <i>World Journal of Clinical Cases</i> , 2021 , 9, 6234-6243	1.6	O
122	An international genome-wide meta-analysis of primary biliary cholangitis: Novel risk loci and candidate drugs. <i>Journal of Hepatology</i> , 2021 , 75, 572-581	13.4	8
121	mTOR and STAT3 Pathway Hyper-Activation is Associated with Elevated Interleukin-6 Levels in Patients with Shwachman-Diamond Syndrome: Further Evidence of Lymphoid Lineage Impairment. <i>Cancers</i> , 2020 , 12,	6.6	1
120	Gut-Liver Axis and Inflammasome Activation in Cholangiocyte Pathophysiology. Cells, 2020, 9,	7.9	14
119	Research Strands in Dermatology and Gastroenterology Units of Department of Clinical and Molecular Sciences in Polytechnic Marche University 2020 , 221-246		
118	Aging and the Biological Response to Liver Injury. Seminars in Liver Disease, 2020, 40, 225-232	7.3	3
117	Locally acquired hepatitis E virus in Marche Italy: Clinical/laboratory features and outcome. <i>Digestive and Liver Disease</i> , 2020 , 52, 434-439	3.3	1
116	Clinical and patient reported outcomes of the multidisciplinary management in patients with inflammatory bowel disease-associated spondyloarthritis. <i>European Journal of Internal Medicine</i> , 2019 , 64, 76-84	3.9	5
115	Aging-Related Molecular Pathways in Chronic Cholestatic Conditions. Frontiers in Medicine, 2019, 6, 332	4.9	4
114	Aging-Related Expression of Twinfilin-1 Regulates Cholangiocyte Biological Response to Injury. Hepatology, 2019 , 70, 883-898	11.2	8
113	The DETection of Arthritis in Inflammatory boweL diseases (DETAIL) questionnaire: development and preliminary testing of a new tool to screen patients with inflammatory bowel disease for the presence of spondyloarthritis. <i>Clinical Rheumatology</i> , 2018 , 37, 1037-1044	3.9	14

112	Inflammation and the Gut-Liver Axis in the Pathophysiology of Cholangiopathies. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	18
111	Nlrp3 Activation Induces Il-18 Synthesis and Affects the Epithelial Barrier Function in Reactive Cholangiocytes. <i>American Journal of Pathology</i> , 2017 , 187, 366-376	5.8	23
110	Ombitasvir, paritaprevir, and ritonavir, with or without dasabuvir, plus ribavirin for patients with hepatitis C virus genotype 1 or 4 infection with cirrhosis (ABACUS): a prospective observational study. <i>The Lancet Gastroenterology and Hepatology</i> , 2017 , 2, 427-434	18.8	13
109	Postoperative Recurrence of Crohn@ Disease: Pathophysiology, Diagnosis and Treatment. <i>Current Pharmaceutical Biotechnology</i> , 2017 , 18, 979-988	2.6	4
108	Current Targets for Primary Sclerosing Cholangitis. Current Drug Targets, 2017, 18, 901-907	3	
107	Randomised controlled trial of mesalazine in IBS. <i>Gut</i> , 2016 , 65, 82-90	19.2	67
106	Mycosis Fungoides-like Eruption and Infliximab. <i>Journal of Clinical Gastroenterology</i> , 2016 , 50, 610-1	3	1
105	Expert consensus document: Cholangiocarcinoma: current knowledge and future perspectives consensus statement from the European Network for the Study of Cholangiocarcinoma (ENS-CCA). <i>Nature Reviews Gastroenterology and Hepatology</i> , 2016 , 13, 261-80	24.2	618
104	Hepatitis E in a region of Italy: An emerging autochthonous infection?. <i>Digestive and Liver Disease</i> , 2016 , 48, 1340-1345	3.3	10
103	PDX-1 mRNA expression in endoscopic ultrasound-guided fine needle cytoaspirate: perspectives in the diagnosis of pancreatic cancer. <i>Digestive and Liver Disease</i> , 2015 , 47, 138-43	3.3	6
102	VEGF and VEGFR genotyping in the prediction of clinical outcome for HCC patients receiving sorafenib: the ALICE-1 study. <i>International Journal of Cancer</i> , 2014 , 135, 1247-56	7.5	88
101	The role of LDH serum levels in predicting global outcome in HCC patients treated with sorafenib: implications for clinical management. <i>BMC Cancer</i> , 2014 , 14, 110	4.8	62
100	Pegylated interferon plus ribavirin for the treatment of chronic hepatitis C: a multicentre independent study supported by the Italian Drug Agency. <i>Digestive and Liver Disease</i> , 2014 , 46, 826-32	3.3	11
99	Dysbiosis contributes to fibrogenesis in the course of chronic liver injury in mice. <i>Hepatology</i> , 2014 , 59, 1738-49	11.2	188
98	White paper of Italian Gastroenterology: delivery of services for digestive diseases in Italy: weaknesses and strengths. <i>Digestive and Liver Disease</i> , 2014 , 46, 579-89	3.3	30
97	HCC development is associated to peripheral insulin resistance in a mouse model of NASH. <i>PLoS ONE</i> , 2014 , 9, e97136	3.7	56
96	Activation of the developmental pathway neurogenin-3/microRNA-7a regulates cholangiocyte proliferation in response to injury. <i>Hepatology</i> , 2014 , 60, 1324-35	11.2	17
95	Tacrolimus and Everolimus de novo versus minimization of standard dosage of Tacrolimus provides a similar renal function at one year after liver transplantation: a case-control matched-pairs analysis. <i>Annals of Transplantation</i> , 2014 , 19, 545-50	1.4	5

94	PDX-1/Hes-1 interactions determine cholangiocyte proliferative response to injury in rodents: possible implications for sclerosing cholangitis. <i>Journal of Hepatology</i> , 2013 , 58, 750-6	13.4	21
93	Liver carcinogenesis: rodent models of hepatocarcinoma and cholangiocarcinoma. <i>Digestive and Liver Disease</i> , 2013 , 45, 450-9	3.3	74
92	Semaphorin 7A contributes to TGF-Emediated liver fibrogenesis. <i>American Journal of Pathology</i> , 2013 , 183, 820-30	5.8	36
91	Angiogenic factors in chronic liver diseases: the effects on hepatic progenitor cells. <i>Hepatobiliary Surgery and Nutrition</i> , 2013 , 2, 61-4	2.1	1
90	New insights in hepatocellular carcinoma: from bench to bedside. <i>Annals of Translational Medicine</i> , 2013 , 1, 15	3.2	10
89	Doxorubicin-eluting bead vs conventional transcatheter arterial chemoembolization for hepatocellular carcinoma before liver transplantation. <i>World Journal of Gastroenterology</i> , 2013 , 19, 562	22 ⁵ 32	44
88	The significance of genetics for cholangiocarcinoma development. <i>Annals of Translational Medicine</i> , 2013 , 1, 28	3.2	16
87	Endoplasmic Reticulum stress induces hepatic stellate cell apoptosis and contributes to fibrosis resolution. <i>Liver International</i> , 2012 , 32, 1574-84	7.9	35
86	An oestrogen receptor Belective agonist exerts anti-neoplastic effects in experimental intrahepatic cholangiocarcinoma. <i>Digestive and Liver Disease</i> , 2012 , 44, 134-42	3.3	31
85	Preoperative Work-up: Endoscopy and Endoscopic Ultrasonography 2012 , 43-49		
84	Cholangiocarcinoma in Italy: A national survey on clinical characteristics, diagnostic modalities and treatment. Results from the "Cholangiocarcinoma" committee of the Italian Association for the Study of Liver disease. <i>Digestive and Liver Disease</i> , 2011 , 43, 60-5	3.3	35
83	Glucagon-like peptide-1 receptor activation stimulates hepatic lipid oxidation and restores hepatic signalling alteration induced by a high-fat diet in nonalcoholic steatohepatitis. <i>Liver International</i> , 2011 , 31, 1285-97	7.9	281
82	Insulin resistance and necroinflammation drives ductular reaction and epithelial-mesenchymal transition in chronic hepatitis C. <i>Gut</i> , 2011 , 60, 108-15	19.2	22
81	Genome-wide meta-analyses identify three loci associated with primary biliary cirrhosis. <i>Nature Genetics</i> , 2010 , 42, 658-60	36.3	337
80	Clinical implications of novel aspects of biliary pathophysiology. <i>Digestive and Liver Disease</i> , 2010 , 42, 238-44	3.3	14
79	Pancreatic Duodenal Homeobox-1 de novo expression drives cholangiocyte neuroendocrine-like transdifferentiation. <i>Journal of Hepatology</i> , 2010 , 53, 663-70	13.4	14
78	Trans-arterial chemo-embolization (TACE), with either lipiodol (traditional TACE) or drug-eluting microspheres (precision TACE, pTACE) in the treatment of hepatocellular carcinoma: efficacy and safety results from a large mono-institutional analysis. <i>Journal of Experimental and Clinical Cancer</i>	12.8	30
77	Research, 2010 , 29, 164 Increased local dopamine secretion has growth-promoting effects in cholangiocarcinoma. International Journal of Cancer, 2010 , 126, 2112-22	7.5	34

(2006-2009)

76	Ethyl caffeate from Verdicchio wine: chromatographic purification and in vivo evaluation of its antifibrotic activity. <i>Journal of Separation Science</i> , 2009 , 32, 3585-90	3.4	9
75	Control of cholangiocyte adaptive responses by visceral hormones and neuropeptides. <i>Clinical Reviews in Allergy and Immunology</i> , 2009 , 36, 13-22	12.3	25
74	Endothelin inhibits cholangiocarcinoma growth by a decrease in the vascular endothelial growth factor expression. <i>Liver International</i> , 2009 , 29, 1031-42	7.9	30
73	Serotonin metabolism is dysregulated in cholangiocarcinoma, which has implications for tumor growth. <i>Cancer Research</i> , 2008 , 68, 9184-93	10.1	75
72	Leptin enhances cholangiocarcinoma cell growth. Cancer Research, 2008, 68, 6752-61	10.1	70
71	Hedgehog signaling regulates epithelial-mesenchymal transition during biliary fibrosis in rodents and humans. <i>Journal of Clinical Investigation</i> , 2008 , 118, 3331-42	15.9	259
70	Glucagon-like peptide-1 and its receptor agonist exendin-4 modulate cholangiocyte adaptive response to cholestasis. <i>Gastroenterology</i> , 2007 , 133, 244-55	13.3	64
69	Prolactin stimulates the proliferation of normal female cholangiocytes by differential regulation of Ca2+-dependent PKC isoforms. <i>BMC Physiology</i> , 2007 , 7, 6	0	31
68	Cytoprotective effects of taurocholic acid feeding on the biliary tree after adrenergic denervation of the liver. <i>Liver International</i> , 2007 , 27, 558-68	7.9	23
67	Novel interaction of bile acid and neural signaling in the regulation of cholangiocyte function. <i>Hepatology Research</i> , 2007 , 37 Suppl 3, S420-9	5.1	6
66	The alpha2-adrenergic receptor agonist UK 14,304 inhibits secretin-stimulated ductal secretion by downregulation of the cAMP system in bile duct-ligated rats. <i>American Journal of Physiology - Cell Physiology</i> , 2007 , 293, C1252-62	5.4	29
65	Thyroid hormone inhibits biliary growth in bile duct-ligated rats by PLC/IP(3)/Ca(2+)-dependent downregulation of SRC/ERK1/2. <i>American Journal of Physiology - Cell Physiology</i> , 2007 , 292, C1467-75	5.4	15
64	Serum and biliary insulin-like growth factor I and vascular endothelial growth factor in determining the cause of obstructive cholestasis. <i>Annals of Internal Medicine</i> , 2007 , 147, 451-9	8	45
63	Molecular pathology of biliary tract cancers. <i>Cancer Letters</i> , 2007 , 250, 155-67	9.9	38
62	Endogenous opioid peptides and chronic liver disease: from bedside to bench. <i>Journal of Hepatology</i> , 2007 , 46, 583-6	13.4	19
61	Vitamin E in chronic liver diseases and liver fibrosis. <i>Vitamins and Hormones</i> , 2007 , 76, 551-73	2.5	29
60	Taurocholic acid feeding prevents tumor necrosis factor-alpha-induced damage of cholangiocytes by a PI3K-mediated pathway. <i>Experimental Biology and Medicine</i> , 2007 , 232, 942-9	3.7	11
59	Adrenergic receptor agonists prevent bile duct injury induced by adrenergic denervation by increased cAMP levels and activation of Akt. <i>American Journal of Physiology - Renal Physiology</i> , 2006 , 290, G813-26	5.1	49

58	Cell proliferation and drug resistance in hepatocellular carcinoma are modulated by Rho GTPase signals. <i>American Journal of Physiology - Renal Physiology</i> , 2006 , 290, G624-32	5.1	27
57	Ca2+-dependent cytoprotective effects of ursodeoxycholic and tauroursodeoxycholic acid on the biliary epithelium in a rat model of cholestasis and loss of bile ducts. <i>American Journal of Pathology</i> , 2006 , 168, 398-409	5.8	65
56	Estrogens and insulin-like growth factor 1 modulate neoplastic cell growth in human cholangiocarcinoma. <i>American Journal of Pathology</i> , 2006 , 169, 877-88	5.8	113
55	A model of insulin resistance and nonalcoholic steatohepatitis in rats: role of peroxisome proliferator-activated receptor-alpha and n-3 polyunsaturated fatty acid treatment on liver injury. <i>American Journal of Pathology</i> , 2006 , 169, 846-60	5.8	221
54	Endogenous opioids modulate the growth of the biliary tree in the course of cholestasis. <i>Gastroenterology</i> , 2006 , 130, 1831-47	13.3	40
53	Estrogens maintain bile duct mass and reduce apoptosis after biliodigestive anastomosis in bile duct ligated rats. <i>Journal of Hepatology</i> , 2006 , 44, 1158-66	13.4	16
52	Ethyl caffeoate: Liquid chromatographytandem mass spectrometric analysis in Verdicchio wine and effects on hepatic stellate cells and intracellular peroxidation. <i>Analytica Chimica Acta</i> , 2006 , 563, 375-381	6.6	4
51	Nervous and Neuroendocrine regulation of the pathophysiology of cholestasis and of biliary carcinogenesis. <i>World Journal of Gastroenterology</i> , 2006 , 12, 3471-80	5.6	21
50	gamma-Aminobutyric acid inhibits cholangiocarcinoma growth by cyclic AMP-dependent regulation of the protein kinase A/extracellular signal-regulated kinase 1/2 pathway. <i>Cancer Research</i> , 2005 , 65, 11437-46	10.1	74
49	Autocrine/paracrine regulation of the growth of the biliary tree by the neuroendocrine hormone serotonin. <i>Gastroenterology</i> , 2005 , 128, 121-37	13.3	208
48	Bile acids induce hepatic stellate cell proliferation via activation of the epidermal growth factor receptor. <i>Gastroenterology</i> , 2005 , 128, 1042-55	13.3	105
47	Oxidative stress stimulates proliferation and invasiveness of hepatic stellate cells via a MMP2-mediated mechanism. <i>Hepatology</i> , 2005 , 41, 1074-84	11.2	194
46	Early response of alpha2(I) collagen to acetaldehyde in human hepatic stellate cells is TGF-beta independent. <i>Hepatology</i> , 2005 , 42, 343-52	11.2	70
45	Nerve growth factor modulates the proliferative capacity of the intrahepatic biliary epithelium in experimental cholestasis. <i>Gastroenterology</i> , 2004 , 127, 1198-209	13.3	76
44	cAMP stimulates the secretory and proliferative capacity of the rat intrahepatic biliary epithelium through changes in the PKA/Src/MEK/ERK1/2 pathway. <i>Journal of Hepatology</i> , 2004 , 41, 528-37	13.4	100
43	Alpha-1 adrenergic receptor agonists modulate ductal secretion of BDL rats via Ca(2+)- and PKC-dependent stimulation of cAMP. <i>Hepatology</i> , 2004 , 40, 1116-27	11.2	59
42	Development and characterization of secretin-stimulated secretion of cultured rat cholangiocytes. <i>American Journal of Physiology - Renal Physiology</i> , 2003 , 284, G1066-73	5.1	21
41	Taurocholate prevents the loss of intrahepatic bile ducts due to vagotomy in bile duct-ligated rats. American Journal of Physiology - Renal Physiology, 2003, 284, G837-52	5.1	45

40	Taurocholate feeding prevents CCl4-induced damage of large cholangiocytes through PI3-kinase-dependent mechanism. <i>American Journal of Physiology - Renal Physiology</i> , 2003 , 284, G290-3	0∮ ^{.1}	31
39	Selective Na+/H+ exchange inhibition by cariporide reduces liver fibrosis in the rat. <i>Hepatology</i> , 2003 , 37, 256-66	11.2	37
38	Regulation of ERK/JNK/p70S6K in two rat models of liver injury and fibrosis. <i>Journal of Hepatology</i> , 2003 , 39, 528-37	13.4	45
37	Insulin inhibits secretin-induced ductal secretion by activation of PKC alpha and inhibition of PKA activity. <i>Hepatology</i> , 2002 , 36, 641-51	11.2	46
36	Rearrangement of the cytoskeletal network induced by platelet-derived growth factor in rat hepatic stellate cells: role of different intracellular signalling pathways. <i>Journal of Hepatology</i> , 2002 , 36, 179-90	13.4	21
35	Effect of pirfenidone on rat hepatic stellate cell proliferation and collagen production. <i>Journal of Hepatology</i> , 2002 , 37, 584-91	13.4	108
34	Involvement of reactive oxygen species and nitric oxide radicals in activation and proliferation of rat hepatic stellate cells. <i>Liver</i> , 2001 , 21, 1-12		108
33	Intracellular signaling pathways involved in acetaldehyde-induced collagen and fibronectin gene expression in human hepatic stellate cells. <i>Hepatology</i> , 2001 , 33, 1130-40	11.2	106
32	Inhibition of the NA(+)/H(+) exchanger reduces rat hepatic stellate cell activity and liver fibrosis: an in vitro and in vivo study. <i>Gastroenterology</i> , 2001 , 120, 545-56	13.3	73
31	Intracellular pH regulation and Na+/H+ exchange activity in human hepatic stellate cells: effect of platelet-derived growth factor, insulin-like growth factor 1 and insulin. <i>Journal of Hepatology</i> , 2001 , 34, 378-85	13.4	34
30	Gastrin inhibits cholangiocyte growth in bile duct-ligated rats by interaction with cholecystokinin-B/Gastrin receptors via D-myo-inositol 1,4,5-triphosphate-, Ca(2+)-, and protein kinase C alpha-dependent mechanisms. <i>Hepatology</i> , 2000 , 32, 17-25	11.2	93
29	The function of alkaline phosphatase in the liver: regulation of intrahepatic biliary epithelium secretory activities in the rat. <i>Hepatology</i> , 2000 , 32, 174-84	11.2	58
28	Acute carbon tetrachloride feeding induces damage of large but not small cholangiocytes from BDL rat liver. <i>American Journal of Physiology - Renal Physiology</i> , 1999 , 276, G1289-301	5.1	79
27	Hepatic stellate cell activation and liver fibrosis are associated with necroinflammatory injury and Th1-like response in chronic hepatitis C. <i>Liver International</i> , 1999 , 19, 212-9	7.9	59
26	The significance of apoptosis in the liver. <i>Liver International</i> , 1999 , 19, 453-63	7.9	21
25	Acute carbon tetrachloride feeding selectively damages large, but not small, cholangiocytes from normal rat liver. <i>Hepatology</i> , 1999 , 29, 307-19	11.2	95
24	Insulin and insulin-like growth factor-1 stimulate proliferation and type I collagen accumulation by human hepatic stellate cells: differential effects on signal transduction pathways. <i>Hepatology</i> , 1999 , 29, 1743-51	11.2	250
23	The Na+/H+ exchanger modulates the fibrogenic effect of oxidative stress in rat hepatic stellate cells. <i>Journal of Hepatology</i> , 1999 , 30, 868-75	13.4	61

22	Intracellular pathways mediating Na+/H+ exchange activation by platelet-derived growth factor in rat hepatic stellate cells. <i>Gastroenterology</i> , 1999 , 116, 1155-66	13.3	50
21	Cholinergic system modulates growth, apoptosis, and secretion of cholangiocytes from bile duct-ligated rats. <i>Gastroenterology</i> , 1999 , 117, 191-9	13.3	147
20	Fibrogenic effect of oxidative stress on rat hepatic stellate cells. <i>Hepatology</i> , 1998 , 27, 720-6	11.2	236
19	A morphometric study of the epithelium lining the rat intrahepatic biliary tree. <i>Journal of Hepatology</i> , 1996 , 24, 335-42	13.4	63
18	Transforming growth factor increases the number of apoptotic bodies and decreases intracellular pH in isolated periportal and perivenular rat hepatocytes. <i>Hepatology</i> , 1995 , 22, 1488-1498	11.2	1
17	Regulation of intracellular pH in periportal and perivenular hepatocytes isolated from ethanol-treated rats. <i>Alcoholism: Clinical and Experimental Research</i> , 1995 , 19, 216-25	3.7	3
16	Effect of Brefeldin A on transcytotic vesicular pathway and bile secretion: A study on the isolated perfused rat liver and isolated rat hepatocyte couplets. <i>Hepatology</i> , 1995 , 21, 450-459	11.2	9
15	Functional and ultrastructural features of ethanol/bile salts interaction in the isolated perfused rat liver. <i>Hepatology</i> , 1995 , 21, 1120-1129	11.2	11
14	Brefeldin a inhibits the transcytotic vesicular transport of horseradish peroxidase in intrahepatic bile ductules isolated from rat liver. <i>Hepatology</i> , 1995 , 22, 194-201	11.2	3
13	Transforming growth factor increases the number of apoptotic bodies and decreases intracellular pH in isolated periportal and perivenular rat hepatocytes. <i>Hepatology</i> , 1995 , 22, 1488-1498	11.2	19
12	Functional and ultrastructural features of ethanol/bile salts interaction in the isolated perfused rat liver 1995 , 21, 1120		1
11	Immunohistochemical analysis of S-phase cells in normal human and rat liver by PC10 monoclonal antibody. <i>Liver</i> , 1994 , 14, 57-64		22
10	Chronic ethanol feeding increases apoptosis and cell proliferation in rat liver. <i>Journal of Hepatology</i> , 1994 , 20, 508-13	13.4	76
9	Regulation of intracellular pH in isolated periportal and perivenular rat hepatocytes. <i>Gastroenterology</i> , 1993 , 105, 1797-805	13.3	15
8	Tubulovesicular transcytotic pathway in rat biliary epithelium: A study in perfused liver and in isolated intrahepatic bile duct. <i>Hepatology</i> , 1993 , 18, 422-432	11.2	11
7	Quantitative analysis of proliferating sinusoidal cells in dimethylnitrosamine-induced cirrhosis. An immunohistochemical study. <i>Journal of Hepatology</i> , 1992 , 15, 361-6	13.4	41
6	Evidence that plasma membrane fluidity of isolated hepatocytes is modified by exposure to microtubule-depolymerizing drugs. <i>Journal of Hepatology</i> , 1990 , 10, 144-8	13.4	13
5	Quantitative study of apoptosis in normal rat gastroduodenal mucosa. <i>Journal of Gastroenterology</i> and Hepatology (Australia), 1990 , 5, 369-74	4	21

LIST OF PUBLICATIONS

4	Plasma membrane fluidity in isolated rat hepatocytes: comparative study using DPH and TMA-DPH as fluorescent probes. <i>Journal of Gastroenterology and Hepatology (Australia</i>), 1989 , 4, 221-7	4	7
3	Age and sex related changes of plasma membrane fluidity in isolated rat hepatocytes. <i>Biochemical and Biophysical Research Communications</i> , 1988 , 156, 840-5	3.4	18
2	Subcellular changes and apoptosis induced by ethanol in rat liver. <i>Journal of Hepatology</i> , 1988 , 6, 137-4	4313.4	84
1	Preferential distribution of apoptotic bodies in acinar zone 3 of normal human and rat liver. <i>Journal of Hepatology</i> , 1988 , 7, 319-24	13.4	68