

Antonio Benedetti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7314747/publications.pdf>

Version: 2024-02-01

133
papers

8,373
citations

46918

47
h-index

48187

88
g-index

137
all docs

137
docs citations

137
times ranked

9720
citing authors

#	ARTICLE	IF	CITATIONS
1	A prospective study of direct-acting antiviral effectiveness and relapse risk in HCV cryoglobulinemic vasculitis by the Italian PITER cohort. <i>Hepatology</i> , 2022, 76, 220-232.	3.6	12
2	Therapeutic effects of dexamethasone-loaded hyaluronan nanogels in the experimental cholestasis. <i>Drug Delivery and Translational Research</i> , 2022, , 1.	3.0	0
3	Multicenter Validation of the DETAIL Questionnaire for the Screening of Spondyloarthritis in Patients With Inflammatory Bowel Diseases. <i>Journal of Rheumatology</i> , 2021, 48, 179-187.	1.0	9
4	The Management of Cholestatic Liver Diseases: Current Therapies and Emerging New Possibilities. <i>Journal of Clinical Medicine</i> , 2021, 10, 1763.	1.0	17
5	X Chromosome Contribution to the Genetic Architecture of Primary Biliary Cholangitis. <i>Gastroenterology</i> , 2021, 160, 2483-2495.e26.	0.6	27
6	Role of autophagy in cholangiocarcinoma: Pathophysiology and implications for therapy. <i>World Journal of Clinical Cases</i> , 2021, 9, 6234-6243.	0.3	2
7	An international genome-wide meta-analysis of primary biliary cholangitis: Novel risk loci and candidate drugs. <i>Journal of Hepatology</i> , 2021, 75, 572-581.	1.8	62
8	Gut epithelial impairment, microbial translocation and immune system activation in inflammatory bowel disease-associated spondyloarthritis. <i>Rheumatology</i> , 2021, 60, 92-102.	0.9	18
9	Involvement of Autophagy in Ageing and Chronic Cholestatic Diseases. <i>Cells</i> , 2021, 10, 2772.	1.8	4
10	Ageing and the Biological Response to Liver Injury. <i>Seminars in Liver Disease</i> , 2020, 40, 225-232.	1.8	13
11	Locally acquired hepatitis E virus in Marche Italy: Clinical/laboratory features and outcome. <i>Digestive and Liver Disease</i> , 2020, 52, 434-439.	0.4	4
12	mTOR and STAT3 Pathway Hyper-Activation is Associated with Elevated Interleukin-6 Levels in Patients with Shwachman-Diamond Syndrome: Further Evidence of Lymphoid Lineage Impairment. <i>Cancers</i> , 2020, 12, 597.	1.7	7
13	Gut-Liver Axis and Inflammasome Activation in Cholangiocyte Pathophysiology. <i>Cells</i> , 2020, 9, 736.	1.8	20
14	Research Strands in Dermatology and Gastroenterology Units of Department of Clinical and Molecular Sciences in Polytechnic Marche University. , 2020, , 221-246.		0
15	Clinical and patient reported outcomes of the multidisciplinary management in patients with inflammatory bowel disease-associated spondyloarthritis. <i>European Journal of Internal Medicine</i> , 2019, 64, 76-84.	1.0	9
16	Ageing-Related Expression of Twinfilin-1 Regulates Cholangiocyte Biological Response to Injury. <i>Hepatology</i> , 2019, 70, 883-898.	3.6	9
17	Ageing-Related Molecular Pathways in Chronic Cholestatic Conditions. <i>Frontiers in Medicine</i> , 2019, 6, 332.	1.2	9
18	The DETection of Arthritis in Inflammatory boweL diseases (DETAIL) questionnaire: development and preliminary testing of a new tool to screen patients with inflammatory bowel disease for the presence of spondyloarthritis. <i>Clinical Rheumatology</i> , 2018, 37, 1037-1044.	1.0	28

#	ARTICLE	IF	CITATIONS
19	Inflammation and the Gut-Liver Axis in the Pathophysiology of Cholangiopathies. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3003.	1.8	29
20	Postoperative Recurrence of Crohn's Disease: Pathophysiology, Diagnosis and Treatment. <i>Current Pharmaceutical Biotechnology</i> , 2018, 18, 979-988.	0.9	8
21	Nlrp3 Activation Induces Il-18 Synthesis and Affects the Epithelial Barrier Function in Reactive Cholangiocytes. <i>American Journal of Pathology</i> , 2017, 187, 366-376.	1.9	43
22	Ombitasvir, paritaprevir, and ritonavir, with or without dasabuvir, plus ribavirin for patients with hepatitis C virus genotype 1 or 4 infection with cirrhosis (ABACUS): a prospective observational study. <i>The Lancet Gastroenterology and Hepatology</i> , 2017, 2, 427-434.	3.7	15
23	Current Targets for Primary Sclerosing Cholangitis. <i>Current Drug Targets</i> , 2017, 18, 901-907.	1.0	0
24	Cholangiocarcinoma: current knowledge and future perspectives consensus statement from the European Network for the Study of Cholangiocarcinoma (ENS-CCA). <i>Nature Reviews Gastroenterology and Hepatology</i> , 2016, 13, 261-280.	8.2	964
25	Hepatitis E in a region of Italy: An emerging autochthonous infection?. <i>Digestive and Liver Disease</i> , 2016, 48, 1340-1345.	0.4	11
26	Mycosis Fungoides-like Eruption and Infliximab. <i>Journal of Clinical Gastroenterology</i> , 2016, 50, 610-611.	1.1	3
27	Randomised controlled trial of mesalazine in IBS. <i>Gut</i> , 2016, 65, 82-90.	6.1	91
28	PDX-1 mRNA expression in endoscopic ultrasound-guided fine needle cytoaspirate: Perspectives in the diagnosis of pancreatic cancer. <i>Digestive and Liver Disease</i> , 2015, 47, 138-143.	0.4	8
29	HCC Development Is Associated to Peripheral Insulin Resistance in a Mouse Model of NASH. <i>PLoS ONE</i> , 2014, 9, e97136.	1.1	76
30	Activation of the developmental pathway neurogenin-3/microRNA-7a regulates cholangiocyte proliferation in response to injury. <i>Hepatology</i> , 2014, 60, 1324-1335.	3.6	22
31	VEGF and VEGFR genotyping in the prediction of clinical outcome for HCC patients receiving sorafenib: The ALICE study. <i>International Journal of Cancer</i> , 2014, 135, 1247-1256.	2.3	109
32	The role of LDH serum levels in predicting global outcome in HCC patients treated with sorafenib: implications for clinical management. <i>BMC Cancer</i> , 2014, 14, 110.	1.1	80
33	Pegylated interferon α plus ribavirin for the treatment of chronic hepatitis C: A multicentre independent study supported by the Italian Drug Agency. <i>Digestive and Liver Disease</i> , 2014, 46, 826-832.	0.4	12
34	Dysbiosis contributes to fibrogenesis in the course of chronic liver injury in mice. <i>Hepatology</i> , 2014, 59, 1738-1749.	3.6	258
35	White Paper of Italian Gastroenterology: Delivery of services for digestive diseases in Italy: Weaknesses and strengths. <i>Digestive and Liver Disease</i> , 2014, 46, 579-589.	0.4	40
36	Tacrolimus and Everolimus De Novo versus Minimization of Standard Dosage of Tacrolimus Provides a Similar Renal Function at One Year after Liver Transplantation: A Case-Control Matched-Pairs Analysis. <i>Annals of Transplantation</i> , 2014, 19, 545-550.	0.5	6

#	ARTICLE	IF	CITATIONS
37	PDX-1/Hes-1 interactions determine cholangiocyte proliferative response to injury in rodents: Possible implications for sclerosing cholangitis. <i>Journal of Hepatology</i> , 2013, 58, 750-756.	1.8	24
38	Liver carcinogenesis: Rodent models of hepatocarcinoma and cholangiocarcinoma. <i>Digestive and Liver Disease</i> , 2013, 45, 450-459.	0.4	87
39	Semaphorin 7A Contributes to TGF- β -Mediated Liver Fibrogenesis. <i>American Journal of Pathology</i> , 2013, 183, 820-830.	1.9	46
40	Doxorubicin-eluting bead vs conventional transcatheter arterial chemoembolization for hepatocellular carcinoma before liver transplantation. <i>World Journal of Gastroenterology</i> , 2013, 19, 5622.	1.4	52
41	The significance of genetics for cholangiocarcinoma development. <i>Annals of Translational Medicine</i> , 2013, 1, 28.	0.7	20
42	Angiogenic factors in chronic liver diseases: the effects on hepatic progenitor cells. <i>Hepatobiliary Surgery and Nutrition</i> , 2013, 2, 61-4.	0.7	1
43	New insights in hepatocellular carcinoma: from bench to bedside. <i>Annals of Translational Medicine</i> , 2013, 1, 15.	0.7	12
44	Endoplasmic Reticulum stress induces hepatic stellate cell apoptosis and contributes to fibrosis resolution. <i>Liver International</i> , 2012, 32, 1574-1584.	1.9	40
45	An oestrogen receptor β -selective agonist exerts anti-neoplastic effects in experimental intrahepatic cholangiocarcinoma. <i>Digestive and Liver Disease</i> , 2012, 44, 134-142.	0.4	34
46	Preoperative Work-up: Endoscopy and Endoscopic Ultrasonography. , 2012, , 43-49.		0
47	Cholangiocarcinoma in Italy: A national survey on clinical characteristics, diagnostic modalities and treatment. Results from the "Cholangiocarcinoma" committee of the Italian Association for the Study of Liver disease. <i>Digestive and Liver Disease</i> , 2011, 43, 60-65.	0.4	59
48	Glucagon-like peptide-1 receptor activation stimulates hepatic lipid oxidation and restores hepatic signalling alteration induced by a high-fat diet in nonalcoholic steatohepatitis. <i>Liver International</i> , 2011, 31, 1285-1297.	1.9	337
49	Preface. <i>Transplantation Proceedings</i> , 2011, 43, 949.	0.3	0
50	Insulin resistance and necroinflammation drives ductular reaction and epithelial-mesenchymal transition in chronic hepatitis C. <i>Gut</i> , 2011, 60, 108-115.	6.1	30
51	Increased local dopamine secretion has growth-promoting effects in cholangiocarcinoma. <i>International Journal of Cancer</i> , 2010, 126, 2112-2122.	2.3	46
52	Genome-wide meta-analyses identify three loci associated with primary biliary cirrhosis. <i>Nature Genetics</i> , 2010, 42, 658-660.	9.4	389
53	Clinical implications of novel aspects of biliary pathophysiology. <i>Digestive and Liver Disease</i> , 2010, 42, 238-244.	0.4	16
54	Pancreatic Duodenal Homeobox-1 de novo expression drives cholangiocyte neuroendocrine-like transdifferentiation. <i>Journal of Hepatology</i> , 2010, 53, 663-670.	1.8	14

#	ARTICLE	IF	CITATIONS
55	Trans-arterial chemo-embolization (TACE), with either lipiodol (traditional TACE) or drug-eluting microspheres (precision TACE, pTACE) in the treatment of hepatocellular carcinoma: efficacy and safety results from a large mono-institutional analysis. <i>Journal of Experimental and Clinical Cancer Research</i> , 2010, 29, 164.	3.5	39
56	Ethyl caffeate from Verdicchio wine: Chromatographic purification and <i>in vivo</i> evaluation of its antifibrotic activity. <i>Journal of Separation Science</i> , 2009, 32, 3585-3590.	1.3	12
57	Control of Cholangiocyte Adaptive Responses by Visceral Hormones and Neuropeptides. <i>Clinical Reviews in Allergy and Immunology</i> , 2009, 36, 13-22.	2.9	28
58	Endothelin inhibits cholangiocarcinoma growth by a decrease in the vascular endothelial growth factor expression. <i>Liver International</i> , 2009, 29, 1031-1042.	1.9	33
59	Serotonin Metabolism Is Dysregulated in Cholangiocarcinoma, which Has Implications for Tumor Growth. <i>Cancer Research</i> , 2008, 68, 9184-9193.	0.4	90
60	Leptin Enhances Cholangiocarcinoma Cell Growth. <i>Cancer Research</i> , 2008, 68, 6752-6761.	0.4	77
61	Hedgehog signaling regulates epithelial-mesenchymal transition during biliary fibrosis in rodents and humans. <i>Journal of Clinical Investigation</i> , 2008, 118, 3331-42.	3.9	284
62	The β_2 -adrenergic receptor agonist UK 14,304 inhibits secretin-stimulated ductal secretion by downregulation of the cAMP system in bile duct-ligated rats. <i>American Journal of Physiology - Cell Physiology</i> , 2007, 293, C1252-C1262.	2.1	30
63	Thyroid hormone inhibits biliary growth in bile duct-ligated rats by PLC/IP3/Ca ²⁺ -dependent downregulation of SRC/ERK1/2. <i>American Journal of Physiology - Cell Physiology</i> , 2007, 292, C1467-C1475.	2.1	19
64	Serum and Biliary Insulin-like Growth Factor I and Vascular Endothelial Growth Factor in Determining the Cause of Obstructive Cholestasis. <i>Annals of Internal Medicine</i> , 2007, 147, 451.	2.0	52
65	Molecular pathology of biliary tract cancers. <i>Cancer Letters</i> , 2007, 250, 155-167.	3.2	45
66	Endogenous opioid peptides and chronic liver disease: From bedside to bench. <i>Journal of Hepatology</i> , 2007, 46, 583-586.	1.8	22
67	Vitamin E in Chronic Liver Diseases and Liver Fibrosis. <i>Vitamins and Hormones</i> , 2007, 76, 551-573.	0.7	36
68	Glucagon-Like Peptide-1 and Its Receptor Agonist Exendin-4 Modulate Cholangiocyte Adaptive Response to Cholestasis. <i>Gastroenterology</i> , 2007, 133, 244-255.	0.6	73
69	Prolactin stimulates the proliferation of normal female cholangiocytes by differential regulation of Ca ²⁺ -dependent PKC isoforms. <i>BMC Physiology</i> , 2007, 7, 6.	3.6	35
70	Cytoprotective effects of taurocholic acid feeding on the biliary tree after adrenergic denervation of the liver. <i>Liver International</i> , 2007, 27, 558-568.	1.9	23
71	Novel interaction of bile acid and neural signaling in the regulation of cholangiocyte function. <i>Hepatology Research</i> , 2007, 37, S420-9.	1.8	6
72	Taurocholic acid feeding prevents tumor necrosis factor-alpha-induced damage of cholangiocytes by a PI3K-mediated pathway. <i>Experimental Biology and Medicine</i> , 2007, 232, 942-9.	1.1	12

#	ARTICLE	IF	CITATIONS
73	Ca ²⁺ -Dependent Cytoprotective Effects of Ursodeoxycholic and Tauroursodeoxycholic Acid on the Biliary Epithelium in a Rat Model of Cholestasis and Loss of Bile Ducts. <i>American Journal of Pathology</i> , 2006, 168, 398-409.	1.9	68
74	Estrogens and Insulin-Like Growth Factor 1 Modulate Neoplastic Cell Growth in Human Cholangiocarcinoma. <i>American Journal of Pathology</i> , 2006, 169, 877-888.	1.9	136
75	A Model of Insulin Resistance and Nonalcoholic Steatohepatitis in Rats. <i>American Journal of Pathology</i> , 2006, 169, 846-860.	1.9	237
76	Endogenous Opioids Modulate the Growth of the Biliary Tree in the Course of Cholestasis. <i>Gastroenterology</i> , 2006, 130, 1831-1847.	0.6	41
77	Estrogens maintain bile duct mass and reduce apoptosis after biliodigestive anastomosis in bile duct ligated rats. <i>Journal of Hepatology</i> , 2006, 44, 1158-1166.	1.8	16
78	Ethyl caffeoate: Liquid chromatography-tandem mass spectrometric analysis in Verdicchio wine and effects on hepatic stellate cells and intracellular peroxidation. <i>Analytica Chimica Acta</i> , 2006, 563, 375-381.	2.6	5
79	Adrenergic receptor agonists prevent bile duct injury induced by adrenergic denervation by increased cAMP levels and activation of Akt. <i>American Journal of Physiology - Renal Physiology</i> , 2006, 290, G813-G826.	1.6	55
80	Cell proliferation and drug resistance in hepatocellular carcinoma are modulated by Rho GTPase signals. <i>American Journal of Physiology - Renal Physiology</i> , 2006, 290, G624-G632.	1.6	28
81	Nervous and Neuroendocrine regulation of the pathophysiology of cholestasis and of biliary carcinogenesis. <i>World Journal of Gastroenterology</i> , 2006, 12, 3471.	1.4	25
82	Oxidative stress stimulates proliferation and invasiveness of hepatic stellate cells via a MMP2-mediated mechanism. <i>Hepatology</i> , 2005, 41, 1074-1084.	3.6	210
83	Early response of $\alpha 2(I)$ collagen to acetaldehyde in human hepatic stellate cells is TGF- $\beta 2$ independent. <i>Hepatology</i> , 2005, 42, 343-352.	3.6	77
84	$\beta 3$ -Aminobutyric Acid Inhibits Cholangiocarcinoma Growth by Cyclic AMP-Dependent Regulation of the Protein Kinase A/Extracellular Signal-Regulated Kinase 1/2 Pathway. <i>Cancer Research</i> , 2005, 65, 11437-11446.	0.4	85
85	Autocrine/paracrine regulation of the growth of the biliary tree by the neuroendocrine hormone serotonin. <i>Gastroenterology</i> , 2005, 128, 121-137.	0.6	226
86	Bile acids induce hepatic stellate cell proliferation via activation of the epidermal growth factor receptor. <i>Gastroenterology</i> , 2005, 128, 1042-1055.	0.6	135
87	Nerve growth factor modulates the proliferative capacity of the intrahepatic biliary epithelium in experimental cholestasis. <i>Gastroenterology</i> , 2004, 127, 1198-1209.	0.6	87
88	cAMP stimulates the secretory and proliferative capacity of the rat intrahepatic biliary epithelium through changes in the PKA/Src/MEK/ERK1/2 pathway. <i>Journal of Hepatology</i> , 2004, 41, 528-537.	1.8	110
89	$\beta 1$ adrenergic receptor agonists modulate ductal secretion of BDL rats via Ca ²⁺ - and PKC-dependent stimulation of cAMP. <i>Hepatology</i> , 2004, 40, 1116-1127.	3.6	61
90	Selective Na ⁺ /H ⁺ exchange inhibition by cariporide reduces liver fibrosis in the rat. <i>Hepatology</i> , 2003, 37, 256-266.	3.6	44

#	ARTICLE	IF	CITATIONS
91	Regulation of ERK/JNK/p70S6K in two rat models of liver injury and fibrosis. <i>Journal of Hepatology</i> , 2003, 39, 528-537.	1.8	48
92	Development and characterization of secretin-stimulated secretion of cultured rat cholangiocytes. <i>American Journal of Physiology - Renal Physiology</i> , 2003, 284, G1066-G1073.	1.6	25
93	Taurocholate prevents the loss of intrahepatic bile ducts due to vagotomy in bile duct-ligated rats. <i>American Journal of Physiology - Renal Physiology</i> , 2003, 284, G837-G852.	1.6	46
94	Taurocholate feeding prevents CCl ₄ -induced damage of large cholangiocytes through PI3-kinase-dependent mechanism. <i>American Journal of Physiology - Renal Physiology</i> , 2003, 284, G290-G301.	1.6	35
95	Rearrangement of the cytoskeletal network induced by platelet-derived growth factor in rat hepatic stellate cells: role of different intracellular signalling pathways. <i>Journal of Hepatology</i> , 2002, 36, 179-190.	1.8	22
96	Effect of pirfenidone on rat hepatic stellate cell proliferation and collagen production. <i>Journal of Hepatology</i> , 2002, 37, 584-591.	1.8	120
97	Insulin inhibits secretin-induced ductal secretion by activation of PKC alpha and inhibition of PKA activity. <i>Hepatology</i> , 2002, 36, 641-651.	3.6	55
98	Inhibition of the Na ⁺ /H ⁺ exchanger reduces rat hepatic stellate cell activity and liver fibrosis: An in vitro and in vivo study. <i>Gastroenterology</i> , 2001, 120, 545-556.	0.6	82
99	Intracellular pH regulation and Na ⁺ /H ⁺ exchange activity in human hepatic stellate cells: effect of platelet-derived growth factor, insulin-like growth factor 1 and insulin. <i>Journal of Hepatology</i> , 2001, 34, 378-385.	1.8	35
100	Involvement of reactive oxygen species and nitric oxide radicals in activation and proliferation of rat hepatic stellate cells. <i>Liver</i> , 2001, 21, 1-12.	0.1	133
101	Intracellular signaling pathways involved in acetaldehyde-induced collagen and fibronectin gene expression in human hepatic stellate cells. <i>Hepatology</i> , 2001, 33, 1130-1140.	3.6	119
102	Gastrin inhibits cholangiocyte growth in bile duct-ligated rats by interaction with cholecystokinin-B/gastrin receptors via D- α -myo-inositol 1,4,5-triphosphate, Ca ²⁺ , and protein kinase C-dependent mechanisms. <i>Hepatology</i> , 2000, 32, 17-25.	3.6	96
103	The function of alkaline phosphatase in the liver: Regulation of intrahepatic biliary epithelium secretory activities in the rat. <i>Hepatology</i> , 2000, 32, 174-184.	3.6	67
104	Corticosteroids modulate the secretory processes of the rat intrahepatic biliary epithelium. <i>Gastroenterology</i> , 2000, 118, A930.	0.6	1
105	Acute carbon tetrachloride feeding induces damage of large but not small cholangiocytes from BDL rat liver. <i>American Journal of Physiology - Renal Physiology</i> , 1999, 276, G1289-G1301.	1.6	94
106	Hepatic stellate cell activation and liver fibrosis are associated with necroinflammatory injury and Th1-like response in chronic hepatitis C. <i>Liver International</i> , 1999, 19, 212-219.	1.9	69
107	The significance of apoptosis in the liver. <i>Liver International</i> , 1999, 19, 453-463.	1.9	24
108	Acute carbon tetrachloride feeding selectively damages large, but not small, cholangiocytes from normal rat liver. <i>Hepatology</i> , 1999, 29, 307-319.	3.6	105

#	ARTICLE	IF	CITATIONS
109	Insulin and insulin-like growth factor-1 stimulate proliferation and type I collagen accumulation by human hepatic stellate cells: Differential effects on signal transduction pathways. <i>Hepatology</i> , 1999, 29, 1743-1751.	3.6	293
110	The Na ⁺ /H ⁺ exchanger modulates the fibrogenic effect of oxidative stress in rat hepatic stellate cells. <i>Journal of Hepatology</i> , 1999, 30, 868-875.	1.8	69
111	Intracellular pathways mediating Na ⁺ /H ⁺ exchange activation by platelet-derived growth factor in rat hepatic stellate cells. <i>Gastroenterology</i> , 1999, 116, 1155-1166.	0.6	53
112	Cholinergic system modulates growth, apoptosis, and secretion of cholangiocytes from bile duct-ligated rats. <i>Gastroenterology</i> , 1999, 117, 191-199.	0.6	155
113	Fibrogenic effect of oxidative stress on rat hepatic stellate cells. <i>Hepatology</i> , 1998, 27, 720-726.	3.6	260
114	A morphometric study of the epithelium lining the rat intrahepatic biliary tree. <i>Journal of Hepatology</i> , 1996, 24, 335-342.	1.8	74
115	Regulation of Intracellular pH in Periportal and Perivenular Hepatocytes Isolated from Ethanol-Treated Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 1995, 19, 216-225.	1.4	3
116	Effect of Brefeldin A on transcytotic vesicular pathway and bile secretion: A study on the isolated perfused rat liver and isolated rat hepatocyte couplets. <i>Hepatology</i> , 1995, 21, 450-459.	3.6	10
117	Functional and ultrastructural features of ethanol/bile salts interaction in the isolated perfused rat liver. <i>Hepatology</i> , 1995, 21, 1120-1129.	3.6	13
118	Brefeldin a inhibits the transcytotic vesicular transport of horseradish peroxidase in intrahepatic bile ductules isolated from rat liver. <i>Hepatology</i> , 1995, 22, 194-201.	3.6	3
119	Transforming growth factor β 1 increases the number of apoptotic bodies and decreases intracellular pH in isolated periportal and perivenular rat hepatocytes. <i>Hepatology</i> , 1995, 22, 1488-1498.	3.6	22
120	Transforming growth factor β 1 increases the number of apoptotic bodies and decreases intracellular pH in isolated periportal and perivenular rat hepatocytes ^{*1, *2} . <i>Hepatology</i> , 1995, 22, 1488-1498.	3.6	1
121	Functional and ultrastructural features of ethanol/bile salts interaction in the isolated perfused rat liver. <i>Hepatology</i> , 1995, 21, 1120-1129.	3.6	1
122	Chronic ethanol feeding increases apoptosis and cell proliferation in rat liver. <i>Journal of Hepatology</i> , 1994, 20, 508-513.	1.8	84
123	Immunohistochemical analysis of S α phase cells in normal human and rat liver by PC10 monoclonal antibody. <i>Liver</i> , 1994, 14, 57-64.	0.1	27
124	Tubulovesicular transcytotic pathway in rat biliary epithelium: A study in perfused liver and in isolated intrahepatic bile duct. <i>Hepatology</i> , 1993, 18, 422-432.	3.6	17
125	Regulation of intracellular pH in isolated periportal and perivenular rat hepatocytes. <i>Gastroenterology</i> , 1993, 105, 1797-1805.	0.6	16
126	Quantitative analysis of proliferating sinusoidal cells in dimethylnitrosamine-induced cirrhosis. <i>Journal of Hepatology</i> , 1992, 15, 361-366.	1.8	45

#	ARTICLE	IF	CITATIONS
127	Evidence that plasma membrane fluidity of isolated hepatocytes is modified by exposure to microtubule-depolymerizing drugs. <i>Journal of Hepatology</i> , 1990, 10, 144-148.	1.8	13
128	Quantitative study of apoptosis in normal rat gastroduodenal mucosa. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1990, 5, 369-374.	1.4	26
129	Plasma membrane fluidity in isolated rat hepatocytes: A comparative study using DPH and TMA-DPH as fluorescent probes. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1989, 4, 221-227.	1.4	8
130	Age and sex related changes of plasma membrane fluidity in isolated rat hepatocytes. <i>Biochemical and Biophysical Research Communications</i> , 1988, 156, 840-845.	1.0	19
131	Subcellular changes and apoptosis induced by ethanol in rat liver. <i>Journal of Hepatology</i> , 1988, 6, 137-143.	1.8	97
132	Preferential distribution of apoptotic bodies in acinar zone 3 of normal human and rat liver. <i>Journal of Hepatology</i> , 1988, 7, 319-324.	1.8	81
133	Gastrointestinal disorders as immune-related adverse events. <i>Exploration of Targeted Anti-tumor Therapy</i> , 0, , .	0.5	2