
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7314771/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Lipo-Chitooligosaccharides (LCOs) as Elicitors of the Enzymatic Activities Related to ROS Scavenging<br>to Alleviate Oxidative Stress Generated in Tomato Plants under Stress by UV-B Radiation. Plants, 2022,<br>11, 1246.   | 1.6 | 4         |
| 2  | Metabolic elicitors of Pseudomonas fluorescens N 21.4 elicit flavonoid metabolism in blackberry fruit. Journal of the Science of Food and Agriculture, 2021, 101, 205-214.  | 1.7 | 12        |
| 3  | Tomato Bio-Protection Induced by Pseudomonas fluorescens N21.4 Involves ROS Scavenging Enzymes and PRs, without Compromising Plant Growth. Plants, 2021, 10, 331.   | 1.6 | 4         |
| 4  | Biotechnological Applications of Bioeffectors Derived From the Plant Microbiome to Improve Plant's<br>Physiological Response for a Better Adaptation to Biotic and Abiotic Stress: Fundamentals and Case<br>Studies. , 2021, , 102-123.   |     | 0         |
| 5  | Pseudomonas palmensis sp. nov., a Novel Bacterium Isolated From Nicotiana glauca Microbiome: Draft<br>Genome Analysis and Biological Potential for Agriculture. Frontiers in Microbiology, 2021, 12, 672751.  | 1.5 | 8         |
| 6  | From Beneficial Bacteria to Microbial Derived Elicitors: Biotecnological Applications to Improve Fruit<br>Quality. Plant in Challenging Environments, 2021, , 73-90.  | 0.4 | 0         |
| 7  | Bioeffectors as Biotechnological Tools to Boost Plant Innate Immunity: Signal Transduction<br>Pathways Involved. Plants, 2020, 9, 1731.   | 1.6 | 7         |
| 8  | Improving Flavonoid Metabolism in Blackberry Leaves and Plant Fitness by Using the Bioeffector<br><i>Pseudomonas fluorescens</i> N 21.4 and Its Metabolic Elicitors: A Biotechnological Approach for a<br>More Sustainable Crop. Journal of Agricultural and Food Chemistry, 2020, 68, 6170-6180. | 2.4 | 17        |
| 9  | Elicitation with Bacillus QV15 reveals a pivotal role of F3H on flavonoid metabolism improving adaptation to biotic stress in blackberry. PLoS ONE, 2020, 15, e0232626.   | 1.1 | 18        |
| 10 | Management of Plant Physiology with Beneficial Bacteria to Improve Leaf Bioactive Profiles and Plant<br>Adaptation under Saline Stress in Olea europea L Foods, 2020, 9, 57.  | 1.9 | 13        |
| 11 | Beneficial Microorganisms: The Best Partner to Improve Plant Adaptative Capacity. Biology and Life<br>Sciences Forum, 2020, 4, .  | 0.6 | 1         |
| 12 | Title is missing!. , 2020, 15, e0232626.  |     | 0         |
| 13 | Title is missing!. , 2020, 15, e0232626.  |     | 0         |
| 14 | Title is missing!. , 2020, 15, e0232626.  |     | 0         |
| 15 | Title is missing!. , 2020, 15, e0232626.  |     | 0         |
| 16 | Extracts from cultures of Pseudomonas fluorescens induce defensive patterns of gene expression<br>and enzyme activity while depressing visible injury and reactive oxygen species in Arabidopsis thaliana<br>challenged with pathogenic Pseudomonas syringae. AoB PLANTS, 2019, 11, plz049.       | 1.2 | 17        |
| 17 | Biotic elicitation as a tool to improve strawberry and raspberry extract potential on metabolic<br>syndromeâ€related enzymes in vitro. Journal of the Science of Food and Agriculture, 2019, 99, 2939-2946.   | 1.7 | 11        |
| 18 | A novel strategy for rapid screening of the complex triterpene saponin mixture present in the<br>methanolic extract of blackberry leaves (Rubus cv. Loch Ness) by UHPLC/QTOF-MS. Journal of<br>Pharmaceutical and Biomedical Analysis, 2019, 164, 47-56.  | 1.4 | 7         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | The inhibitory potential of Montmorency tart cherry on key enzymes relevant to type 2 diabetes and cardiovascular disease. Food Chemistry, 2018, 252, 142-146.   | 4.2 | 37        |
| 20 | Priming fingerprint induced by <i>Bacillus amyloliquefaciens</i> QV15, a common pattern in<br><i>Arabidopsis thaliana</i> and in field-grown blackberry. Journal of Plant Interactions, 2018, 13,<br>398-408.  | 1.0 | 10        |
| 21 | Transcriptomics, Targeted Metabolomics and Gene Expression of Blackberry Leaves and Fruits Indicate<br>Flavonoid Metabolic Flux from Leaf to Red Fruit. Frontiers in Plant Science, 2017, 8, 472.  | 1.7 | 41        |
| 22 | Changes of enzyme activities related to oxidative stress in rice plants inoculated with random<br>mutants of a Pseudomonas fluorescens strain able to improve plant fitness upon biotic and abiotic<br>conditions. Functional Plant Biology, 2017, 44, 1063.         | 1.1 | 4         |
| 23 | Bacterial bioeffectors delay postharvest fungal growth and modify total phenolics, flavonoids and anthocyanins in blackberries. LWT - Food Science and Technology, 2015, 61, 437-443.  | 2.5 | 19        |
| 24 | Supplementing Diet with Blackberry Extract Causes a Catabolic Response with Increments in Insulin<br>Sensitivity in Rats. Plant Foods for Human Nutrition, 2015, 70, 170-175.  | 1.4 | 15        |
| 25 | RNA-Seq analysis and transcriptome assembly for blackberry (Rubus sp. Var. Lochness) fruit. BMC<br>Genomics, 2015, 16, 5.  | 1.2 | 62        |
| 26 | Priming of pathogenesis related-proteins and enzymes related to oxidative stress by plant growth<br>promoting rhizobacteria on rice plants upon abiotic and biotic stress challenge. Journal of Plant<br>Physiology, 2015, 188, 72-79.                               | 1.6 | 60        |
| 27 | Application of Pseudomonas fluorescens to Blackberry under Field Conditions Improves Fruit Quality<br>by Modifying Flavonoid Metabolism. PLoS ONE, 2015, 10, e0142639.   | 1.1 | 74        |
| 28 | Annual changes in bioactive contents and production in field-grown blackberry after inoculation with Pseudomonas fluorescens. Plant Physiology and Biochemistry, 2014, 74, 1-8.  | 2.8 | 30        |
| 29 | Microbe associated molecular patterns from rhizosphere bacteria trigger germination and Papaver<br>somniferum metabolism under greenhouse conditions. Plant Physiology and Biochemistry, 2014, 74,<br>133-140.   | 2.8 | 26        |
| 30 | Beneficial rhizobacteria from rice rhizosphere confers high protection against biotic and abiotic<br>stress inducing systemic resistance in rice seedlings. Plant Physiology and Biochemistry, 2014, 82,<br>44-53.   | 2.8 | 95        |
| 31 | The role of isoflavone metabolism in plant protection depends on theÂrhizobacterial MAMP that<br>triggers systemic resistance against Xanthomonas axonopodis pv. glycines in Glycine max (L.) Merr. cv.<br>Osumi. Plant Physiology and Biochemistry, 2014, 82, 9-16. | 2.8 | 37        |
| 32 | Blackberry (Rubus sp. var. Loch Ness) Extract Reduces Obesity Induced by a Cafeteria Diet and Affects<br>the Lipophilic Metabolomic Profile in Rats. Journal of Food & Nutritional Disorders, 2014, 03, .  | 0.1 | 0         |
| 33 | Bacterial siderophores efficiently provide iron to iron-starved tomato plants in hydroponics culture.<br>Antonie Van Leeuwenhoek, 2013, 104, 321-330.  | 0.7 | 210       |
| 34 | Combined phytoremediation of metal-working fluids with maize plants inoculated with different microorganisms and toxicity assessment of the phytoremediated waste. Chemosphere, 2013, 90, 2654-2661.   | 4.2 | 24        |
| 35 | Enhanced blackberry production using Pseudomonas fluorescens as elicitor. Agronomy for<br>Sustainable Development, 2013, 33, 385-392.  | 2.2 | 35        |
| 36 | Increased microbial activity and nitrogen mineralization coupled to changes in microbial community structure in the rhizosphere of Bt corn. Applied Soil Ecology, 2013, 68, 46-56.   | 2.1 | 13        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Structural and functional study in the rhizosphere of <i>Oryza sativa</i> L. plants growing under biotic and abiotic stress. Journal of Applied Microbiology, 2013, 115, 218-235.   | 1.4 | 26        |
| 38 | Method development for determination of (+)â€catechin and (â^')â€epicatechin by micellar electrokinetic<br>chromatography: Annual characterization of field grown blackberries. Electrophoresis, 2013, 34,<br>2251-2258.                                  | 1.3 | 13        |
| 39 | Bacterial Bioeffectors Modify Bioactive Profile and Increase Isoflavone Content in Soybean Sprouts<br>(Glycine max var Osumi). Plant Foods for Human Nutrition, 2013, 68, 299-305.  | 1.4 | 26        |
| 40 | Pseudomonas fluorescens N21.4 Metabolites Enhance Secondary Metabolism Isoflavones in Soybean<br>(Glycine max) Calli Cultures. Journal of Agricultural and Food Chemistry, 2012, 60, 11080-11087.   | 2.4 | 28        |
| 41 | Elicitation of secondary metabolism in <i>Hypericum perforatum</i> by rhizosphere bacteria and derived elicitors in seedlings and shoot cultures. Pharmaceutical Biology, 2012, 50, 1201-1209.  | 1.3 | 52        |
| 42 | Characterization of the rhizosphere microbial community from different Arabidopsis thaliana genotypes using phospholipid fatty acids (PLFA) analysis. Plant and Soil, 2010, 329, 315-325.   | 1.8 | 14        |
| 43 | Siderophore and chitinase producing isolates from the rhizosphere of Nicotiana glauca Graham<br>enhance growth and induce systemic resistance in Solanum lycopersicum L Plant and Soil, 2010, 334,<br>189-197.  | 1.8 | 66        |
| 44 | Biotic Elicitation of Isoflavone Metabolism with Plant Growth Promoting Rhizobacteria in Early<br>Stages of Development in <i>Glycine max</i> var. Osumi. Journal of Agricultural and Food Chemistry,<br>2010, 58, 1484-1492.                             | 2.4 | 39        |
| 45 | Functional diversity of rhizosphere microorganisms from different genotypes of <i>Arabidopsis thaliana</i> . Community Ecology, 2009, 10, 111-119.  | 0.5 | 11        |
| 46 | Biotechnology of the Rhizosphere. , 2009, , 137-162.  |     | 10        |
| 47 | Use of two PGPR strains in the integrated management of blast disease in rice (Oryza sativa) in<br>Southern Spain. Field Crops Research, 2009, 114, 404-410.  | 2.3 | 106       |
| 48 | Transgenic tomato plants alter quorum sensing in plant growthâ€promoting rhizobacteria. Plant<br>Biotechnology Journal, 2008, 6, 442-452.   | 4.1 | 97        |
| 49 | Effect of inoculation with putative plant growth-promoting rhizobacteria isolated<br>from <i>Pinus</i> spp. on <i>Pinus pinea</i> growth, mycorrhization and rhizosphere microbial<br>communities. Journal of Applied Microbiology, 2008, 105, 1298-1309. | 1.4 | 51        |
| 50 | Protection Against Pathogen and Salt Stress by Four Plant Growth-Promoting Rhizobacteria Isolated from <i>Pinus</i> sp. on <i>Arabidopsis thaliana</i> . Phytopathology, 2008, 98, 666-672.   | 1.1 | 158       |
| 51 | Systemic Disease Protection Elicited by Plant Growth Promoting Rhizobacteria Strains: Relationship<br>Between Metabolic Responses, Systemic Disease Protection, and Biotic Elicitors. Phytopathology, 2008,<br>98, 451-457.                               | 1.1 | 98        |
| 52 | Elicitation of systemic resistance and growth promotion of Arabidopsis thaliana by PGPRs from Nicotiana glauca: a study of the putative induction pathway. Plant and Soil, 2007, 290, 43-50.  | 1.8 | 42        |
| 53 | Screening for PGPR to improve growth of Cistus ladanifer seedlings for reforestation of degraded mediterranean ecosystems. Plant and Soil, 2006, 287, 59-68.  | 1.8 | 23        |
| 54 | Combined Application of the Biological Product LS213 with Bacillus, Pseudomonas or<br>Chryseobacterium for Growth Promotion and Biological Control of Soil-Borne Diseases in Pepper<br>and Tomato. BioControl, 2006, 51, 245-258.                         | 0.9 | 133       |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Screening for Putative PGPR to Improve Establishment of the Symbiosis Lactarius deliciosus-Pinus sp<br>Microbial Ecology, 2005, 50, 82-89.  | 1.4 | 49        |
| 56 | Seasonal diversity changes in alder (Alnus glutinosa) culturable rhizobacterial communities throughout a phenological cycle. Applied Soil Ecology, 2005, 29, 215-224.   | 2.1 | 14        |
| 57 | Bacillus spp. and Pisolithus tinctorius effects on Quercus ilex ssp. ballota: a study on tree growth,<br>rhizosphere community structure and mycorrhizal infection. Forest Ecology and Management, 2004,<br>194, 293-303.   | 1.4 | 21        |
| 58 | Effect of inoculation ofBacillus licheniformison tomato and pepper. Agronomy for Sustainable Development, 2004, 24, 169-176.  | 0.8 | 68        |
| 59 | Title is missing!. New Forests, 2003, 25, 149-159.  | 0.7 | 17        |
| 60 | Alterations in the rhizobacterial community associated with European alder growth when inoculated with PGPR strain Bacillus licheniformis. Environmental and Experimental Botany, 2003, 49, 61-68.  | 2.0 | 44        |
| 61 | Effects of Culture Filtrates of Rhizobacteria Isolated from Wild Lupine on Germination, Growth, and<br>Biological Nitrogen Fixation of Lupine Seedlings. Journal of Plant Nutrition, 2003, 26, 1101-1115.   | 0.9 | 50        |
| 62 | Effects of two plant growth-promoting Rhizobacteria on the germination and growth of pepper<br>seedlings (Capsicum Annum) CV. Roxy: Wirkung von zwei wachstumsfordernden Rhizobakterien auf die<br>keimung und das wachstum von pfeffersaaten (Capsicum Annum) CV. Roxy. Archives of Agronomy and<br>Soil Science, 2003, 49, 593-603. | 1.3 | 8         |
| 63 | Systemic induction of the biosynthesis of terpenic compounds inDigitalis lanata. Journal of Plant<br>Physiology, 2003, 160, 105-113.  | 1.6 | 31        |
| 64 | Effects of three plant growth-promoting rhizobacteria on the growth of seedlings of tomato and pepper in two different sterilized and nonsterilized peats. Archives of Agronomy and Soil Science, 2003, 49, 119-127.  | 1.3 | 15        |
| 65 | Pinus pinea L. seedling growth and bacterial rhizosphere structure after inoculation with PGPR<br>Bacillus (B. licheniformis CECT 5106 and B. pumilus CECT 5105). Applied Soil Ecology, 2002, 20, 75-84.  | 2.1 | 97        |
| 66 | Genetic variability of rhizobacteria from wild populations of fourLupinus species based on PCR-RAPDs§. Journal of Plant Nutrition and Soil Science, 2001, 164, 1-7.   | 1.1 | 47        |
| 67 | Effects of inoculation with PCPR Bacillus and Pisolithus tinctorius on Pinus pinea L. growth, bacterial rhizosphere colonization, and mycorrhizal infection. Microbial Ecology, 2001, 41, 140-148.  | 1.4 | 74        |
| 68 | The plant-growth-promoting rhizobacteria Bacillus pumilus and Bacillus licheniformis produce high amounts of physiologically active gibberellins. Physiologia Plantarum, 2001, 111, 206-211.  | 2.6 | 497       |
| 69 | Title is missing!. Plant Growth Regulation, 1997, 22, 145-149.  | 1.8 | 7         |
| 70 | Microbial inhibition and nitrification potential in soils incubated with <i>Elaeagnus angustifolia</i> L.<br>Leaf Litter. Geomicrobiology Journal, 1993, 11, 149-156.   | 1.0 | 15        |
| 71 | The Flavonol-Anthocyanin Pathway in Blackberry and Arabidopsis: State of the Art. , 0, , .  |     | 7         |