

# Isabel Miranda

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7314772/publications.pdf>

Version: 2024-02-01

59  
papers

1,760  
citations

257357

24  
h-index

302012

39  
g-index

59  
all docs

59  
docs citations

59  
times ranked

1785  
citing authors

#	ARTICLE	IF	CITATIONS
1	Low-temperature pyrolysis products of waste cork and lignocellulosic biomass: product characterization. <i>Biomass Conversion and Biorefinery</i> , 2023, 13, 2267-2277.	2.9	6
2	Low-temperature biochars from cork-rich and phloem-rich wastes: fuel, leaching, and methylene blue adsorption properties. <i>Biomass Conversion and Biorefinery</i> , 2022, 12, 3899-3909.	2.9	11
3	Chemical composition of leaf cutin in six <i>Quercus suber</i> provenances. <i>Phytochemistry</i> , 2021, 181, 112570.	1.4	8
4	Composition and antioxidant properties of extracts from Douglas fir bark. <i>Holzforschung</i> , 2021, 75, 677-687.	0.9	7
5	Phytochemical characterization of phloem in maritime pine and stone pine in three sites in Portugal. <i>Heliyon</i> , 2021, 7, e06718.	1.4	9
6	Cutin extraction and composition determined under differing depolymerisation conditions in cork oak leaves. <i>Phytochemical Analysis</i> , 2021, , .	1.2	0
7	<i>Quercus rotundifolia</i> Bark as a Source of Polar Extracts: Structural and Chemical Characterization. <i>Forests</i> , 2021, 12, 1160.	0.9	14
8	Characterization of walnut, almond, and pine nut shells regarding chemical composition and extract composition. <i>Biomass Conversion and Biorefinery</i> , 2020, 10, 175-188.	2.9	122
9	<i>Cistus ladanifer</i> as a source of chemicals: structural and chemical characterization. <i>Biomass Conversion and Biorefinery</i> , 2020, 10, 325-337.	2.9	12
10	Characterization of <i>Hakea sericea</i> Fruits Regarding Chemical Composition and Extract Properties. <i>Waste and Biomass Valorization</i> , 2020, 11, 4859-4870.	1.8	6
11	Chemical characterization, bioactive and fuel properties of waste cork and phloem fractions from <i>Quercus cerris</i> L. bark. <i>Industrial Crops and Products</i> , 2020, 157, 112909.	2.5	19
12	Chemical Composition of Cuticular Waxes and Pigments and Morphology of Leaves of <i>Quercus suber</i> Trees of Different Provenance. <i>Plants</i> , 2020, 9, 1165.	1.6	17
13	Cork oak and climate change: Disentangling drought effects on cork chemical composition. <i>Scientific Reports</i> , 2020, 10, 7800.	1.6	20
14	Valorization of lignocellulosic residues from the olive oil industry by production of lignin, glucose and functional sugars. <i>Bioresource Technology</i> , 2019, 292, 121936.	4.8	53
15	Chemical and anatomical characterization, and antioxidant properties of barks from 11 <i>Eucalyptus</i> species. <i>European Journal of Wood and Wood Products</i> , 2018, 76, 783-792.	1.3	21
16	Chemical composition of lipophilic extractives from six <i>Eucalyptus</i> barks. <i>Wood Science and Technology</i> , 2018, 52, 1685-1699.	1.4	11
17	Chemical characterization, hardness and termite resistance of <i>Quercus cerris</i> heartwood from Kosovo. <i>Maderas: Ciencia Y Tecnología</i> , 2018, , 0-0.	0.7	1
18	Age Variation of Douglas-Fir Bark Chemical Composition. <i>Journal of Wood Chemistry and Technology</i> , 2018, 38, 385-396.	0.9	8

#	ARTICLE	IF	CITATIONS
19	Chemical composition and cellular structure of ponytail palm ( <i>Beaucarnea recurvata</i> ) cork. <i>Industrial Crops and Products</i> , 2018, 124, 845-855.	2.5	12
20	Characterization of crop residues from false banana <i>/Ensete ventricosum/</i> in Ethiopia in view of a full-resource valorization. <i>PLoS ONE</i> , 2018, 13, e0199422.	1.1	35
21	Chemical composition of barks from <i>Quercus faginea</i> trees and characterization of their lipophilic and polar extracts. <i>PLoS ONE</i> , 2018, 13, e0197135.	1.1	35
22	Pinewood nematode population growth in relation to pine phloem chemical composition. <i>Plant Pathology</i> , 2017, 66, 856-864.	1.2	15
23	Fractioning of bark of <i>Pinus pinea</i> by milling and chemical characterization of the different fractions. <i>Maderas: Ciencia Y Tecnologia</i> , 2017, , 0-0.	0.7	9
24	Chemical characterization and extractives composition of heartwood and sapwood from <i>Quercus faginea</i> . <i>PLoS ONE</i> , 2017, 12, e0179268.	1.1	48
25	Bark anatomy, chemical composition and ethanol-water extract composition of <i>Anadenanthera peregrina</i> and <i>Anadenanthera colubrina</i> . <i>PLoS ONE</i> , 2017, 12, e0189263.	1.1	21
26	Bark Characterisation of the Brazilian Hardwood <i>Goupia glabra</i> in Terms of Its Valorisation. <i>BioResources</i> , 2016, 11, .	0.5	12
27	Chemical and structural characterization of the bark of <i>Albizia niopoides</i> trees from the Amazon. <i>Wood Science and Technology</i> , 2016, 50, 677-692.	1.4	13
28	Chemical and cellular features of virgin and reproduction cork from <i>Quercus variabilis</i> . <i>Industrial Crops and Products</i> , 2016, 94, 638-648.	2.5	31
29	Cellular structure and chemical composition of cork from <i>Plathymenia reticulata</i> occurring in the Brazilian Cerrado. <i>Industrial Crops and Products</i> , 2016, 90, 65-75.	2.5	26
30	Modeling and optimization of laboratory-scale conditioning of <i>Jatropha curcas</i> L. seeds for oil expression. <i>Industrial Crops and Products</i> , 2016, 83, 614-619.	2.5	19
31	Chemical characterization of cork and phloem from Douglas fir outer bark. <i>Holzforschung</i> , 2016, 70, 475-483.	0.9	34
32	Chemical characterization of the bark of <i>Eucalyptus urophylla</i> hybrids in view of their valorization in biorefineries. <i>Holzforschung</i> , 2016, 70, 819-828.	0.9	28
33	<i>Copaifera langsdorffii</i> Bark as a Source of Chemicals: Structural and Chemical Characterization. <i>Journal of Wood Chemistry and Technology</i> , 2016, 36, 305-317.	0.9	21
34	The bark of <i>Eucalyptus sideroxyylon</i> as a source of phenolic extracts with anti-oxidant properties. <i>Industrial Crops and Products</i> , 2016, 82, 81-87.	2.5	52
35	Variation of wood and bark density and production in coppiced <i>Eucalyptus globulus</i> trees in a second rotation. <i>IForest</i> , 2016, 9, 270-275.	0.5	6
36	Selective fractioning of <i>Pseudotsuga menziesii</i> bark and chemical characterization in view of an integrated valorization. <i>Industrial Crops and Products</i> , 2015, 74, 998-1007.	2.5	51

#	ARTICLE	IF	CITATIONS
37	Storage stability of <i>Jatropha curcas</i> L. oil naturally rich in gamma-tocopherol. <i>Industrial Crops and Products</i> , 2015, 64, 188-193.	2.5	18
38	Heartwood, sapwood and bark variation in coppiced & Eucalyptus globulus trees in 2nd rotation and comparison with the single-stem 1st rotation. <i>Silva Fennica</i> , 2015, 49, .	0.5	8
39	Pattern recognition as a tool to discriminate softwood and hardwood bark fractions with different particle size. <i>Wood Science and Technology</i> , 2014, 48, 1197-1211.	1.4	9
40	Family effects in heartwood content of <i>Eucalyptus globulus</i> L.. <i>European Journal of Forest Research</i> , 2014, 133, 81-87.	1.1	4
41	Fractioning and chemical characterization of barks of <i>Betula pendula</i> and <i>Eucalyptus globulus</i> . <i>Industrial Crops and Products</i> , 2013, 41, 299-305.	2.5	113
42	Characterisation and fractioning of <i>Tectona grandis</i> bark in view of its valorisation as a biorefinery raw-material. <i>Industrial Crops and Products</i> , 2013, 50, 166-175.	2.5	41
43	Variability in oil content and composition and storage stability of seeds from <i>Jatropha curcas</i> L. grown in Mozambique. <i>Industrial Crops and Products</i> , 2013, 50, 828-837.	2.5	27
44	Cellular structure and chemical composition of cork from the Chinese cork oak ( <i>Quercus variabilis</i> ). <i>Journal of Wood Science</i> , 2013, 59, 1-9.	0.9	50
45	REMOVAL OF CHROMIUM (VI) IN AQUEOUS ENVIRONMENTS USING CORK AND HEAT-TREATED CORK SAMPLES FROM <i>QUERCUS CERRIS</i> AND <i>QUERCUS SUBER</i> . <i>BioResources</i> , 2012, 7, .	0.5	17
46	Temperature-induced structural and chemical changes in cork from <i>Quercus cerris</i> . <i>Industrial Crops and Products</i> , 2012, 37, 508-513.	2.5	25
47	Chemical characterization of barks from <i>Picea abies</i> and <i>Pinus sylvestris</i> after fractioning into different particle sizes. <i>Industrial Crops and Products</i> , 2012, 36, 395-400.	2.5	119
48	Chemical and fuel properties of stumps biomass from <i>Eucalyptus globulus</i> plantations. <i>Industrial Crops and Products</i> , 2012, 39, 12-16.	2.5	42
49	Wood properties of teak ( <i>Tectona grandis</i> ) from a mature unmanaged stand in East Timor. <i>Journal of Wood Science</i> , 2011, 57, 171-178.	0.9	72
50	The chemical composition of cork and phloem in the rhytidome of <i>Quercus cerris</i> bark. <i>Industrial Crops and Products</i> , 2010, 31, 417-422.	2.5	102
51	Variation of heartwood and sapwood in 18-year-old <i>Eucalyptus globulus</i> trees grown with different spacings. <i>Trees - Structure and Function</i> , 2009, 23, 367-372.	0.9	22
52	The influence of irrigation and fertilization on heartwood and sapwood contents in 18-year-old <i>Eucalyptus globulus</i> trees. <i>Canadian Journal of Forest Research</i> , 2006, 36, 2675-2683.	0.8	27
53	Evaluation of oil composition of some crops suitable for human nutrition. <i>Industrial Crops and Products</i> , 2006, 24, 75-78.	2.5	87
54	Within-Tree Variation in Wood Fibre Biometry And Basic Density of the Urograndis Eucalypt Hybrid ( <i>Eucalyptus Grandis</i> – <i>E. Urophylla</i> ). <i>IAWA Journal</i> , 2006, 27, 243-254.	2.7	25

#	ARTICLE	IF	CITATIONS
55	Pulping Yield and Delignification Kinetics of Heartwood and Sapwood of Maritime Pine. <i>Journal of Wood Chemistry and Technology</i> , 2005, 25, 217-230.	0.9	26
56	Kinetics of ASAM and Kraft Pulping of Eucalypt Wood ( <i>Eucalyptus globulus</i> ). <i>Holzforschung</i> , 2002, 56, 85-90.	0.9	25
57	Variation of pulpwood quality with provenances and site in <i>Eucalyptus globulus</i> . <i>Annals of Forest Science</i> , 2002, 59, 283-291.	0.8	52
58	Provenance and site variation of wood density in <i>Eucalyptus globulus</i> Labill. at harvest age and its relation to a non-destructive early assessment. <i>Forest Ecology and Management</i> , 2001, 149, 235-240.	1.4	35
59	Bark characterization of a commercial <i>Eucalyptus urophylla</i> hybrid clone in view of its potential use as a biorefinery raw material. <i>Biomass Conversion and Biorefinery</i> , 0, , 1.	2.9	1