

Jian-Jun Wei

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7315134/publications.pdf>

Version: 2024-02-01

144
papers

6,400
citations

57631

44
h-index

74018

75
g-index

186
all docs

186
docs citations

186
times ranked

8900
citing authors

#	ARTICLE	IF	CITATIONS
1	Epigenomic and enhancer dysregulation in uterine leiomyomas. <i>Human Reproduction Update</i> , 2022, 28, 518-547.	5.2	15
2	HMGA2: A Biomarker in Gynecologic Neoplasia. , 2022, 2, 3-7.		4
3	Leiomyoma with nuclear atypia: Rare diseases that present a common diagnostic problem. <i>Seminars in Diagnostic Pathology</i> , 2022, , .	1.0	1
4	Accelerated Epigenetic Age Among Women with Invasive Cervical Cancer and HIV-Infection in Nigeria. <i>Frontiers in Public Health</i> , 2022, 10, 834800.	1.3	0
5	Frizzled-7 Identifies Platinum-Tolerant Ovarian Cancer Cells Susceptible to Ferroptosis. <i>Cancer Research</i> , 2021, 81, 384-399.	0.4	113
6	HPV-Associated Cervical Neoplasia. , 2021, , 53-93.		0
7	Uterine Mesenchymal Neoplasia. , 2021, , 131-172.		0
8	Diseases of the Peritoneum. , 2021, , 297-315.		0
9	Ovarian Epithelial Neoplasia. , 2021, , 225-261.		0
10	Epigenomic tensor predicts disease subtypes and reveals constrained tumor evolution. <i>Cell Reports</i> , 2021, 34, 108927.	2.9	12
11	Integrated histologic and molecular analysis of uterine leiomyosarcoma and 2 benign variants with nuclear atypia. <i>Cancer Science</i> , 2021, 112, 2046-2059.	1.7	9
12	Global line-1 hypomethylation as novel biomarker for cervical cancer in Nigerian women living with HIV.. <i>Journal of Clinical Oncology</i> , 2021, 39, e17513-e17513.	0.8	0
13	Acceleration of blood-based circulating cell-free DNA epigenetic age among HIV-infected patients with hepatocellular carcinoma in Nigeria.. <i>Journal of Clinical Oncology</i> , 2021, 39, e16137-e16137.	0.8	0
14	Accelerated epigenetic age among HIV-infected Nigerian women with invasive cervical cancer.. <i>Journal of Clinical Oncology</i> , 2021, 39, e17504-e17504.	0.8	1
15	Adenomyosis pathogenesis: insights from next-generation sequencing. <i>Human Reproduction Update</i> , 2021, 27, 1086-1097.	5.2	63
16	Risk Factors for Different Types of Pregnancy Losses: Analysis of 15,210 Pregnancies After Embryo Transfer. <i>Frontiers in Endocrinology</i> , 2021, 12, 683236.	1.5	16
17	A pan-cancer organoid platform for precision medicine. <i>Cell Reports</i> , 2021, 36, 109429.	2.9	45
18	Impact of p53, HIF1a, Ki-67, CA-9, and GLUT1 Expression on Treatment Outcomes in Locally Advanced Cervical Cancer Patients Treated With Definitive Chemoradiation Therapy. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2021, 44, 58-67.	0.6	11

#	ARTICLE	IF	CITATIONS
19	Linking altered microRNA expression to racial disparities in uterine serous carcinoma. <i>Gynecologic Oncology</i> , 2021, 163, 446-447.	0.6	0
20	Prognostic Significance of Nuclear Factor Kappa B Expression in Locally Advanced Cervical Cancer Patients Treated Definitively With Concurrent Chemoradiation. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2020, 43, 47-51.	0.6	5
21	Ovarian stiffness increases with age in the mammalian ovary and depends on collagen and hyaluronan matrices. <i>Aging Cell</i> , 2020, 19, e13259.	3.0	104
22	HMGA2-mediated tumorigenesis through angiogenesis in leiomyoma. <i>Fertility and Sterility</i> , 2020, 114, 1085-1096.	0.5	27
23	Activation of protein kinase B by WNT4 as a regulator of uterine leiomyoma stem cell function. <i>Fertility and Sterility</i> , 2020, 114, 1339-1349.	0.5	12
24	Editor's Note: Regulation of HMGA1 Expression by MicroRNA-296 Affects Prostate Cancer Growth and Invasion. <i>Clinical Cancer Research</i> , 2020, 26, 1200-1200.	3.2	0
25	Impact of the COVID-19 pandemic on global health research training and education. <i>Journal of Global Health</i> , 2020, 10, 020366.	1.2	11
26	Whole-Genome Sequencing and Target Validation Analysis of Müllerian Adenosarcoma: A Tumor With Complex but Specific Genetic Alterations. <i>Frontiers in Oncology</i> , 2020, 10, 538.	1.3	8
27	MYC-regulated pseudogene HMGA1P6 promotes ovarian cancer malignancy via augmenting the oncogenic HMGA1/2. <i>Cell Death and Disease</i> , 2020, 11, 167.	2.7	29
28	Abstract P1-03-06: Development of patient-derived xenograft tumor models and 3D spheroid culture from advanced hormone receptor-positive inflammatory breast cancer patients for evaluation of new therapeutics. , 2020, , .		0
29	Abstract A36: Developing a novel treatment for advanced ovarian cancer by targeting the c-Met pathway. , 2020, , .		0
30	Abstract A76: Role of frizzled-7 in platinum tolerance ovarian cancer. , 2020, , .		0
31	Endometriosis. <i>Endocrine Reviews</i> , 2019, 40, 1048-1079.	8.9	416
32	Collagen and hyaluronan matrices undergo age-related changes in the human ovary. <i>Fertility and Sterility</i> , 2019, 112, e252-e253.	0.5	2
33	Cytokine profiling reveals a unique inflammaging signature in human follicular fluid and the ovary. <i>Fertility and Sterility</i> , 2019, 112, e251-e252.	0.5	0
34	Hydropic leiomyoma: a distinct variant of leiomyoma closely related to HMGA2 overexpression. <i>Human Pathology</i> , 2019, 84, 164-172.	1.1	17
35	Abstract DP-012: STUDYING THE SIGNALING PATHWAYS OF DISTINCT SUBPOPULATIONS OF CELLS GENERATED UPON PTEN DELETION FROM FTE AND IDENTIFICATION OF MARKERS OF EARLY TUMORIGENESIS. , 2019, , .		0
36	The AKT/BCL-2 Axis Mediates Survival of Uterine Leiomyoma in a Novel 3D Spheroid Model. <i>Endocrinology</i> , 2018, 159, 1453-1462.	1.4	14

#	ARTICLE	IF	CITATIONS
37	Increased oxidative stress mediates the antitumor effect of PARP inhibition in ovarian cancer. <i>Redox Biology</i> , 2018, 17, 99-111.	3.9	58
38	PTEN loss in the fallopian tube induces hyperplasia and ovarian tumor formation. <i>Oncogene</i> , 2018, 37, 1976-1990.	2.6	54
39	The selected biomarker analysis in 5 types of uterine smooth muscle tumors. <i>Human Pathology</i> , 2018, 76, 17-27.	1.1	21
40	Fumarate Hydratase Mutations and Alterations in Leiomyoma With Bizarre Nuclei. <i>International Journal of Gynecological Pathology</i> , 2018, 37, 421-430.	0.9	22
41	Application of ex-vivo spheroid model system for the analysis of senescence and senolytic phenotypes in uterine leiomyoma. <i>Laboratory Investigation</i> , 2018, 98, 1575-1587.	1.7	14
42	Comparative analysis of <i>AKT</i> and the related biomarkers in uterine leiomyomas with <i>MED12</i> , <i>HMGA2</i> , and <i>FH</i> mutations. <i>Genes Chromosomes and Cancer</i> , 2018, 57, 485-494.	1.5	21
43	Oxidative stress-induced miRNAs modulate AKT signaling and promote cellular senescence in uterine leiomyoma. <i>Journal of Molecular Medicine</i> , 2018, 96, 1095-1106.	1.7	23
44	Abstract 1046: Developing patient-derived xenograft tumor models that recapture clinical manifestation of inflammatory breast cancer patients. , 2018, , .		0
45	c-Met Overexpression in Cervical Cancer, a Prognostic Factor and a Potential Molecular Therapeutic Target. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2017, 40, 590-597.	0.6	22
46	Paracrine Pathways in Uterine Leiomyoma Stem Cells Involve Insulinlike Growth Factor 2 and Insulin Receptor A. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 1588-1595.	1.8	11
47	Synuclein β in uterine serous carcinoma impacts survival: An NRG Oncology/Gynecologic Oncology Group study. <i>Cancer</i> , 2017, 123, 1144-1155.	2.0	11
48	miR-130a upregulates mTOR pathway by targeting TSC1 and is transactivated by NF- κ B in high-grade serous ovarian carcinoma. <i>Cell Death and Differentiation</i> , 2017, 24, 2089-2100.	5.0	67
49	Berberine induces oxidative DNA damage and impairs homologous recombination repair in ovarian cancer cells to confer increased sensitivity to PARP inhibition. <i>Cell Death and Disease</i> , 2017, 8, e3070-e3070.	2.7	72
50	Induction of DISE in ovarian cancer cells <i>in vivo</i> . <i>Oncotarget</i> , 2017, 8, 84643-84658.	0.8	31
51	Lentiviral CRISPR/Cas9 nickase vector mediated BIRC5 editing inhibits epithelial to mesenchymal transition in ovarian cancer cells. <i>Oncotarget</i> , 2017, 8, 94666-94680.	0.8	45
52	Treatment of Endometriosis-Related Chronic Pelvic Pain with Ulipristal Acetate and Associated Endometrial Changes. , 2017, 2, 1-3.		13
53	Atypical Leiomyoma With Features Suggesting of Fumarate Hydratase Mutation. <i>International Journal of Gynecological Pathology</i> , 2016, 35, 531-536.	0.9	8
54	Dysfunctional MnSOD leads to redox dysregulation and activation of prosurvival AKT signaling in uterine leiomyomas. <i>Science Advances</i> , 2016, 2, e1601132.	4.7	24

#	ARTICLE	IF	CITATIONS
55	Histologic and molecular analysis of patient derived xenografts of high-grade serous ovarian carcinoma. <i>Journal of Hematology and Oncology</i> , 2016, 9, 92.	6.9	40
56	Synuclein- β (SNCG) expression in ovarian cancer is associated with high-risk clinicopathologic disease. <i>Journal of Ovarian Research</i> , 2016, 9, 75.	1.3	13
57	Two Subtypes of Atypical Leiomyoma. <i>American Journal of Surgical Pathology</i> , 2016, 40, 923-933.	2.1	29
58	Neferine induces autophagy of human ovarian cancer cells via p38 MAPK/ JNK activation. <i>Tumor Biology</i> , 2016, 37, 8721-8729.	0.8	68
59	Putative Precursors of Uterine Sarcomas. , 2016, , 103-124.		0
60	Abstract 5020: Associations of clinical, molecular and immunohistochemical parameters in five different types of uterine smooth muscle tumors. , 2016, , .		0
61	Patient-Derived Tumor Xenografts Are Susceptible to Formation of Human Lymphocytic Tumors. <i>Neoplasia</i> , 2015, 17, 735-741.	2.3	79
62	Mutant p53 expression in fallopian tube epithelium drives cell migration. <i>International Journal of Cancer</i> , 2015, 137, 1528-1538.	2.3	38
63	Spontaneous Transformation of Murine Oviductal Epithelial Cells: A Model System to Investigate the Onset of Fallopian-Derived Tumors. <i>Frontiers in Oncology</i> , 2015, 5, 154.	1.3	21
64	Role of miR-182 in response to oxidative stress in the cell fate of human fallopian tube epithelial cells. <i>Oncotarget</i> , 2015, 6, 38983-38998.	0.8	38
65	STC2 overexpression mediated by HMGA2 is a biomarker for aggressiveness of high-grade serous ovarian cancer. <i>Oncology Reports</i> , 2015, 34, 1494-1502.	1.2	30
66	LEF1 Targeting EMT in Prostate Cancer Invasion Is Regulated by miR-34a. <i>Molecular Cancer Research</i> , 2015, 13, 681-688.	1.5	77
67	A Role for WDR5 in Integrating Threonine 11 Phosphorylation to Lysine 4 Methylation on Histone H3 during Androgen Signaling and in Prostate Cancer. <i>Molecular Cell</i> , 2015, 58, 557.	4.5	0
68	Artesunate sensitizes ovarian cancer cells to cisplatin by downregulating RAD51. <i>Cancer Biology and Therapy</i> , 2015, 16, 1548-1556.	1.5	57
69	Uterine Leiomyoma Stem Cells: Linking Progesterone to Growth. <i>Seminars in Reproductive Medicine</i> , 2015, 33, 357-365.	0.5	58
70	Ovarian steroids, stem cells and uterine leiomyoma: therapeutic implications. <i>Human Reproduction Update</i> , 2015, 21, 1-12.	5.2	111
71	Tumorigenesis and peritoneal colonization from fallopian tube epithelium. <i>Oncotarget</i> , 2015, 6, 20500-20512.	0.8	33
72	Impact of expression of Nuclear Factor Kappa B in locally advanced cervical cancer patients treated with definitive chemoradiation on treatment outcomes.. <i>Journal of Clinical Oncology</i> , 2015, 33, e16589-e16589.	0.8	0

#	ARTICLE	IF	CITATIONS
73	Impact of pretreatment P53 gene mutation in locally advanced cervical cancer patients treated with definitive chemoradiation on treatment outcomes.. Journal of Clinical Oncology, 2015, 33, e16506-e16506.	0.8	0
74	Abstract 1464: Patient-derived tumor xenograft are susceptible to formation of B-cell lymphoma after initial transplantation of human carcinoma to immunodeficient mice. , 2015, , .		0
75	LEF1 targeting EMT in prostate cancer invasion is mediated by miR-181a. American Journal of Cancer Research, 2015, 5, 1124-32.	1.4	12
76	5-Hydroxymethylcytosine Promotes Proliferation of Human Uterine Leiomyoma: A Biological Link to a New Epigenetic Modification in Benign Tumors. Journal of Clinical Endocrinology and Metabolism, 2014, 99, E2437-E2445.	1.8	43
77	Down-Regulation of miR-29b Is Essential for Pathogenesis of Uterine Leiomyoma. Endocrinology, 2014, 155, 663-669.	1.4	62
78	Inactivation of AKT Induces Cellular Senescence in Uterine Leiomyoma. Endocrinology, 2014, 155, 1510-1519.	1.4	28
79	ER β - and Prostaglandin E2-Regulated Pathways Integrate Cell Proliferation via Ras-like and Estrogen-Regulated Growth Inhibitor in Endometriosis. Molecular Endocrinology, 2014, 28, 1304-1315.	3.7	56
80	MED12 and HMGA2 mutations: two independent genetic events in uterine leiomyoma and leiomyosarcoma. Modern Pathology, 2014, 27, 1144-1153.	2.9	138
81	Molecular analyses of 6 different types of uterine smooth muscle tumors: Emphasis in atypical leiomyoma. Cancer, 2014, 120, 3165-3177.	2.0	71
82	Anti-miR182 Reduces Ovarian Cancer Burden, Invasion, and Metastasis: An In Vivo Study in Orthotopic Xenografts of Nude Mice. Molecular Cancer Therapeutics, 2014, 13, 1729-1739.	1.9	55
83	A Role for WDR5 in Integrating Threonine 11 Phosphorylation to Lysine 4 Methylation on Histone H3 during Androgen Signaling and in Prostate Cancer. Molecular Cell, 2014, 54, 613-625.	4.5	121
84	Establishment of Human Patient-Derived Endometrial Cancer Xenografts in NOD scid Gamma Mice for the Study of Invasion and Metastasis. PLoS ONE, 2014, 9, e116064.	1.1	25
85	Integrated analysis of long noncoding RNAs and mRNAs reveals their potential roles in the pathogenesis of uterine leiomyomas. Oncotarget, 2014, 5, 8625-8636.	0.8	26
86	miR-145 inhibits tumor growth and metastasis by targeting metadherin in high-grade serous ovarian carcinoma. Oncotarget, 2014, 5, 10816-10829.	0.8	91
87	Decreased expression of stromal estrogen receptor α and β in prostate cancer. American Journal of Translational Research (discontinued), 2014, 6, 140-6.	0.0	20
88	Advances in serous tubal intraepithelial carcinoma: correlation with high grade serous carcinoma and ovarian carcinogenesis. International Journal of Clinical and Experimental Pathology, 2014, 7, 848-57.	0.5	23
89	Epithelial and stromal expression of miRNAs during prostate cancer progression. American Journal of Translational Research (discontinued), 2014, 6, 329-39.	0.0	32
90	HMGA2 and high-grade serous ovarian carcinoma. Journal of Molecular Medicine, 2013, 91, 1155-1165.	1.7	55

#	ARTICLE	IF	CITATIONS
91	<i>miR-106a</i> Represses the Rb Tumor Suppressor p130 to Regulate Cellular Proliferation and Differentiation in High-Grade Serous Ovarian Carcinoma. <i>Molecular Cancer Research</i> , 2013, 11, 1314-1325.	1.5	42
92	Dual Pten/Tp53 Suppression Promotes Sarcoma Progression by Activating Notch Signaling. <i>American Journal of Pathology</i> , 2013, 182, 2015-2027.	1.9	21
93	MK-2206, an AKT Inhibitor, Promotes Caspase-Independent Cell Death and Inhibits Leiomyoma Growth. <i>Endocrinology</i> , 2013, 154, 4046-4057.	1.4	41
94	Histologic and Immunohistochemical Analyses of Endometrial Carcinomas: Experiences From Endometrial Biopsies in 358 Consultation Cases. <i>Archives of Pathology and Laboratory Medicine</i> , 2013, 137, 1574-1583.	1.2	34
95	Functional Domains of Androgen Receptor Coactivator p44/Mep50/WDR77 and Its Interaction with Smad1. <i>PLoS ONE</i> , 2013, 8, e64663.	1.1	6
96	β -synuclein expression in ovarian cancer. <i>Journal of Clinical Oncology</i> , 2013, 31, 5574-5574.	0.8	0
97	Increased Activation of the PI3K/AKT Pathway Compromises Decidualization of Stromal Cells from Endometriosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E35-E43.	1.8	122
98	A Transcriptional Regulatory Role of the THAP11-HCF-1 Complex in Colon Cancer Cell Function. <i>Molecular and Cellular Biology</i> , 2012, 32, 1654-1670.	1.1	53
99	USP22 Antagonizes p53 Transcriptional Activation by Deubiquitinating Sirt1 to Suppress Cell Apoptosis and Is Required for Mouse Embryonic Development. <i>Molecular Cell</i> , 2012, 46, 484-494.	4.5	264
100	Mucinous adenocarcinoma developed from human fallopian tube epithelial cells through defined genetic modifications. <i>Cell Cycle</i> , 2012, 11, 2107-2113.	1.3	36
101	Genome-Wide DNA Methylation Indicates Silencing of Tumor Suppressor Genes in Uterine Leiomyoma. <i>PLoS ONE</i> , 2012, 7, e33284.	1.1	107
102	Expression analysis of MIR182 and its associated target genes in advanced ovarian carcinoma. <i>Modern Pathology</i> , 2012, 25, 1644-1653.	2.9	38
103	<i>MIR182</i> overexpression in tumorigenesis of high-grade serous ovarian carcinoma. <i>Journal of Pathology</i> , 2012, 228, 204-215.	2.1	138
104	Distinct function of androgen receptor coactivator ARA70 ¹ and ARA70 ² in mammary gland development, and in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2011, 128, 391-400.	1.1	18
105	<i>HMGA2</i> Overexpression-Induced Ovarian Surface Epithelial Transformation Is Mediated Through Regulation of EMT Genes. <i>Cancer Research</i> , 2011, 71, 349-359.	0.4	132
106	Endometriosis and Ovarian Cancer. <i>International Journal of Gynecological Pathology</i> , 2011, 30, 553-568.	0.9	138
107	Regulation of <i>HMGA1</i> Expression by <i>MicroRNA-296</i> Affects Prostate Cancer Growth and Invasion. <i>Clinical Cancer Research</i> , 2011, 17, 1297-1305.	3.2	81
108	Expression and Function of Androgen Receptor Coactivator p44/Mep50/WDR77 in Ovarian Cancer. <i>PLoS ONE</i> , 2011, 6, e26250.	1.1	35

#	ARTICLE	IF	CITATIONS
109	HMGA2: A Potential Biomarker Complement to P53 for Detection of Early-stage High-grade Papillary Serous Carcinoma in Fallopian Tubes. <i>American Journal of Surgical Pathology</i> , 2010, 34, 18-26.	2.1	53
110	Profiling and Functional Analyses of MicroRNAs and Their Target Gene Products in Human Uterine Leiomyomas. <i>PLoS ONE</i> , 2010, 5, e12362.	1.1	64
111	HMGA2: A biomarker significantly overexpressed in high-grade ovarian serous carcinoma. <i>Modern Pathology</i> , 2010, 23, 673-681.	2.9	78
112	Cellular senescence in usual type uterine leiomyoma. <i>Fertility and Sterility</i> , 2010, 93, 2020-2026.	0.5	35
113	Reply of the Authors: Cellular senescence in usual type uterine leiomyoma. <i>Fertility and Sterility</i> , 2010, 94, e44.	0.5	0
114	Reply of the Authors. <i>Fertility and Sterility</i> , 2010, 94, e80-e80.	0.5	0
115	A Differentiation-Based MicroRNA Signature Identifies Leiomyosarcoma as a Mesenchymal Stem Cell-Related Malignancy. <i>American Journal of Pathology</i> , 2010, 177, 908-917.	1.9	71
116	LEF1 in Androgen-Independent Prostate Cancer: Regulation of Androgen Receptor Expression, Prostate Cancer Growth, and Invasion. <i>Cancer Research</i> , 2009, 69, 3332-3338.	0.4	89
117	Aberrant miR-182 expression promotes melanoma metastasis by repressing FOXO3 and microphthalmia-associated transcription factor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 1814-1819.	3.3	506
118	Let-7 repression leads to HMGA2 overexpression in uterine leiomyosarcoma. <i>Journal of Cellular and Molecular Medicine</i> , 2009, 13, 3898-3905.	1.6	34
119	Expression of insulin-like growth factors (IGFs) and IGF signaling: molecular complexity in uterine leiomyomas. <i>Fertility and Sterility</i> , 2009, 91, 2664-2675.	0.5	46
120	Decrease in stromal androgen receptor associates with androgen-independent disease and promotes prostate cancer cell proliferation and invasion. <i>Journal of Cellular and Molecular Medicine</i> , 2008, 12, 2790-2798.	1.6	72
121	Stimulation of Prostate Cancer Cellular Proliferation and Invasion by the Androgen Receptor Co-Activator ARA70 ² . <i>American Journal of Pathology</i> , 2008, 172, 225-235.	1.9	47
122	Antiproliferative Effects by Let-7 Repression of High-Mobility Group A2 in Uterine Leiomyoma. <i>Molecular Cancer Research</i> , 2008, 6, 663-673.	1.5	130
123	Distinct nuclear and cytoplasmic functions of androgen receptor cofactor p44 and association with androgen-independent prostate cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 5236-5241.	3.3	60
124	MicroRNA: A New Tool for Biomedical Risk Assessment and Target Identification in Human Uterine Leiomyomas. <i>Seminars in Reproductive Medicine</i> , 2008, 26, 515-521.	0.5	13
125	Differential expression of selected gene products in uterine leiomyomata and adenomyosis. <i>Fertility and Sterility</i> , 2007, 88, 220-223.	0.5	7
126	Mutation in CUL4B, Which Encodes a Member of Cullin-RING Ubiquitin Ligase Complex, Causes X-Linked Mental Retardation. <i>American Journal of Human Genetics</i> , 2007, 80, 561-566.	2.6	134

#	ARTICLE	IF	CITATIONS
127	A micro-RNA signature associated with race, tumor size, and target gene activity in human uterine leiomyomas. <i>Genes Chromosomes and Cancer</i> , 2007, 46, 336-347.	1.5	231
128	Spatial differences in biologic activity of large uterine leiomyomata. <i>Fertility and Sterility</i> , 2006, 85, 179-187.	0.5	41
129	Ethnic differences in expression of the dysregulated proteins in uterine leiomyomata. <i>Human Reproduction</i> , 2006, 21, 57-67.	0.4	59
130	Repair of Fractured or Thin Tissue Microarray Paraffin Blocks. <i>Journal of Histotechnology</i> , 2005, 28, 245-248.	0.2	1
131	Expression profile of tuberin and some potential tumorigenic factors in 60 patients with uterine leiomyomata. <i>Modern Pathology</i> , 2005, 18, 179-188.	2.9	40
132	Expression profile of the tumorigenic factors associated with tumor size and sex steroid hormone status in uterine leiomyomata. <i>Fertility and Sterility</i> , 2005, 84, 474-484.	0.5	38
133	Altered Cellular Distribution of Tuberin and Glucocorticoid Receptor in Sporadic Fundic Gland Polyps. <i>Modern Pathology</i> , 2002, 15, 862-869.	2.9	19
134	Tuberous Sclerosis in a 19-Week Fetus: Immunohistochemical and Molecular Study of Hamartin and Tuberin. <i>Pediatric and Developmental Pathology</i> , 2002, 5, 448-464.	0.5	22
135	Epithelioid Gastrointestinal Stromal Tumor of the Stomach with Liver Metastases in a 12-Year-old Girl: Aspiration Cytology and Molecular Study. <i>Pediatric and Developmental Pathology</i> , 2002, 5, 386-394.	0.5	31
136	Characterization of Murine Girk2 Transcript Isoforms: Structure and Differential Expression. <i>Genomics</i> , 1998, 51, 379-390.	1.3	45
137	Properties and Tissue Distribution of Mouse Monomeric Carbonyl Reductase.. <i>Biological and Pharmaceutical Bulletin</i> , 1998, 21, 879-881.	0.6	16
138	Hypothalamic-Pituitary-Gonadal Axis in the Mutant Weaver Mouse. <i>Neuroendocrinology</i> , 1998, 68, 374-385.	1.2	13
139	The weaver mutation changes the ion selectivity of the affected inwardly rectifying potassium channel GIRK2. <i>FEBS Letters</i> , 1996, 390, 63-68.	1.3	50
140	Linkage mapping of microdissected clones from distal mouse chromosome 16. <i>Somatic Cell and Molecular Genetics</i> , 1996, 22, 227-232.	0.7	3
141	Phenotypic effects of the weaver gene are evident in the embryonic cerebellum but not in the ventral midbrain. <i>Developmental Brain Research</i> , 1996, 96, 130-137.	2.1	21
142	Analysis of region-specific library constructed by sequence-independent amplification of microdissected fragments surrounding weaver (wv) gene on mouse chromosome 16. <i>Somatic Cell and Molecular Genetics</i> , 1994, 20, 401-408.	0.7	7
143	Smith-fineman-myers syndrome: Report on a large family. <i>American Journal of Medical Genetics Part A</i> , 1993, 47, 307-311.	2.4	10
144	Significantly higher frequency of the MspI 2.2 kb allele of the Duchenne muscular dystrophy intragenic probe P-20 in the Chinese population. <i>Human Genetics</i> , 1992, 90, 149-50.	1.8	0