

# Sharon G Curhan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7315533/publications.pdf>

Version: 2024-02-01

26  
papers

808  
citations

516710

16  
h-index

580821

25  
g-index

27  
all docs

27  
docs citations

27  
times ranked

866  
citing authors

#	ARTICLE	IF	CITATIONS
1	Body Mass Index, Waist Circumference, Physical Activity, and Risk of Hearing Loss in Women. American Journal of Medicine, 2013, 126, 1142.e1-1142.e8.	1.5	116
2	Hypertension, Diuretic Use, and Risk of Hearing Loss. American Journal of Medicine, 2016, 129, 416-422.	1.5	75
3	Analgesic Use and the Risk of Hearing Loss in Men. American Journal of Medicine, 2010, 123, 231-237.	1.5	70
4	Analgesic Use and the Risk of Hearing Loss in Women. American Journal of Epidemiology, 2012, 176, 544-554.	3.4	53
5	Type 2 diabetes and the risk of incident hearing loss. Diabetologia, 2019, 62, 281-285.	6.3	48
6	Carotenoids, vitamin A, vitamin C, vitamin E, and folate and risk of self-reported hearing loss in women. American Journal of Clinical Nutrition, 2015, 102, 1167-1175.	4.7	47
7	Longitudinal study of hearing loss and subjective cognitive function decline in men. Alzheimer's and Dementia, 2019, 15, 525-533.	0.8	45
8	Fish and fatty acid consumption and the risk of hearing loss in women. American Journal of Clinical Nutrition, 2014, 100, 1371-1377.	4.7	43
9	Menopause and postmenopausal hormone therapy and risk of hearing loss. Menopause, 2017, 24, 1049-1056.	2.0	35
10	A Prospective Study of Caffeine Intake and Risk of Incident Tinnitus. American Journal of Medicine, 2014, 127, 739-743.	1.5	34
11	Adherence to Healthful Dietary Patterns Is Associated with Lower Risk of Hearing Loss in Women. Journal of Nutrition, 2018, 148, 944-951.	2.9	34
12	Prospective Study of Alcohol Use and Hearing Loss in Men. Ear and Hearing, 2011, 32, 46-52.	2.1	29
13	Prospective study of alcohol consumption and self-reported hearing loss in women. Alcohol, 2015, 49, 71-77.	1.7	29
14	Prospective Study of Dietary Patterns and Hearing Threshold Elevation. American Journal of Epidemiology, 2020, 189, 204-214.	3.4	27
15	Duration of Analgesic Use and Risk of Hearing Loss in Women. American Journal of Epidemiology, 2017, 185, 40-47.	3.4	22
16	Cigarette Smoking, Smoking Cessation, and Risk of Hearing Loss in Women. American Journal of Medicine, 2020, 133, 1180-1186.	1.5	19
17	Longitudinal study of self-reported hearing loss and subjective cognitive function decline in women. Alzheimer's and Dementia, 2020, 16, 610-620.	0.8	17
18	Ultraviolet Radiation Exposure and the Risk of Herpes Zoster in Three Prospective Cohort Studies. Mayo Clinic Proceedings, 2020, 95, 283-292.	3.0	16

#	ARTICLE	IF	CITATIONS
19	Biomarkers of Systemic Inflammation and Risk of Incident Hearing Loss. <i>Ear and Hearing</i> , 2019, 40, 981-989.	2.1	11
20	Tinnitus and 3-Year Change in Audiometric Hearing Thresholds. <i>Ear and Hearing</i> , 2021, 42, 886-895.	2.1	9
21	Osteoporosis, bisphosphonate use, and risk of moderate or worse hearing loss in women. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 3103-3113.	2.6	9
22	Chronic kidney disease and the risk of incident hearing loss. <i>Laryngoscope</i> , 2020, 130, E213-E219.	2.0	7
23	WHO World Hearing Forum: Guest Editorial. <i>Ear and Hearing</i> , 2019, 40, 1-2.	2.1	6
24	Birth Weight and Adult-Onset Hearing Loss. <i>Ear and Hearing</i> , 2020, 41, 1208-1214.	2.1	4
25	Longitudinal Study of Analgesic Use and Risk of Incident Persistent Tinnitus. <i>Journal of General Internal Medicine</i> , 2022, 37, 3653-3662.	2.6	2
26	Analytical methods for evaluating reliability and validity of mobile audiometry tools. <i>Journal of the Acoustical Society of America</i> , 2022, 152, 214-225.	1.1	0