Jin-Xing Wang

List of Publications by Citations

Source: https://exaly.com/author-pdf/7316176/jin-xing-wang-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 194
 5,684
 41
 62

 papers
 citations
 h-index
 g-index

 200
 6,539
 4.2
 5.93

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
194	Diversity and multiple functions of lectins in shrimp immunity. <i>Developmental and Comparative Immunology</i> , 2013 , 39, 27-38	3.2	218
193	Pattern recognition receptors acting in innate immune system of shrimp against pathogen infections. <i>Fish and Shellfish Immunology</i> , 2013 , 34, 981-9	4.3	182
192	A hepatopancreas-specific C-type lectin from the Chinese shrimp Fenneropenaeus chinensis exhibits antimicrobial activity. <i>Molecular Immunology</i> , 2008 , 45, 348-61	4.3	160
191	A novel C-type lectin (FcLec4) facilitates the clearance of Vibrio anguillarum in vivo in Chinese white shrimp. <i>Developmental and Comparative Immunology</i> , 2009 , 33, 1039-47	3.2	136
190	A novel C-type lectin with two CRD domains from Chinese shrimp Fenneropenaeus chinensis functions as a pattern recognition protein. <i>Molecular Immunology</i> , 2009 , 46, 1626-37	4.3	129
189	Molecular cloning and characterization of a lipopolysaccharide and beta-1,3-glucan binding protein from fleshy prawn (Fenneropenaeus chinensis). <i>Molecular Immunology</i> , 2007 , 44, 1085-94	4.3	122
188	A shrimp C-type lectin inhibits proliferation of the hemolymph microbiota by maintaining the expression of antimicrobial peptides. <i>Journal of Biological Chemistry</i> , 2014 , 289, 11779-11790	5.4	104
187	C-type lectin binds to 🛭 ntegrin to promote hemocytic phagocytosis in an invertebrate. <i>Journal of Biological Chemistry</i> , 2014 , 289, 2405-14	5.4	97
186	Involvement of caspase-3 and p38 mitogen-activated protein kinase in cobalt chloride-induced apoptosis in PC12 cells. <i>Journal of Neuroscience Research</i> , 2002 , 67, 837-43	4.4	94
185	A C-type lectin is involved in the innate immune response of Chinese white shrimp. <i>Fish and Shellfish Immunology</i> , 2009 , 27, 556-62	4.3	92
184	Identification and molecular characterization of a peritrophin-like protein from fleshy prawn (Fenneropenaeus chinensis). <i>Molecular Immunology</i> , 2006 , 43, 1633-44	4.3	77
183	High level expression, purification, and characterization of the shrimp antimicrobial peptide, Ch-penaeidin, in Pichia pastoris. <i>Protein Expression and Purification</i> , 2005 , 39, 144-51	2	68
182	Expression of the Helicoverpa cathepsin B-like proteinase during embryonic development. <i>Archives of Insect Biochemistry and Physiology</i> , 2005 , 58, 39-46	2.3	68
181	Binding of a C-type lectinß coiled-coil domain to the Domeless receptor directly activates the JAK/STAT pathway in the shrimp immune response to bacterial infection. <i>PLoS Pathogens</i> , 2017 , 13, e ²	100662	6 ⁶⁵
180	Molecular cloning and characterization of the translationally controlled tumor protein from Fenneropenaeus chinensis. <i>Molecular Biology Reports</i> , 2009 , 36, 1683-93	2.8	64
179	Molecular cloning and expression analysis of chymotrypsin-like serine protease from the Chinese shrimp, Fenneropenaeus chinensis. <i>Fish and Shellfish Immunology</i> , 2008 , 25, 589-97	4.3	64
178	An anti-lipopolysaccharide factor from red swamp crayfish, Procambarus clarkii, exhibited antimicrobial activities in vitro and in vivo. <i>Fish and Shellfish Immunology</i> , 2011 , 30, 295-303	4.3	63

(2014-1998)

177	Purification and characterization of a cysteine proteinase from eggs of the cotton boll worm, Helicoverpa armigera. <i>Insect Biochemistry and Molecular Biology</i> , 1998 , 28, 259-264	4.5	63	
176	Molecular cloning and expression analysis of Ch-penaeidin, an antimicrobial peptide from Chinese shrimp, Fenneropenaeus chinensis. <i>Fish and Shellfish Immunology</i> , 2004 , 16, 513-25	4.3	61	
175	Identification and molecular characterization of a Spfzle-like protein from Chinese shrimp (Fenneropenaeus chinensis). <i>Fish and Shellfish Immunology</i> , 2009 , 27, 610-7	4.3	59	
174	Molecular cloning and characterization of cecropin from the housefly (Musca domestica), and its expression in Escherichia coli. <i>Developmental and Comparative Immunology</i> , 2006 , 30, 249-57	3.2	58	
173	A single whey acidic protein domain (SWD)-containing peptide from fleshy prawn with antimicrobial and proteinase inhibitory activities. <i>Aquaculture</i> , 2008 , 284, 246-259	4.4	55	
172	Establishment of a new cell line from lepidopteran epidermis and hormonal regulation on the genes. <i>PLoS ONE</i> , 2008 , 3, e3127	3.7	55	
171	Collaboration between a soluble C-type lectin and calreticulin facilitates white spot syndrome virus infection in shrimp. <i>Journal of Immunology</i> , 2014 , 193, 2106-17	5.3	54	
170	Clip domain serine protease and its homolog respond to Vibrio challenge in Chinese white shrimp, Fenneropenaeus chinensis. <i>Fish and Shellfish Immunology</i> , 2009 , 26, 787-98	4.3	51	
169	A new C-type lectin (FcLec5) from the Chinese white shrimp Fenneropenaeus chinensis. <i>Amino Acids</i> , 2010 , 39, 1227-39	3.5	49	
168	C-type lectin from red swamp crayfish Procambarus clarkii participates in cellular immune response. <i>Archives of Insect Biochemistry and Physiology</i> , 2011 , 76, 168-84	2.3	48	
167	Comparative proteomic profiles of the hepatopancreas in Fenneropenaeus chinensis response to white spot syndrome virus. <i>Fish and Shellfish Immunology</i> , 2010 , 29, 480-6	4.3	48	
166	Activation of Toll Pathway Is Different between Kuruma Shrimp and. <i>Frontiers in Immunology</i> , 2017 , 8, 1151	8.4	47	
165	Immune responses of Helicoverpa armigera to different kinds of pathogens. <i>BMC Immunology</i> , 2010 , 11, 9	3.7	47	
164	Characterization and expression of a new subfamily member of penaeidin antimicrobial peptides (penaeidin 5) from Fenneropenaeus chinensis. <i>Molecular Immunology</i> , 2007 , 44, 1535-43	4.3	47	
163	Molecular cloning and characterization of the cathepsin B-like proteinase from the cotton boll worm, Helicoverpa armigera. <i>Insect Molecular Biology</i> , 2002 , 11, 567-75	3.4	47	
162	Characterization of a C-type lectin from the cotton bollworm, Helicoverpa armigera. <i>Developmental and Comparative Immunology</i> , 2009 , 33, 772-9	3.2	46	
161	Two novel C-type lectins with a low-density lipoprotein receptor class A domain have antiviral function in the shrimp Marsupenaeus japonicus. <i>Developmental and Comparative Immunology</i> , 2014 , 42, 323-32	3.2	44	
160	A galectin from the kuruma shrimp (Marsupenaeus japonicus) functions as an opsonin and promotes bacterial clearance from hemolymph. <i>PLoS ONE</i> , 2014 , 9, e91794	3.7	44	

159	A cathepsin L-like proteinase is involved in moulting and metamorphosis in Helicoverpa armigera. <i>Insect Molecular Biology</i> , 2010 , 19, 99-111	3.4	44
158	Molecular cloning and characterization of three crustins from the Chinese white shrimp, Fenneropenaeus chinensis. <i>Fish and Shellfish Immunology</i> , 2010 , 28, 517-24	4.3	44
157	Molecular cloning and characterization of a C-type lectin from the cotton bollworm, Helicoverpa armigera. <i>Developmental and Comparative Immunology</i> , 2008 , 32, 71-83	3.2	44
156	A C-type lectin with an immunoglobulin-like domain promotes phagocytosis of hemocytes in crayfish Procambarus clarkii. <i>Scientific Reports</i> , 2016 , 6, 29924	4.9	44
155	Scavenger receptor B protects shrimp from bacteria by enhancing phagocytosis and regulating expression of antimicrobial peptides. <i>Developmental and Comparative Immunology</i> , 2015 , 51, 10-21	3.2	43
154	EArrestins Negatively Regulate the Toll Pathway in Shrimp by Preventing Dorsal Translocation and Inhibiting Dorsal Transcriptional Activity. <i>Journal of Biological Chemistry</i> , 2016 , 291, 7488-504	5.4	42
153	A new group of anti-lipopolysaccharide factors from Marsupenaeus japonicus functions in antibacterial response. <i>Developmental and Comparative Immunology</i> , 2015 , 48, 33-42	3.2	41
152	Characterization of an immune deficiency homolog (IMD) in shrimp (Fenneropenaeus chinensis) and crayfish (Procambarus clarkii). <i>Developmental and Comparative Immunology</i> , 2013 , 41, 608-17	3.2	41
151	Phospholipase CII connects the cell membrane pathway to the nuclear receptor pathway in insect steroid hormone signaling. <i>Journal of Biological Chemistry</i> , 2014 , 289, 13026-41	5.4	41
150	Scavenger Receptor C Mediates Phagocytosis of White Spot Syndrome Virus and Restricts Virus Proliferation in Shrimp. <i>PLoS Pathogens</i> , 2016 , 12, e1006127	7.6	41
149	TRBP homolog interacts with eukaryotic initiation factor 6 (eIF6) in Fenneropenaeus chinensis. Journal of Immunology, 2009 , 182, 5250-8	5.3	40
148	A double WAP domain (DWD)-containing protein with proteinase inhibitory activity in Chinese white shrimp, Fenneropenaeus chinensis. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2009 , 154, 203-10	2.3	40
147	A novel crustin from Marsupenaeus japonicus promotes hemocyte phagocytosis. <i>Developmental and Comparative Immunology</i> , 2015 , 49, 313-22	3.2	39
146	Characterization of a C-type lectin (PcLec2) as an upstream detector in the prophenoloxidase activating system of red swamp crayfish. <i>Fish and Shellfish Immunology</i> , 2011 , 30, 241-7	4.3	39
145	Crustacean hemolymph microbiota: Endemic, tightly controlled, and utilization expectable. <i>Molecular Immunology</i> , 2015 , 68, 404-11	4.3	38
144	Prohibitin Interacts with envelope proteins of white spot syndrome virus and prevents infection in the red swamp crayfish, Procambarus clarkii. <i>Journal of Virology</i> , 2013 , 87, 12756-65	6.6	38
143	A novel protein with a fibrinogen-like domain involved in the innate immune response of Marsupenaeus japonicus. <i>Fish and Shellfish Immunology</i> , 2012 , 32, 307-15	4.3	37
142	Functional analysis of two invertebrate-type lysozymes from red swamp crayfish, Procambarus clarkii. <i>Fish and Shellfish Immunology</i> , 2010 , 29, 1066-72	4.3	37

(2013-2006)

141	Molecular characterization and expression of the antimicrobial peptide defensin from the housefly (Musca domestica). <i>Cellular and Molecular Life Sciences</i> , 2006 , 63, 3072-82	10.3	37	
140	TRBP and eIF6 homologue in Marsupenaeus japonicus play crucial roles in antiviral response. <i>PLoS ONE</i> , 2012 , 7, e30057	3.7	35	
139	A selenium-dependent glutathione peroxidase (Se-GPx) and two glutathione S-transferases (GSTs) from Chinese shrimp (Fenneropenaeus chinensis). <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2009 , 149, 613-23	3.2	35	
138	The steroid hormone 20-hydroxyecdysone binds to dopamine receptor to repress lepidopteran insect feeding and promote pupation. <i>PLoS Genetics</i> , 2019 , 15, e1008331	6	34	
137	A single WAP domain (SWD)-containing protein with antipathogenic relevance in red swamp crayfish, Procambarus clarkii. <i>Fish and Shellfish Immunology</i> , 2010 , 28, 134-42	4.3	34	
136	A fibrinogen-related protein (FREP) is involved in the antibacterial immunity of Marsupenaeus japonicus. <i>Fish and Shellfish Immunology</i> , 2014 , 39, 296-304	4.3	33	
135	Four crustins involved in antibacterial responses in Marsupenaeus japonicus. <i>Fish and Shellfish Immunology</i> , 2015 , 43, 387-95	4.3	33	
134	Cathepsin B-like proteinase is involved in the decomposition of the adult fat body of Helicoverpa armigera. <i>Archives of Insect Biochemistry and Physiology</i> , 2006 , 62, 1-10	2.3	32	
133	L-Type lectin from the kuruma shrimp Marsupenaeus japonicus promotes hemocyte phagocytosis. <i>Developmental and Comparative Immunology</i> , 2014 , 44, 397-405	3.2	31	
132	Molecular cloning and expression analysis of signal transducer and activator of transcription (STAT) from the Chinese white shrimp Fenneropenaeus chinensis. <i>Molecular Biology Reports</i> , 2011 , 38, 5313-9	2.8	31	
131	Hsc70 binds to ultraspiracle resulting in the upregulation of 20-hydroxyecdsone-responsive genes in Helicoverpa armigera. <i>Molecular and Cellular Endocrinology</i> , 2010 , 315, 282-91	4.4	31	
130	A three-domain Kazal-type serine proteinase inhibitor exhibiting domain inhibitory and bacteriostatic activities from freshwater crayfish Procambarus clarkii. <i>Developmental and Comparative Immunology</i> , 2009 , 33, 1229-38	3.2	31	
129	Identification of genes differentially expressed during larval molting and metamorphosis of Helicoverpa armigera. <i>BMC Developmental Biology</i> , 2007 , 7, 73	3.1	31	
128	Molecular cloning and expression patterns of the molt-regulating transcription factor HHR3 from Helicoverpa armigera. <i>Insect Molecular Biology</i> , 2004 , 13, 407-12	3.4	31	
127	Protein Inhibitor of Activated STAT (PIAS) Negatively Regulates the JAK/STAT Pathway by Inhibiting STAT Phosphorylation and Translocation. <i>Frontiers in Immunology</i> , 2018 , 9, 2392	8.4	31	
126	20-Hydroxyecdysone activates Forkhead box O to promote proteolysis during Helicoverpa armigera molting. <i>Development (Cambridge)</i> , 2016 , 143, 1005-15	6.6	30	
125	G-protein-coupled receptor participates in 20-hydroxyecdysone signaling on the plasma membrane. <i>Cell Communication and Signaling</i> , 2014 , 12, 9	7.5	30	
124	The hormone-dependent function of Hsp90 in the crosstalk between 20-hydroxyecdysone and juvenile hormone signaling pathways in insects is determined by differential phosphorylation and protein interactions. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013 , 1830, 5184-92	4	30	

123	Characterization, kinetics, and possible function of Kazal-type proteinase inhibitors of Chinese white shrimp, Fenneropenaeus chinensis. <i>Fish and Shellfish Immunology</i> , 2009 , 26, 885-97	4.3	30
122	Akirin interacts with Bap60 and 14-3-3 proteins to regulate the expression of antimicrobial peptides in the kuruma shrimp (Marsupenaeus japonicus). <i>Developmental and Comparative Immunology</i> , 2016 , 55, 80-9	3.2	29
121	Juvenile hormone prevents 20-hydroxyecdysone-induced metamorphosis by regulating the phosphorylation of a newly identified broad protein. <i>Journal of Biological Chemistry</i> , 2014 , 289, 26630-2	2 <i>6</i> 641	29
120	Enzyme E2 from Chinese white shrimp inhibits replication of white spot syndrome virus and ubiquitinates its RING domain proteins. <i>Journal of Virology</i> , 2011 , 85, 8069-79	6.6	28
119	Identification and expression profile of a putative basement membrane protein gene in the midgut of Helicoverpa armigera. <i>BMC Developmental Biology</i> , 2007 , 7, 76	3.1	28
118	The polymeric immunoglobulin receptor-like protein from Marsupenaeus japonicus is a receptor for white spot syndrome virus infection. <i>PLoS Pathogens</i> , 2019 , 15, e1007558	7.6	27
117	Catalase eliminates reactive oxygen species and influences the intestinal microbiota of shrimp. <i>Fish and Shellfish Immunology</i> , 2015 , 47, 63-73	4.3	27
116	The steroid hormone 20-hydroxyecdysone promotes switching from autophagy to apoptosis by increasing intracellular calcium levels. <i>Insect Biochemistry and Molecular Biology</i> , 2016 , 79, 73-86	4.5	27
115	A new type antimicrobial peptide astacidin functions in antibacterial immune response in red swamp crayfish Procambarus clarkii. <i>Developmental and Comparative Immunology</i> , 2014 , 43, 121-8	3.2	27
114	Two cysteine proteinases respond to bacterial and WSSV challenge in Chinese white shrimp Fenneropenaeus chinensis. <i>Fish and Shellfish Immunology</i> , 2010 , 29, 551-6	4.3	27
113	Molecular cloning and characterization of Hearm caspase-1 from Helicoverpa armigera. <i>Molecular Biology Reports</i> , 2008 , 35, 405-12	2.8	27
112	A new subfamily of penaeidin with an additional serine-rich region from kuruma shrimp (Marsupenaeus japonicus) contributes to antimicrobial and phagocytic activities. <i>Developmental and Comparative Immunology</i> , 2016 , 59, 186-98	3.2	26
111	A novel Toll like receptor with two TIR domains (HcToll-2) is involved in regulation of antimicrobial peptide gene expression of Hyriopsis cumingii. <i>Developmental and Comparative Immunology</i> , 2014 , 45, 198-208	3.2	26
110	Expression of four trypsin-like serine proteases from the Chinese shrimp, Fenneropenaeus chinensis, as regulated by pathogenic infection. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2009 , 153, 54-60	2.3	26
109	Function of nuclear transport factor 2 and Ran in the 20E signal transduction pathway in the cotton bollworm, Helicoverpa armigera. <i>BMC Cell Biology</i> , 2010 , 11, 1		26
108	Three Kazal-type serine proteinase inhibitors from the red swamp crayfish Procambarus clarkii and the characterization, function analysis of hcPcSPI2. <i>Fish and Shellfish Immunology</i> , 2010 , 28, 942-51	4.3	25
107	Characterization of the trypsin-like protease (Ha-TLP2) constitutively expressed in the integument of the cotton bollworm, Helicoverpa armigera. <i>Archives of Insect Biochemistry and Physiology</i> , 2009 , 72, 74-87	2.3	25
106	An acyl-CoA-binding protein (FcACBP) and a fatty acid binding protein (FcFABP) respond to microbial infection in Chinese white shrimp, Fenneropenaeus chinensis. <i>Fish and Shellfish Immunology</i> , 2009 , 27, 739-47	4.3	25

(2010-2014)

105	In a nongenomic action, steroid hormone 20-hydroxyecdysone induces phosphorylation of cyclin-dependent kinase 10 to promote gene transcription. <i>Endocrinology</i> , 2014 , 155, 1738-50	4.8	24	
104	Antibacterial activity of serine protease inhibitor 1 from kuruma shrimp Marsupenaeus japonicus. <i>Developmental and Comparative Immunology</i> , 2014 , 44, 261-9	3.2	24	
103	Molecular cloning and characterization of Fc-TSP from the Chinese shrimp Fennerpenaeus chinensis. <i>Molecular Immunology</i> , 2006 , 43, 1202-10	4.3	24	
102	Characterization of a type-I crustin with broad-spectrum antimicrobial activity from red swamp crayfish Procambarus clarkii. <i>Developmental and Comparative Immunology</i> , 2016 , 61, 145-53	3.2	23	
101	The participation of calponin in the cross talk between 20-hydroxyecdysone and juvenile hormone signaling pathways by phosphorylation variation. <i>PLoS ONE</i> , 2011 , 6, e19776	3.7	23	
100	Upregulation of the expression of prodeath serine/threonine protein kinase for programmed cell death by steroid hormone 20-hydroxyecdysone. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2013 , 18, 171-87	5.4	22	
99	BAX inhibitor-1 silencing suppresses white spot syndrome virus replication in red swamp crayfish, Procambarus clarkii. <i>Fish and Shellfish Immunology</i> , 2013 , 35, 46-53	4.3	22	
98	A novel pathogen-binding gC1qR homolog, FcgC1qR, in the Chinese white shrimp, Fenneropenaeus chinensis. <i>Developmental and Comparative Immunology</i> , 2012 , 36, 400-7	3.2	21	
97	A vector that expresses VP28 of WSSV can protect red swamp crayfish from white spot disease. <i>Developmental and Comparative Immunology</i> , 2012 , 36, 442-9	3.2	21	
96	SUMO-conjugating enzyme E2 UBC9 mediates viral immediate-early protein SUMOylation in crayfish to facilitate reproduction of white spot syndrome virus. <i>Journal of Virology</i> , 2013 , 87, 636-47	6.6	21	
95	Dual oxidases participate in the regulation of intestinal microbiotic homeostasis in the kuruma shrimp Marsupenaeus japonicus. <i>Developmental and Comparative Immunology</i> , 2016 , 59, 153-63	3.2	20	
94	Identification of differentially expressed proteins during larval molting of Helicoverpa armigera. Journal of Proteome Research, 2006, 5, 164-9	5.6	20	
93	The functional relevance of shrimp C-type lectins in host-pathogen interactions. <i>Developmental and Comparative Immunology</i> , 2020 , 109, 103708	3.2	20	
92	The Steroid Hormone 20-Hydroxyecdysone Enhances Gene Transcription through the cAMP Response Element-binding Protein (CREB) Signaling Pathway. <i>Journal of Biological Chemistry</i> , 2016 , 291, 12771-12785	5.4	20	
91	EThymosins participate in antiviral immunity of red swamp crayfish (Procambarus clarkii). <i>Developmental and Comparative Immunology</i> , 2015 , 51, 213-25	3.2	19	
90	Methoprene-tolerant 1 regulates gene transcription to maintain insect larval status. <i>Journal of Molecular Endocrinology</i> , 2014 , 53, 93-104	4.5	19	
89	Involvement of Fenneropenaeus chinensis Cathepsin C in antiviral immunity. <i>Fish and Shellfish Immunology</i> , 2012 , 33, 821-8	4.3	19	
88	A thioredoxin response to the WSSV challenge on the Chinese white shrimp, Fenneropenaeus chinensis. Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2010, 151, 92-8	3.2	19	

87	Suppressor of cytokine signaling 2 (SOCS2) negatively regulates the expression of antimicrobial peptides by affecting the Stat transcriptional activity in shrimp Marsupenaeus japonicus. <i>Fish and Shellfish Immunology</i> , 2016 , 56, 473-482	4.3	19
86	Calnexin functions in antibacterial immunity of Marsupenaeus japonicus. <i>Developmental and Comparative Immunology</i> , 2014 , 46, 356-63	3.2	18
85	Protein kinase C delta phosphorylates ecdysone receptor B1 to promote gene expression and apoptosis under 20-hydroxyecdysone regulation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E7121-E7130	11.5	18
84	Ultra-sensitive DNA assay based on single-molecule detection coupled with fluorescent quantum dot-labeling and its application to determination of messenger RNA. <i>Analytica Chimica Acta</i> , 2011 , 685, 52-7	6.6	18
83	A single whey acidic protein domain containing protein (SWD) inhibits bacteria invasion and dissemination in shrimp Marsupenaeus japonicus. <i>Fish and Shellfish Immunology</i> , 2013 , 35, 310-8	4.3	17
82	G-protein-coupled receptor controls steroid hormone signaling in cell membrane. <i>Scientific Reports</i> , 2015 , 5, 8675	4.9	17
81	Adenylate kinase 2 (AK2) promotes cell proliferation in insect development. <i>BMC Molecular Biology</i> , 2012 , 13, 31	4.5	17
80	Overexpression of a C-type lectin enhances bacterial resistance in red swamp crayfish Procambarus clarkii. <i>Fish and Shellfish Immunology</i> , 2013 , 34, 1112-8	4.3	17
79	Expression and function of cathepsin B-like proteinase in larval hemocytes of Helicoverpa armigera during metamorphosis. <i>Archives of Insect Biochemistry and Physiology</i> , 2007 , 64, 164-74	2.3	17
78	Autophagy triggers CTSD (cathepsin D) maturation and localization inside cells to promote apoptosis. <i>Autophagy</i> , 2021 , 17, 1170-1192	10.2	17
77	Novel Pattern Recognition Receptor Protects Shrimp by Preventing Bacterial Colonization and Promoting Phagocytosis. <i>Journal of Immunology</i> , 2017 , 198, 3045-3057	5.3	16
76	A C-type lectin could selectively facilitate bacteria clearance in red swamp crayfish, Procambarus clarkii. <i>Fish and Shellfish Immunology</i> , 2013 , 35, 1387-94	4.3	16
75	Identification of three different types of serine proteases (one SP and two SPHs) in Chinese white shrimp. <i>Fish and Shellfish Immunology</i> , 2011 , 30, 456-66	4.3	16
74	Molecular characterization and expression analysis of a chicken-type lysozyme gene from housefly (Musca domestica). <i>Journal of Genetics and Genomics</i> , 2009 , 36, 7-16	4	16
73	Cloning and expression analysis of an o-methyltransferase (OMT) gene from Chinese shrimp, Fenneropenaeus chinensis. <i>Fish and Shellfish Immunology</i> , 2006 , 21, 284-92	4.3	16
72	Pattern recognition receptors from lepidopteran insects and their biological functions. <i>Developmental and Comparative Immunology</i> , 2020 , 108, 103688	3.2	15
71	A Lysin motif (LysM)-containing protein functions in antibacterial responses of red swamp crayfish, Procambarus clarkii. <i>Developmental and Comparative Immunology</i> , 2013 , 40, 311-9	3.2	15
70	The steroid hormone 20-hydroxyecdysone via nongenomic pathway activates Ca2+/calmodulin-dependent protein kinase II to regulate gene expression. <i>Journal of Biological</i> Chemistry, 2015 , 290, 8469-81	5.4	15

(2016-2009)

69	Proteomic identification of differentially expressed and phosphorylated proteins in epidermis involved in larval-pupal metamorphosis of Helicoverpa armigera. <i>BMC Genomics</i> , 2009 , 10, 600	4.5	15	
68	Scavenger receptor C promotes bacterial clearance in kuruma shrimp Marsupenaeus japonicus by enhancing hemocyte phagocytosis and AMP expression. <i>Fish and Shellfish Immunology</i> , 2017 , 67, 254-2	62 ^{4.3}	14	
67	Cyclin-dependent kinase regulatory subunit 1 promotes cell proliferation by insulin regulation. <i>Cell Cycle</i> , 2015 , 14, 3045-57	4.7	14	
66	Mod(mdg4) participates in hormonally regulated midgut programmed cell death during metamorphosis. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2012 , 17, 1327-39	5.4	14	
65	Two sympatric phylogroups of the Chinese water deer (Hydropotes inermis) identified by mitochondrial DNA control region and cytochrome b gene analyses. <i>Biochemical Genetics</i> , 2009 , 47, 86	0- 7 ·4	14	
64	The Steroid Hormone 20-Hydroxyecdysone Up-regulates Ste-20 Family Serine/Threonine Kinase Hippo to Induce Programmed Cell Death. <i>Journal of Biological Chemistry</i> , 2015 , 290, 24738-46	5.4	13	
63	G-protein 日 participates in the steroid hormone 20-hydroxyecdysone nongenomic signal transduction. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2014 , 144 Pt B, 313-23	5.1	13	
62	Rab32 and the remodeling of the imaginal midgut in Helicoverpa armigera. <i>Amino Acids</i> , 2011 , 40, 953-	6 13.5	13	
61	Chicken-type lysozyme functions in the antibacterial immunity in red swamp crayIh, Procambarus clarkii. <i>Developmental and Comparative Immunology</i> , 2018 , 85, 134-141	3.2	12	
60	Characterization of a 2-Cys peroxiredoxin IV in Marsupenaeus japonicus (kuruma shrimp) and its role in the anti-viral immunity. <i>Fish and Shellfish Immunology</i> , 2013 , 35, 1848-57	4.3	12	
59	Chromosomal polymorphism of mandarin vole, Microtus mandarinus (Rodentia). <i>Hereditas</i> , 2003 , 138, 47-53	2.4	12	
58	The steroid hormone 20-hydroxyecdysone upregulates calcium release-activated calcium channel modulator 1 expression to induce apoptosis in the midgut of Helicoverpa armigera. <i>Cell Calcium</i> , 2017 , 68, 24-33	4	11	
57	Molecular cloning and characterization of a receptor for activated protein kinase C1 (RACK1) from Chinese white shrimp; Fenneropenaeus chinensis. <i>Developmental and Comparative Immunology</i> , 2011 , 35, 629-34	3.2	11	
56	Molecular cloning and expression profiles of the acyl-CoA-binding protein gene from the cotton bollworm Helicoverpa armigera. <i>Archives of Insect Biochemistry and Physiology</i> , 2008 , 68, 79-88	2.3	11	
55	Insulin and 20-hydroxyecdysone oppose each other in the regulation of phosphoinositide-dependent kinase-1 expression during insect pupation. <i>Journal of Biological Chemistry</i> , 2018 , 293, 18613-18623	5.4	11	
54	A Small GTPase, RhoA, Inhibits Bacterial Infection Through Integrin Mediated Phagocytosis in Invertebrates. <i>Frontiers in Immunology</i> , 2018 , 9, 1928	8.4	11	
53	Interaction of the Small GTPase Cdc42 with Arginine Kinase Restricts White Spot Syndrome Virus in Shrimp. <i>Journal of Virology</i> , 2017 , 91,	6.6	10	
52	Involvement of a LysM and putative peptidoglycan-binding domain-containing protein in the antibacterial immune response of kuruma shrimp Marsupenaeus japonicus. <i>Fish and Shellfish Immunology</i> 2016 , 54, 489-98	4.3	10	

51	The knockdown of Ha-GRIM-19 by RNA interference induced programmed cell death. <i>Amino Acids</i> , 2012 , 42, 1297-307	3.5	10
50	Cloning and characterization of Rap GTPase from the Chinese white shrimp Fenneropenaeus chinensis. <i>Developmental and Comparative Immunology</i> , 2012 , 36, 247-52	3.2	10
49	Mitochondrial cytochrome b gene sequence diversity in the Korean hare, Lepus coreanus Thomas (Mammalia, Lagomorpha). <i>Biochemical Genetics</i> , 2001 , 39, 417-29	2.4	10
48	MD-2 Homologue Recognizes the White Spot Syndrome Virus Lipid Component and Induces Antiviral Molecule Expression in Shrimp. <i>Journal of Immunology</i> , 2019 , 203, 1131-1141	5.3	9
47	Leucine-rich repeats containing protein functions in the antibacterial immune reaction in stomach of kuruma shrimp Marsupenaeus japonicus. <i>Fish and Shellfish Immunology</i> , 2017 , 61, 130-137	4.3	8
46	Galectin-mediated immune recognition: Opsonic roles with contrasting outcomes in selected shrimp and bivalve mollusk species. <i>Developmental and Comparative Immunology</i> , 2020 , 110, 103721	3.2	8
45	The Steroid Hormone 20-Hydroxyecdysone Promotes the Cytoplasmic Localization of Yorkie to Suppress Cell Proliferation and Induce Apoptosis. <i>Journal of Biological Chemistry</i> , 2016 , 291, 21761-217	7 ნ ' ⁴	8
44	The Steroid Hormone 20-Hydroxyecdysone Regulates the Conjugation of Autophagy-Related Proteins 12 and 5 in a Concentration and Time-Dependent Manner to Promote Insect Midgut Programmed Cell Death. <i>Frontiers in Endocrinology</i> , 2018 , 9, 28	5.7	8
43	Chromosomal polymorphisms due to heterochromatin growth and pericentric inversions in white-bellied rat, Niviventer confucianus, from China. <i>Hereditas</i> , 2003 , 138, 59-64	2.4	8
42	Single-cell multiple gene expression analysis based on single-molecule-detection microarray assay for multi-DNA determination. <i>Analytica Chimica Acta</i> , 2015 , 854, 122-8	6.6	7
41	Cation-dependent mannose-6-phosphate receptor functions as a pattern recognition receptor in anti-bacterial immunity of Marsupenaeus japonicus. <i>Developmental and Comparative Immunology</i> , 2018 , 89, 122-130	3.2	7
40	The steroid hormone 20-hydroxyecdysone induces phosphorylation and aggregation of stromal interacting molecule 1 for store-operated calcium entry. <i>Journal of Biological Chemistry</i> , 2019 , 294, 149	2 2 :449	9376
39	The steroid hormone 20-hydroxyecdysone upregulated the protein phosphatase 6 for the programmed cell death in the insect midgut. <i>Amino Acids</i> , 2012 , 43, 963-71	3.5	7
38	Molecular cloning and expression pattern analysis of two novel disulfide isomerases in shrimp. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2011 , 153, 301-9	3.2	7
37	A phylogroup of the Siberian chipmunk from Korea (Tamias sibiricus barberi) revealed from the mitochondrial DNA cytochrome b gene. <i>Biochemical Genetics</i> , 2009 , 47, 1-7	2.4	7
36	Efficacy of RH-2485, a new non-steroidal ecdysone agonist, against the cotton boll worm; Helicoverpa armigera (Lepidoptera: noctuidae) in the laboratory and field. <i>Crop Protection</i> , 2003 , 22, 959-965	2.7	7
35	Occurrence of a cathepsin B-like acid cysteine proteinase in the eggs of silkworm moth, Antheraea pernyi. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 1996 , 113, 95-10	03.3	7
34	The apoptosis inhibitor survivin prevents insect midgut from cell death during postembryonic development. <i>Molecular Biology Reports</i> , 2012 , 39, 1691-9	2.8	6

33	A BTB domain-containing gene is upregulated by immune challenge. <i>Archives of Insect Biochemistry and Physiology</i> , 2011 , 77, 58-71	2.3	6
32	Molecular cloning and analysis of function of nucleoside diphosphate kinase (NDPK) from the scallop Chlamys farreri. <i>Biochemistry (Moscow)</i> , 2008 , 73, 686-92	2.9	6
31	Effects of classical insect hormones on the expression profiles of a lipase gene from the cotton bollworm (Helicoverpa armigera). <i>Insect Molecular Biology</i> , 2008 , 17, 523-9	3.4	6
30	Analysis of substrate specificity and endopeptidyl activities of the cathepsin B-like proteinase from Helicoverpa armigera. <i>Protein Journal</i> , 2005 , 24, 219-25	3.9	6
29	Thymosins participate in antibacterial immunity of kuruma shrimp, Marsupenaeus japonicus. <i>Fish and Shellfish Immunology</i> , 2019 , 84, 244-251	4.3	6
28	EArrestin 1ß Interaction with TC45 Attenuates Stat signaling by dephosphorylating Stat to inhibit antimicrobial peptide expression. <i>Scientific Reports</i> , 2016 , 6, 35808	4.9	5
27	EArrestin1 interacts with G protein-coupled receptor to desensitize signaling of the steroid hormone 20-hydroxyecdysone in the lepidopteran insect Helicoverpa armigera. <i>Cellular Signalling</i> , 2015 , 27, 878-86	4.9	5
26	The juvenile hormone analogue methoprene up-regulates the Ha-RNA-binding protein. <i>Molecular and Cellular Endocrinology</i> , 2011 , 333, 172-80	4.4	5
25	A eukaryotic initiation factor 5C is upregulated during metamorphosis in the cotton bollworm, Helicoverpa armigera. <i>BMC Developmental Biology</i> , 2009 , 9, 19	3.1	5
24	FOXO regulates the expression of antimicrobial peptides and promotes phagocytosis of hemocytes in shrimp antibacterial immunity. <i>PLoS Pathogens</i> , 2021 , 17, e1009479	7.6	5
23	Metabolomic Profiles in the Intestine of Shrimp Infected by White Spot Syndrome Virus and Antiviral Function of the Metabolite Linoleic Acid in Shrimp. <i>Journal of Immunology</i> , 2021 , 206, 2075-208	8 5 ·3	5
22	RPS27, a sORF-Encoded Polypeptide, Functions Antivirally by Activating the NF- B Pathway and Interacting With Viral Envelope Proteins in Shrimp. <i>Frontiers in Immunology</i> , 2019 , 10, 2763	8.4	5
21	Suppression of AcMNPV replication by adf and thymosin protein up-regulation in a new testis cell line, Ha-shl-t. <i>Archives of Insect Biochemistry and Physiology</i> , 2013 , 82, 158-71	2.3	4
20	Steroid hormone 20-hydroxyecdysone regulation of the very-high-density lipoprotein (VHDL) receptor phosphorylation for VHDL uptake. <i>Insect Biochemistry and Molecular Biology</i> , 2013 , 43, 328-35	4.5	3
19	Vitamin D3 identified from metabolomic analysis of intestinal contents promotes an antibacterial response in shrimp intestinal immunity. <i>Aquaculture</i> , 2021 , 530, 735951	4.4	3
18	First identification and characterization of a triple WAP domain containing protein in Procambarus clarkii provides new insights into the classification and evolution of WAP proteins in crustacean. <i>Fish and Shellfish Immunology</i> , 2019 , 94, 592-598	4.3	2
17	Myeloid leukemia factor functions in anti-WSSV immune reaction of kuruma shrimp, Marsupenaeus japonicus. <i>Fish and Shellfish Immunology</i> , 2017 , 70, 416-425	4.3	2
16	Gene cloning and expression analysis of ubiquitin derived from Musca domestica. <i>Archives of Insect Biochemistry and Physiology</i> , 2008 , 68, 89-99	2.3	2

15	Reconstruction of AcMNPV with Helicoverpa hormone receptor 3 and its effect on the Helicoverpa larvae. <i>Biocontrol Science and Technology</i> , 2007 , 17, 95-104	1.7	2
14	The homotetramerization of a GPCR transmits the 20-hydroxyecdysone signal and increases its entry into cells for insect metamorphosis. <i>Development (Cambridge)</i> , 2021 , 148,	6.6	2
13	Mitochondrial ATPase inhibitor factor 1, MjATPIF1, is beneficial for WSSV replication in kuruma shrimp (Marsupenaeus japonicus). <i>Fish and Shellfish Immunology</i> , 2020 , 98, 245-254	4.3	1
12	Expression of the Shrimp wap gene in Drosophila elicits defense responses and protease inhibitory activity. <i>Scientific Reports</i> , 2018 , 8, 8779	4.9	1
11	DNA microspot assay using single-molecule detection and requiring 1.8 nL samples only. <i>Mikrochimica Acta</i> , 2011 , 174, 201-206	5.8	1
10	The expression patterns of a eukaryotic initiation factor 3 subunit H in the silk glands in Bombyx mori. <i>Archives of Insect Biochemistry and Physiology</i> , 2010 , 75, 1-12	2.3	1
9	Purification and characterisation of an inhibitor of a cathepsin B-like proteinase from sunflower seed. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2006 , 21, 433-9	5.6	1
8	Nitric Oxide Synthase Regulates Gut Microbiota Homeostasis by ERK-NF- B Pathway in Shrimp <i>Frontiers in Immunology</i> , 2021 , 12, 778098	8.4	1
7	Identification and Functional Analysis of G Protein-Coupled Receptors in 20-Hydroxyecdysone Signaling From the Genome. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 753787	5.7	1
6	Anti-lipopolysaccharide factor D from kuruma shrimp exhibits antiviral activity. <i>Marine Life Science and Technology</i> ,1	4.5	O
5	Infection with white spot syndrome virus affects the microbiota in the stomachs and intestines of kuruma shrimp. <i>Science of the Total Environment</i> , 2022 , 839, 156233	10.2	О
4	Potential role of single hotdog fold thioesterase in the antiviral response of Fenneropenaeus chinensis. Fish and Shellfish Immunology, 2011 , 30, 1192-6	4.3	
3	MECHANISM OF ACTIVATION AND POSSIBLE ROLES OF THE CATHEPSIN B-LIKE AND D-LIKE PROTEINASES IN THE EGGS OF PHILOSAMIA CYNTHIA RICINI*. <i>Insect Science</i> , 1996 , 3, 345-353	3.6	
2	The dyslexia-associated KIAA0319-like protein from Marsupenaeus japonicus recognizes white spot syndrome virus and restricts its replication. <i>Aquaculture</i> , 2022 , 550, 737827	4.4	
1	Ovule positions within linear fruit are correlated with nonrandom mating in Robinia pseudoacacia. <i>Scientific Reports</i> , 2016 , 6, 36664	4.9	