Harmony R Reynolds

List of Publications by Citations

Source: https://exaly.com/author-pdf/7316475/harmony-r-reynolds-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 154
 8,553
 41
 91

 papers
 citations
 h-index
 g-index

 195
 12,236
 9.8
 6.14

 ext. papers
 ext. citations
 avg, IF
 L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 154 | Renin-Angiotensin-Aldosterone System Inhibitors and Risk of Covid-19. <i>New England Journal of Medicine</i> , 2020 , 382, 2441-2448 | 59.2 | 701 |
| 153 | Initial Invasive or Conservative Strategy for Stable Coronary Disease. <i>New England Journal of Medicine</i> , 2020 , 382, 1395-1407 | 59.2 | 642 |
| 152 | Cardiogenic shock: current concepts and improving outcomes. <i>Circulation</i> , 2008 , 117, 686-97 | 16.7 | 535 |
| 151 | ST-Segment Elevation in Patients with Covid-19 - A Case Series. <i>New England Journal of Medicine</i> , 2020 , 382, 2478-2480 | 59.2 | 508 |
| 150 | Coronary intervention for persistent occlusion after myocardial infarction. <i>New England Journal of Medicine</i> , 2006 , 355, 2395-407 | 59.2 | 505 |
| 149 | ESC working group position paper on myocardial infarction with non-obstructive coronary arteries. <i>European Heart Journal</i> , 2017 , 38, 143-153 | 9.5 | 337 |
| 148 | Megakaryocytes and platelet-fibrin thrombi characterize multi-organ thrombosis at autopsy in COVID-19: A case series. <i>EClinicalMedicine</i> , 2020 , 24, 100434 | 11.3 | 295 |
| 147 | Ischemia and No Obstructive Coronary Artery Disease (INOCA): Developing Evidence-Based Therapies and Research Agenda for the Next Decade. <i>Circulation</i> , 2017 , 135, 1075-1092 | 16.7 | 293 |
| 146 | Mechanisms of myocardial infarction in women without angiographically obstructive coronary artery disease. <i>Circulation</i> , 2011 , 124, 1414-25 | 16.7 | 287 |
| 145 | Contemporary Diagnosis and Management of Patients With Myocardial Infarction in the Absence of Obstructive Coronary Artery Disease: A Scientific Statement From the American Heart Association. <i>Circulation</i> , 2019 , 139, e891-e908 | 16.7 | 270 |
| 144 | Therapeutic Anticoagulation with Heparin in Critically Ill Patients with Covid-19. <i>New England Journal of Medicine</i> , 2021 , 385, 777-789 | 59.2 | 227 |
| 143 | Therapeutic Anticoagulation with Heparin in Noncritically Ill Patients with Covid-19. <i>New England Journal of Medicine</i> , 2021 , 385, 790-802 | 59.2 | 203 |
| 142 | Management of Coronary Disease in Patients with Advanced Kidney Disease. <i>New England Journal of Medicine</i> , 2020 , 382, 1608-1618 | 59.2 | 159 |
| 141 | Characterization and outcomes of women and men with non-ST-segment elevation myocardial infarction and nonobstructive coronary artery disease: results from the Can Rapid Risk Stratification of Unstable Angina Patients Suppress Adverse Outcomes with Early Implementation | 4.9 | 152 |
| 140 | of the ACC/AHA Guidelines (CRUSADE) quality improvement initiative. <i>American Heart Journal</i> , Assessment of Racial/Ethnic Disparities in Hospitalization and Mortality in Patients With COVID-19 in New York City. <i>JAMA Network Open</i> , 2020 , 3, e2026881 | 10.4 | 151 |
| 139 | Mortality of Myocardial Infarction by Sex, Age, and Obstructive Coronary Artery Disease Status in the ACTION Registry-GWTG (Acute Coronary Treatment and Intervention Outcomes Network Registry-Get With the Guidelines). <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2017 , 10, e003443 | 5.8 | 145 |
| 138 | Presentation, Clinical Profile, and Prognosis of Young Patients With Myocardial Infarction With Nonobstructive Coronary Arteries (MINOCA): Results From the VIRGO Study. <i>Journal of the American Heart Association</i> . 2018 . 7. | 6 | 143 |

(2011-2003)

| Sensitivity of transthoracic versus transesophageal echocardiography for the detection of native valve vegetations in the modern era. <i>Journal of the American Society of Echocardiography</i> , 2003 , 16, 67 | -7 ē .8 | 139 |
|--|--|--|
| Health-Status Outcomes with Invasive or Conservative Care in Coronary Disease. <i>New England Journal of Medicine</i> , 2020 , 382, 1408-1419 | 59.2 | 138 |
| International Study of Comparative Health Effectiveness with Medical and Invasive Approaches (ISCHEMIA) trial: Rationale and design. <i>American Heart Journal</i> , 2018 , 201, 124-135 | 4.9 | 132 |
| Comparative definitions for moderate-severe ischemia in stress nuclear, echocardiography, and magnetic resonance imaging. <i>JACC: Cardiovascular Imaging</i> , 2014 , 7, 593-604 | 8.4 | 127 |
| Ambient Particulate Matter Air Pollution Exposure and Mortality in the NIH-AARP Diet and Health Cohort. <i>Environmental Health Perspectives</i> , 2016 , 124, 484-90 | 8.4 | 126 |
| The effect of transvenous pacemaker and implantable cardioverter defibrillator lead placement on tricuspid valve function: an observational study. <i>Journal of the American Society of Echocardiography</i> , 2008 , 21, 284-7 | 5.8 | 113 |
| A severity scoring system for risk assessment of patients with cardiogenic shock: a report from the SHOCK Trial and Registry. <i>American Heart Journal</i> , 2010 , 160, 443-50 | 4.9 | 102 |
| PM2.5 air pollution and cause-specific cardiovascular disease mortality. <i>International Journal of Epidemiology</i> , 2020 , 49, 25-35 | 7.8 | 96 |
| Predictors of 30-day mortality in patients with refractory cardiogenic shock following acute myocardial infarction despite a patent infarct artery. <i>American Heart Journal</i> , 2009 , 158, 680-7 | 4.9 | 83 |
| Prevalence and Outcomes of D-Dimer Elevation in Hospitalized Patients With COVID-19. <i>Arteriosclerosis, Thrombosis, and Vascular Biology,</i> 2020 , 40, 2539-2547 | 9.4 | 79 |
| Effect of nitric oxide synthase inhibition on haemodynamics and outcome of patients with persistent cardiogenic shock complicating acute myocardial infarction: a phase II dose-ranging study. <i>European Heart Journal</i> , 2007 , 28, 1109-16 | 9.5 | 73 |
| Baseline Characteristics and Risk Profiles of Participants in the ISCHEMIA Randomized Clinical Trial. <i>JAMA Cardiology</i> , 2019 , 4, 273-286 | 16.2 | 65 |
| Coronary Optical Coherence Tomography and Cardiac Magnetic Resonance Imaging to Determine Underlying Causes of Myocardial Infarction With Nonobstructive Coronary Arteries in Women. <i>Circulation</i> , 2021 , 143, 624-640 | 16.7 | 61 |
| Impact of collateral flow to the occluded infarct-related artery on clinical outcomes in patients with recent myocardial infarction: a report from the randomized occluded artery trial. <i>Circulation</i> , 2010 , 121, 2724-30 | 16.7 | 60 |
| Association of plasma soluble E-selectin and adiponectin with carotid plaque in patients with systemic lupus erythematosus. <i>Atherosclerosis</i> , 2010 , 210, 569-74 | 3.1 | 57 |
| Paradoxical septal motion after cardiac surgery: a review of 3,292 cases. <i>Clinical Cardiology</i> , 2007 , 30, 621-3 | 3.3 | 57 |
| Impact of female sex on death and bleeding after fibrinolytic treatment of myocardial infarction in GUSTO V. <i>Archives of Internal Medicine</i> , 2007 , 167, 2054-60 | | 55 |
| | | |
| | Health-Status Outcomes with Invasive or Conservative Care in Coronary Disease. New England Journal of Medicine, 2020, 382, 1408-1419 International Study of Comparative Health Effectiveness with Medical and Invasive Approaches (ISCHEMIA) trial: Rationale and design. American Heart Journal, 2018, 201, 124-135 Comparative definitions for moderate-severe ischemia in stress nuclear, echocardiography, and magnetic resonance imaging. JACC: Cardiovascular Imaging, 2014, 7, 593-604 Ambient Particulate Matter Air Pollution Exposure and Mortality in the NIH-AARP Diet and Health Cohort. Environmental Health Perspectives, 2016, 124, 484-90 The effect of transvenous pacemaker and implantable cardioverter defibrillator lead placement on tricuspid valve function: an observational study. Journal of the American Society of Echocardiography, 2008, 21, 284-7 A severity scoring system for risk assessment of patients with cardiogenic shock: a report from the SHOCK Trial and Registry. American Heart Journal, 2010, 160, 443-50 PM2. 5 air pollution and cause-specific cardiovascular disease mortality. International Journal of Epidemiology, 2020, 49, 25-35 Predictors of 30-day mortality in patients with refractory cardiogenic shock following acute myocardial infarction despite a patent infarct artery. American Heart Journal, 2009, 158, 680-7 Prevalence and Outcomes of D-Dimer Elevation in Hospitalized Patients With COVID-19. Arteriosclerosis, Thrombosis, and Vascular Biology, 2020, 40, 2539-2547 Effect of nitric oxide synthase inhibition on haemodynamics and outcome of patients with persistent cardiogenic shock complicating acute myocardial infarction: a phase II dose-ranging study. European Heart Journal, 2007, 28, 1109-16 Baseline Characteristics and Risk Profiles of Participants in the ISCHEMIA Randomized Clinical Trial. JAMA Cardiology, 2019, 4, 273-286 Coronary Optical Coherence Tomography and Cardiac Magnetic Resonance Imaging to Determine Underlying Causes of Myocardial Infarction With Nonobstructive Coronary Arteries i | Health-Status Outcomes with Invasive or Conservative Care in Coronary Disease. New England Journal of Medicine, 2020, 382, 1408-1419 International Study of Comparative Health Effectiveness with Medical and Invasive Approaches (ISCHEMIA) trial: Rationale and design. Almerican Heart Journal, 2018, 201, 124-135 49 Comparative definitions for moderate-severe ischemia in stress nuclear, echocardiography, and magnetic resonance imaging. JACC: Cardiovascular Imaging, 2014, 7, 593-604 Ambient Particulate Matter Air Pollution Exposure and Mortality in the NIH-AARP Diet and Health Cohort. Environmental Health Perspectives, 2016, 124, 484-90 The effect of transvenous pacemaker and implantable cardioverter defibrillator lead placement on tricuspid valve function: an observational study. Journal of the American Society of Echocardiography, 2008, 21, 284-7 A severity scoring system for risk assessment of patients with cardiogenic shock: a report from the SHOCK Trial and Registry. American Heart Journal, 2010, 160, 443-50 PM2.5 air pollution and cause-specific cardiovascular disease mortality. International Journal of Epidemiology, 2020, 49, 25-35 Predictors of 30-day mortality in patients with refractory cardiogenic shock following acute myocardial infarction despite a patent infarct artery. American Heart Journal, 2009, 158, 680-7 Prevalence and Outcomes of D-Dimer Elevation in Hospitalized Patients With COVID-19. Arteriosclerosis, Thrombosis, and Voscular Biology, 2020, 40, 2539-2547 Effect of nitric oxide synthase inhibition on haemodynamics and outcome of patients with persistent cardiogenic shock complicating acute myocardial infarction: a phase II dose-ranging study. European Heart Journal, 2007, 28, 1109-16 Baseline Characteristics and Risk Profiles of Participants in the ISCHEMIA Randomized Clinical Trial. JAMA Cardiology, 2019, 4, 273-286 Coronary Optical Coherence Tomography and Cardiac Magnetic Resonance Imaging to Determine Underlying Causes of Myocardial Infarction With Nonobstructive Coronary Arteri |

| 119 | Acute Myocardial Infarction During Pregnancy and the Puerperium in the United States. <i>Mayo Clinic Proceedings</i> , 2018 , 93, 1404-1414 | 6.4 | 50 |
|-----|--|------|----|
| 118 | Design and methodology of the Occluded Artery Trial (OAT). American Heart Journal, 2005, 150, 627-42 | 4.9 | 50 |
| 117 | Quality and Equitable Health Care Gaps for IWomen: Attributions to Sex Differences in Cardiovascular Medicine. <i>Journal of the American College of Cardiology</i> , 2017 , 70, 373-388 | 15.1 | 47 |
| 116 | Outcomes among non-ST-segment elevation acute coronary syndromes patients with no angiographically obstructive coronary artery disease: observations from 37,101 patients. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2014 , 3, 37-45 | 4.3 | 47 |
| 115 | Association of Sex With Severity of Coronary Artery Disease, Ischemia, and Symptom Burden in Patients With Moderate or Severe Ischemia: Secondary Analysis of the ISCHEMIA Randomized Clinical Trial. <i>JAMA Cardiology</i> , 2020 , 5, 773-786 | 16.2 | 44 |
| 114 | Sex and race are associated with the absence of epicardial coronary artery obstructive disease at angiography in patients with acute coronary syndromes. <i>Clinical Cardiology</i> , 2010 , 33, 495-501 | 3.3 | 41 |
| 113 | Ten-Year Differences in Women® Awareness Related to Coronary Heart Disease: Results of the 2019 American Heart Association National Survey: A Special Report From the American Heart Association. <i>Circulation</i> , 2021 , 143, e239-e248 | 16.7 | 40 |
| 112 | Choroidal thickness in patients with coronary artery disease. <i>PLoS ONE</i> , 2017 , 12, e0175691 | 3.7 | 39 |
| 111 | Autonomic Findings in Takotsubo Cardiomyopathy. <i>American Journal of Cardiology</i> , 2016 , 117, 206-13 | 3 | 38 |
| 110 | Characteristics of plaque disruption by intravascular ultrasound in women presenting with myocardial infarction without obstructive coronary artery disease. <i>American Heart Journal</i> , 2014 , 167, 715-22 | 4.9 | 34 |
| 109 | Health Status after Invasive or Conservative Care in Coronary and Advanced Kidney Disease. <i>New England Journal of Medicine</i> , 2020 , 382, 1619-1628 | 59.2 | 32 |
| 108 | Reinfarction after percutaneous coronary intervention or medical management using the universal definition in patients with total occlusion after myocardial infarction: results from long-term follow-up of the Occluded Artery Trial (OAT) cohort. <i>American Heart Journal</i> , 2012 , 163, 563-71 | 4.9 | 32 |
| 107 | Cardiovascular disease in young women: a population at risk. <i>Cardiology in Review</i> , 2011 , 19, 60-5 | 3.2 | 32 |
| 106 | Relation of carotid plaque with natural IgM antibodies in patients with systemic lupus erythematosus. <i>Clinical Immunology</i> , 2014 , 153, 1-7 | 9 | 31 |
| 105 | Lessons learned from MPI and physiologic testing in randomized trials of stable ischemic heart disease: COURAGE, BARI 2D, FAME, and ISCHEMIA. <i>Journal of Nuclear Cardiology</i> , 2013 , 20, 969-75 | 2.1 | 29 |
| 104 | Thrombosis in hospitalized patients with viral respiratory infections versus COVID-19. <i>American Heart Journal</i> , 2021 , 231, 93-95 | 4.9 | 28 |
| 103 | Initial Invasive Versus Conservative Management of Stable Ischemic Heart Disease in Patients With a History of Heart Failure or Left Ventricular Dysfunction: Insights From the ISCHEMIA Trial. <i>Circulation</i> , 2020 , 142, 1725-1735 | 16.7 | 27 |
| 102 | Long-term effects of percutaneous coronary intervention of the totally occluded infarct-related artery in the subacute phase after myocardial infarction. <i>Circulation</i> , 2011 , 124, 2320-8 | 16.7 | 26 |

(2003-2016)

| 101 | Provoking conditions, management and outcomes of type 2 myocardial infarction and myocardial necrosis. <i>International Journal of Cardiology</i> , 2016 , 218, 196-201 | 3.2 | 26 |
|-----|--|-------------------------------|-----------------|
| 100 | Treatment and outcomes of type 2 myocardial infarction and myocardial injury compared with type 1 myocardial infarction. <i>Coronary Artery Disease</i> , 2018 , 29, 46-52 | 1.4 | 26 |
| 99 | Reinfarction in Patients with Myocardial Infarction with Nonobstructive Coronary Arteries (MINOCA): Coronary Findings and Prognosis. <i>American Journal of Medicine</i> , 2019 , 132, 335-346 | 2.4 | 23 |
| 98 | Myocardial Infarction in the ISCHEMIA Trial: Impact of Different Definitions on Incidence, Prognosis, and Treatment Comparisons. <i>Circulation</i> , 2021 , 143, 790-804 | 16.7 | 21 |
| 97 | Randomized evaluation of beta blocker and ACE-inhibitor/angiotensin receptor blocker treatment in patients with myocardial infarction with non-obstructive coronary arteries (MINOCA-BAT): Rationale and design. <i>American Heart Journal</i> , 2021 , 231, 96-104 | 4.9 | 20 |
| 96 | Fifteen-Year Trends in Management and Outcomes of Non-ST-Segment-Elevation Myocardial Infarction Among Black and White Patients: The ARIC Community Surveillance Study, 2000-2014. <i>Journal of the American Heart Association</i> , 2018 , 7, e010203 | 6 | 20 |
| 95 | Stress Cardiac MRI in Women With Myocardial Infarction and Nonobstructive Coronary Artery Disease. <i>Clinical Cardiology</i> , 2016 , 39, 596-602 | 3.3 | 19 |
| 94 | A case of apical ballooning cardiomyopathy associated with duloxetine. <i>Annals of Internal Medicine</i> , 2008 , 149, 218-9 | 8 | 19 |
| 93 | The effects of QuikClot Combat Gauze and movement on hemorrhage control in a porcine model. <i>Military Medicine</i> , 2012 , 177, 1543-7 | 1.3 | 18 |
| 92 | Comparison of image quality between a narrow caliber transesophageal echocardiographic probe and the standard size probe during intraoperative evaluation. <i>Journal of the American Society of Echocardiography</i> , 2004 , 17, 1050-2 | 5.8 | 18 |
| 91 | Effect of P2Y12 Inhibitors on Survival Free of Organ Support Among Non-Critically Ill Hospitalized Patients With COVID-19: A Randomized Clinical Trial <i>JAMA - Journal of the American Medical Association</i> , 2022 , 327, 227-236 | 27.4 | 18 |
| 90 | Incidence and outcomes associated with early heart failure pharmacotherapy in patients with ongoing cardiogenic shock. <i>Critical Care Medicine</i> , 2014 , 42, 281-8 | 1.4 | 17 |
| 89 | Myocardial infarction without obstructive coronary artery disease. <i>Current Opinion in Cardiology</i> , 2012 , 27, 655-60 | 2.1 | 15 |
| 88 | Restrictive physiology in cardiogenic shock: observations from echocardiography. <i>American Heart Journal</i> , 2006 , 151, 890.e9-15 | 4.9 | 15 |
| 87 | COVID-19 and the Heart and Vasculature: Novel Approaches to Reduce Virus-Induced Inflammation in Patients With Cardiovascular Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020 , 40, 20 |)4 <i>9</i> - 2 05 | 3 ¹⁵ |
| 86 | Outcomes in the ISCHEMIA Trial Based on Coronary Artery Disease and Ischemia Severity. <i>Circulation</i> , 2021 , 144, 1024-1038 | 16.7 | 15 |
| 85 | Natural History of Patients With Ischemia and No Obstructive Coronary Artery Disease: The CIAO-ISCHEMIA Study. <i>Circulation</i> , 2021 , 144, 1008-1023 | 16.7 | 14 |
| 84 | Role of transesophageal echocardiography in the evaluation of patients with stroke. <i>Current Opinion in Cardiology</i> , 2003 , 18, 340-5 | 2.1 | 13 |

| 83 | ST-segment elevation and cardiac magnetic resonance imaging findings in myocardial infarction with non-obstructive coronary arteries. <i>International Journal of Cardiology</i> , 2019 , 287, 128-131 | 3.2 | 12 |
|----|--|------|----|
| 82 | Myocarditis in Relation to Angiographic Findings in Patients With Provisional Diagnoses of MINOCA. <i>JACC: Cardiovascular Imaging</i> , 2020 , 13, 1906-1913 | 8.4 | 12 |
| 81 | Human low-affinity IgG receptor FcRIIA polymorphism H131R associates with subclinical atherosclerosis and increased platelet activity in systemic lupus erythematosus. <i>Journal of Thrombosis and Haemostasis</i> , 2019 , 17, 532-537 | 15.4 | 12 |
| 80 | Multiple Biomarker Approach to Risk Stratification in COVID-19. <i>Circulation</i> , 2021 , 143, 1338-1340 | 16.7 | 12 |
| 79 | Predictors of outcome and the lack of effect of percutaneous coronary intervention across the risk strata in patients with persistent total occlusion after myocardial infarction: Results from the OAT (Occluded Artery Trial) study. <i>JACC: Cardiovascular Interventions</i> , 2008 , 1, 511-20 | 5 | 11 |
| 78 | Frequency of severe renal artery stenosis in patients with severe thoracic aortic plaque. <i>American Journal of Cardiology</i> , 2004 , 94, 844-6 | 3 | 11 |
| 77 | Abdominal aortic aneurysms and thoracic aortic atheromas. <i>Journal of the American Society of Echocardiography</i> , 2001 , 14, 1127-31 | 5.8 | 11 |
| 76 | Adverse Trends in Ischemic Heart Disease Mortality among Young New Yorkers, Particularly Young Black Women. <i>PLoS ONE</i> , 2016 , 11, e0149015 | 3.7 | 11 |
| 75 | Spontaneous Coronary Artery Dissection in Patients With a Provisional Diagnosis of Takotsubo Syndrome. <i>Journal of the American Heart Association</i> , 2019 , 8, e013581 | 6 | 11 |
| 74 | CT Angiography Followed by Invasive Angiography in Patients With Moderate or Severe Ischemia-Insights From the ISCHEMIA Trial. <i>JACC: Cardiovascular Imaging</i> , 2021 , 14, 1384-1393 | 8.4 | 11 |
| 73 | Chronic stress primes innate immune responses in mice and humans. <i>Cell Reports</i> , 2021 , 36, 109595 | 10.6 | 11 |
| 72 | Migraine Headache: An Under-Appreciated Risk Factor for Cardiovascular Disease in Women. <i>Journal of the American Heart Association</i> , 2019 , 8, e014546 | 6 | 10 |
| 71 | Does ischemia burden in stable coronary artery disease effectively identify revascularization candidates? Ischemia burden in stable coronary artery disease does not effectively identify revascularization candidates. <i>Circulation: Cardiovascular Imaging</i> , 2015 , 8, discussion p 9 | 3.9 | 10 |
| 70 | Go Red for Women Strategically Focused Research Network Centers. <i>Circulation</i> , 2017 , 135, 609-611 | 16.7 | 9 |
| 69 | Afferent baroreflex failure and tako-tsubo cardiomyopathy. Clinical Autonomic Research, 2011, 21, 1-2 | 4.3 | 9 |
| 68 | Survival in Patients With Suspected Myocardial Infarction With Nonobstructive Coronary Arteries: A Comprehensive Systematic Review and Meta-Analysis From the MINOCA Global Collaboration. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2021 , 14, e007880 | 5.8 | 9 |
| 67 | Seasonal and circadian patterns of myocardial infarction by coronary artery disease status and sex in the ACTION Registry-GWTG. <i>International Journal of Cardiology</i> , 2019 , 274, 16-20 | 3.2 | 9 |
| 66 | Normal intima-media thickness on carotid ultrasound reliably excludes an ischemic cause of cardiomyopathy. <i>American Heart Journal</i> , 2010 , 159, 1059-66 | 4.9 | 8 |

| 65 | Whole-Blood Transcriptome Profiling Identifies Women With Myocardial Infarction With Nonobstructive Coronary Artery Disease. <i>Circulation Genomic and Precision Medicine</i> , 2018 , 11, e002387 | 5.2 | 8 |
|----|---|--------------|---|
| 64 | Optical coherence tomography in coronary atherosclerosis assessment and intervention <i>Nature Reviews Cardiology</i> , 2022 , | 14.8 | 8 |
| 63 | Postoperative Tachycardia: Clinically Meaningful or Benign Consequence of Orthopedic Surgery?. <i>Mayo Clinic Proceedings</i> , 2017 , 92, 98-105 | 6.4 | 7 |
| 62 | Optimising diagnostic accuracy with the exercise ECG: opportunities for women and men with stable ischaemic heart disease. <i>Heart Asia</i> , 2016 , 8, 1-7 | 1.9 | 7 |
| 61 | Diabetes and ischemic heart disease death in people age 25-54: a multiple-cause-of-death analysis based on over 400 000 deaths from 1990 to 2008 in New York City. <i>Clinical Cardiology</i> , 2015 , 38, 114-20 | 3.3 | 7 |
| 60 | Heartbreak. European Heart Journal, 2010 , 31, 1433-5 | 9.5 | 7 |
| 59 | Late coronary intervention for totally occluded left anterior descending coronary arteries in stable patients after myocardial infarction: Results from the Occluded Artery Trial (OAT). <i>American Heart Journal</i> , 2009 , 157, 724-32 | 4.9 | 7 |
| 58 | Therapeutic Anticoagulation in Non-Critically Ill Patients with Covid-19 | | 7 |
| 57 | Distinctive Hypertrophic Cardiomyopathy Anatomy and Obstructive Physiology in Patients Admitted With Takotsubo Syndrome. <i>American Journal of Cardiology</i> , 2020 , 125, 1700-1709 | 3 | 6 |
| 56 | Mechanisms of myocardial infarction without obstructive coronary artery disease. <i>Trends in Cardiovascular Medicine</i> , 2014 , 24, 170-6 | 6.9 | 6 |
| 55 | The value of core lab stress echocardiography interpretations: observations from the ISCHEMIA Trial. <i>Cardiovascular Ultrasound</i> , 2015 , 13, 47 | 2.4 | 6 |
| 54 | Relationship of female sex to outcomes after myocardial infarction with persistent total occlusion of the infarct artery: analysis of the Occluded Artery Trial (OAT). <i>American Heart Journal</i> , 2012 , 163, 462 | .4 .9 | 6 |
| 53 | Management of Women With Acquired Cardiovascular Disease From Pre-Conception Through Pregnancy and Postpartum: JACC Focus Seminar 3/5. <i>Journal of the American College of Cardiology</i> , 2021 , 77, 1799-1812 | 15.1 | 6 |
| 52 | Response by Reynolds et al to Letters Regarding Article, "Coronary Optical Coherence Tomography and Cardiac Magnetic Resonance Imaging to Determine Underlying Causes of Myocardial Infarction With Nonobstructive Coronary Arteries in Women". <i>Circulation</i> , 2021 , 144, e209-e210 | 16.7 | 6 |
| 51 | Coronary artery calcification is common on nongated chest computed tomography imaging. <i>Clinical Cardiology</i> , 2017 , 40, 498-502 | 3.3 | 5 |
| 50 | VARIABILITY OF DISCHARGE MEDICAL THERAPY FOR SECONDARY PREVENTION AMONG PATIENTS WITH MYOCARDIAL INFARCTION WITH NON-OBSTRUCTIVE CORONARY ARTERIES (MINOCA) IN THE UNITED STATES. <i>Journal of the American College of Cardiology</i> , 2020 , 75, 207 | 15.1 | 5 |
| 49 | Hospital readmission following takotsubo syndrome. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2019 , 5, 114-120 | 4.6 | 5 |
| 48 | Hypertrophic cardiomyopathy with dynamic obstruction and high left ventricular outflow gradients associated with paradoxical apical ballooning. <i>Echocardiography</i> , 2019 , 36, 47-60 | 1.5 | 5 |

| 47 | Outcomes of Participants With Diabetes in the ISCHEMIA Trials. Circulation, 2021, 144, 1380-1395 | 16.7 | 5 |
|----|---|------|---|
| 46 | Telephone-based mindfulness training to reduce stress in women with myocardial infarction: Rationale and design of a multicenter randomized controlled trial. <i>American Heart Journal</i> , 2018 , 202, 61-67 | 4.9 | 4 |
| 45 | ISCHEMIA: Establishing the Primary End Point. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2018 , 11, e004791 | 5.8 | 4 |
| 44 | Long-term outcomes after a strategy of percutaneous coronary intervention of the infarct-related artery with drug-eluting stents or bare metal stents vs medical therapy alone in the Occluded Artery Trial (OAT). American Heart Journal, 2012, 163, 1011-8 | 4.9 | 4 |
| 43 | Substernal epicardial echocardiography: review of a new technique. <i>Journal of the American Society of Echocardiography</i> , 2003 , 16, 1204-10 | 5.8 | 4 |
| 42 | Standardizing the Definition and Analysis Methodology for Complete Coronary Artery Revascularization. <i>Journal of the American Heart Association</i> , 2021 , 10, e020110 | 6 | 4 |
| 41 | Transient Ischemic Dilatation during Stress Echocardiography: An Additional Marker of Significant Myocardial Ischemia. <i>Echocardiography</i> , 2016 , 33, 1202-8 | 1.5 | 4 |
| 40 | Effects of initial invasive vs. initial conservative treatment strategies on recurrent and total cardiovascular events in the ISCHEMIA trial. <i>European Heart Journal</i> , 2021 , | 9.5 | 4 |
| 39 | Go Red for Women Strategically Focused Research Network: Summary of Findings and Network Outcomes. <i>Journal of the American Heart Association</i> , 2021 , 10, e019519 | 6 | 3 |
| 38 | Variability of discharge medical therapy for secondary prevention among patients with myocardial infarction with non-obstructive coronary arteries (MINOCA) in the United States. <i>PLoS ONE</i> , 2021 , 16, e0255462 | 3.7 | 3 |
| 37 | PREDICTION OF LEFT MAIN DISEASE USING CLINICAL AND STRESS TEST PARAMETERS. <i>Journal of the American College of Cardiology</i> , 2020 , 75, 52 | 15.1 | 2 |
| 36 | Test Selection for Women with Suspected Stable Ischemic Heart Disease. <i>Journal of Womenis Health</i> , 2018 , 27, 867-874 | 3 | 2 |
| 35 | Heart failure in post-MI patients with persistent IRA occlusion: prevalence, risk factors, and the long-term effect of PCI in the Occluded Artery Trial (OAT). <i>Journal of Cardiac Failure</i> , 2012 , 18, 813-21 | 3.3 | 2 |
| 34 | Comparison of late results of percutaneous coronary intervention among stable patients B 5 versus >65 years of age with an occluded infarct related artery (from the Occluded Artery Trial). American Journal of Cardiology, 2012 , 109, 614-9 | 3 | 2 |
| 33 | Renal impairment and heart failure with preserved ejection fraction early post-myocardial infarction. <i>World Journal of Cardiology</i> , 2010 , 2, 13-8 | 2.1 | 2 |
| 32 | Ankle-Brachial Index Testing at the Time of Stress Testing in Patients Without Known Atherosclerosis. <i>Clinical Cardiology</i> , 2016 , 39, 24-9 | 3.3 | 2 |
| 31 | Risk of thrombotic events after respiratory infection requiring hospitalization. <i>Scientific Reports</i> , 2021 , 11, 4053 | 4.9 | 2 |
| 30 | Comprehensive Quality of Life Outcomes with Invasive versus Conservative Management of Chronic Coronary Disease in ISCHEMIA <i>Circulation</i> , 2022 , | 16.7 | 2 |

| 29 | In Reply-Acute Myocardial Infarction During Pregnancy and the Puerperium: Experiences and Challenges From Southern India. <i>Mayo Clinic Proceedings</i> , 2019 , 94, 919-920 | 6.4 | 1 |
|----|--|------|---|
| 28 | Letter by Mahajan et al Regarding Article, "Systematic Review of Patients Presenting With Suspected Myocardial Infarction and Nonobstructive Coronary Arteries". <i>Circulation</i> , 2015 , 132, e231 | 16.7 | 1 |
| 27 | Effect of late revascularization of a totally occluded coronary artery after myocardial infarction on mortality rates in patients with renal impairment. <i>American Journal of Cardiology</i> , 2012 , 110, 954-60 | 3 | 1 |
| 26 | Loss of short-term symptomatic benefit in patients with an occluded infarct artery is unrelated to non-protocol revascularization: results from the Occluded Artery Trial (OAT). <i>American Heart Journal</i> , 2011 , 161, 84-90 | 4.9 | 1 |
| 25 | Paradoxically normal septal motion in Ebsteinß anomaly. <i>Journal of the American Society of Echocardiography</i> , 2002 , 15, 841-2 | 5.8 | 1 |
| 24 | Abstract 14772: Effects of Reallocating Time in Different Physical Activity Intensities and Sleep on Cardiovascular Disease Risk Factors in Asian American Women: A Cross Sectional Modeling Study. <i>Circulation</i> , 2020 , 142, | 16.7 | 1 |
| 23 | Abstract 16569: Psychosocial Risk Factors for Depression in Women With Myocardial Infarction: Mindfulness and Rumination. <i>Circulation</i> , 2020 , 142, | 16.7 | 1 |
| 22 | Abstract 289: Variation In 24-hour Physical Activity Patterns By Demographic And Psychological Factors In Women With Myocardial Infarction. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2020 , 13, | 5.8 | 1 |
| 21 | Response to most of the patients classified under "Myocardial infarction with non-obstructive coronary arteries (MI-NOCA)" have either no MI or no NOCA. <i>International Journal of Cardiology</i> , 2019 , 297, 17 | 3.2 | 1 |
| 20 | Response by Chaitman et al to Letter Regarding Article, "Myocardial Infarction in the ISCHEMIA Trial: Impact of Different Definitions on Incidence, Prognosis, and Treatment Comparisons". <i>Circulation</i> , 2021 , 144, e14-e15 | 16.7 | 1 |
| 19 | Comparison of Days Alive Out of Hospital With Initial Invasive vs Conservative Management: A Prespecified Analysis of the ISCHEMIA Trial. <i>JAMA Cardiology</i> , 2021 , 6, 1023-1031 | 16.2 | 1 |
| 18 | Purely Behavioral: A Scoping Review of Nonpharmacological Behavioral and Lifestyle Interventions to Prevent Cardiovascular Disease in Persons Living With HIV. <i>Journal of the Association of Nurses in AIDS Care</i> , 2021 , | 1.6 | 1 |
| 17 | Predictors of Left Main Coronary Artery Disease in the ISCHEMIA Trial <i>Journal of the American College of Cardiology</i> , 2022 , 79, 651-661 | 15.1 | 1 |
| 16 | Coronary Arterial Function and Disease in Women With No Obstructive Coronary Arteries <i>Circulation Research</i> , 2022 , 130, 529-551 | 15.7 | 1 |
| 15 | Outcomes With Intermediate Left Main Disease: Analysis From the ISCHEMIA Trial <i>Circulation: Cardiovascular Interventions</i> , 2022 , CIRCINTERVENTIONS121010925 | 6 | 1 |
| 14 | Effects of timing, location and definition of reinfarction on mortality in patients with totally occluded infarct related arteries late after myocardial infarction. <i>International Journal of Cardiology</i> , 2014 , 174, 90-5 | 3.2 | Ο |
| 13 | Role of cardiac CT in the diagnostic evaluation and risk stratification of patients with myocardial infarction and non-obstructive coronary arteries (MINOCA): rationale and design of the MINOCA-GR study <i>BMJ Open</i> , 2022 , 12, e054698 | 3 | 0 |
| 12 | Errors in Numbers in the Text and Tables in a Secondary Analysis of the ISCHEMIA Randomized Clinical Trial. <i>JAMA Cardiology</i> , 2021 , 6, 979 | 16.2 | 0 |

| 11 | Sex and Race Differences in the Evaluation and Treatment of Young Adults Presenting to the Emergency Department With Chest Pain <i>Journal of the American Heart Association</i> , 2022 , e024199 | 6 | O |
|----|---|-----|---|
| 10 | Cardiovascular Disease Prevention Education Using a Virtual Environment in Sexual-Minority Men of Color With HIV: Protocol for a Sequential, Mixed Method, Waitlist Randomized Controlled Trial <i>JMIR Research Protocols</i> , 2022 , 11, e38348 | 2 | O |
| 9 | Plaque rupture in stable coronary artery disease. JACC: Cardiovascular Interventions, 2015, 8, 869 | 5 | |
| 8 | SAT0016 Correlation of Carotid Intimal Plaque in SLE with Non-Traditional Serum Biomarkers. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 595.1-595 | 2.4 | |
| 7 | Diagnosis, Epidemiology, and Risk Factors1-25 | | |
| 6 | Percutaneous and surgical revascularization procedures in women. <i>Current Cardiovascular Risk Reports</i> , 2008 , 2, 227-232 | 0.9 | |
| 5 | SYMPATHOVAGAL IMBALANCE IN TAKOTSUBO CARDIOMYOPATHY. FASEB Journal, 2013, 27, 699.1 | 0.9 | |
| 4 | Diagnostic testing to evaluate ischemic symptoms in women. Womenis Health, 2016 , 12, 267-70 | 3 | |
| 3 | Multimodality Imaging of a Rare Case of Bronchogenic Cyst Presenting as New-Onset Atrial Fibrillation in a Young Woman. <i>Case</i> , 2018 , 2, 254-257 | 0.5 | |
| 2 | Troponin Testing in the Emergency Room: Closing the Gap on Diagnostic Delays in Young Female Patients with Cardiac Chest Pain. <i>Journal of Womenis Health</i> , 2018 , 27, 1305-1306 | 3 | |
| 1 | Acculturation, Discrimination and 24-h Activity in Asian American Immigrant Women <i>Journal of Immigrant and Minority Health</i> , 2022 , 1 | 2.2 | |