

Paul Klauser

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7316681/paul-klauser-publications-by-citations.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

34
papers

924
citations

17
h-index

30
g-index

44
ext. papers

1,347
ext. citations

5.7
avg, IF

4.29
L-index

#	Paper	IF	Citations
34	Accelerated Gray and White Matter Deterioration With Age in Schizophrenia. <i>American Journal of Psychiatry</i> , 2017 , 174, 286-295	11.9	117
33	16.2 CHILDHOOD TRAUMA ENGAGES OXIDATIVE STRESS, HIPPOCAMPUS ALTERATIONS, AND POORER CLINICAL OUTCOME IN EARLY PSYCHOSIS PATIENTS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S25-S26	1.3	78
32	T160. HIGH-RESOLUTION WHOLE BRAIN MR SPECTROSCOPIC IMAGING IN YOUTHS AT CLINICAL HIGH RISK FOR PSYCHOSIS: A PILOT STUDY. <i>Schizophrenia Bulletin</i> , 2020 , 46, S292-S292	1.3	78
31	S69. CLINICAL HIGH RISK STATE: STRATIFICATION BASED ON CLINICAL PROFILE AND REDOX STATUS. <i>Schizophrenia Bulletin</i> , 2020 , 46, S60-S60	1.3	78
30	F152. N-ACETYL-CYSTEINE SUPPLEMENTATION IMPROVES FUNCTIONAL CONNECTIVITY IN THE CINGULATE CORTEX IN EARLY PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S279-S279	1.3	78
29	10.2 REDOX DYSREGULATION, OLIGODENDROCYTES AND WHITE MATTER ALTERATIONS IN SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018 , 44, S15-S16	1.3	78
28	White Matter Disruptions in Schizophrenia Are Spatially Widespread and Topologically Converge on Brain Network Hubs. <i>Schizophrenia Bulletin</i> , 2017 , 43, 425-435	1.3	60
27	Lack of Evidence for Regional Brain Volume or Cortical Thickness Abnormalities in Youths at Clinical High Risk for Psychosis: Findings From the Longitudinal Youth at Risk Study. <i>Schizophrenia Bulletin</i> , 2015 , 41, 1285-93	1.3	38
26	MMP9/RAGE pathway overactivation mediates redox dysregulation and neuroinflammation, leading to inhibitory/excitatory imbalance: a reverse translation study in schizophrenia patients. <i>Molecular Psychiatry</i> , 2020 , 25, 2889-2904	15.1	38
25	Baseline grey matter volume of non-transitioned "ultra high risk" for psychosis individuals with and without attenuated psychotic symptoms at long-term follow-up. <i>Schizophrenia Research</i> , 2016 , 173, 152-158	3.6	31
24	N-acetylcysteine add-on treatment leads to an improvement of fornix white matter integrity in early psychosis: a double-blind randomized placebo-controlled trial. <i>Translational Psychiatry</i> , 2018 , 8, 220	8.6	31
23	Cortico-limbic network abnormalities in individuals with current and past major depressive disorder. <i>Journal of Affective Disorders</i> , 2015 , 173, 45-52	6.6	29
22	Cannabis use in early psychosis is associated with reduced glutamate levels in the prefrontal cortex. <i>Psychopharmacology</i> , 2018 , 235, 13-22	4.7	22
21	Redox dysregulation as a link between childhood trauma and psychopathological and neurocognitive profile in patients with early psychosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 12495-12500	11.5	19
20	N-Acetyl-Cysteine Supplementation Improves Functional Connectivity Within the Cingulate Cortex in Early Psychosis: A Pilot Study. <i>International Journal of Neuropsychopharmacology</i> , 2019 , 22, 478-487	5.8	18
19	Brain connectivity alterations in early psychosis: from clinical to neuroimaging staging. <i>Translational Psychiatry</i> , 2019 , 9, 62	8.6	17
18	Reduced frontal white matter volume in children with early onset of adrenarche. <i>Psychoneuroendocrinology</i> , 2015 , 52, 111-8	5	17

17	Individual deviations from normative models of brain structure in a large cross-sectional schizophrenia cohort. <i>Molecular Psychiatry</i> , 2021 , 26, 3512-3523	15.1	15
16	The effect of a muscarinic receptor 1 gene variant on grey matter volume in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 234, 182-7	2.9	11
15	Functional and structural alterations in the cingulate motor area relate to decreased fronto-striatal coupling in major depressive disorder with psychomotor disturbances. <i>Frontiers in Psychiatry</i> , 2014 , 5, 176	5	9
14	ESCAP CovCAP survey of heads of academic departments to assess the perceived initial (April/May 2020) impact of the COVID-19 pandemic on child and adolescent psychiatry services. <i>European Child and Adolescent Psychiatry</i> , 2021 , 1	5.5	7
13	Caught in vicious circles: a perspective on dynamic feed-forward loops driving oxidative stress in schizophrenia. <i>Molecular Psychiatry</i> , 2021 ,	15.1	6
12	Partial-volume modeling reveals reduced gray matter in specific thalamic nuclei early in the time course of psychosis and chronic schizophrenia. <i>Human Brain Mapping</i> , 2020 , 41, 4041-4061	5.9	6
11	Mitochondrial, exosomal miR137-COX6A2 and gamma synchrony as biomarkers of parvalbumin interneurons, psychopathology, and neurocognition in schizophrenia. <i>Molecular Psychiatry</i> , 2021 ,	15.1	5
10	Perceived impact of the COVID-19 pandemic on child and adolescent psychiatric services after 1 year (February/March 2021): ESCAP CovCAP survey. <i>European Child and Adolescent Psychiatry</i> , 2021 , 1	5.5	4
9	Timely N-Acetyl-Cysteine and Environmental Enrichment Rescue Oxidative Stress-Induced Parvalbumin Interneuron Impairments via MMP9/RAGE Pathway: A Translational Approach for Early Intervention in Psychosis. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1782-1794	1.3	2
8	Whole-brain high-resolution metabolite mapping with 3D compressed-sensing SENSE low-rank H FID-MRSI. <i>NMR in Biomedicine</i> , 2021 , e4615	4.4	2
7	Structural brain correlates in major depression, anxiety disorders and post-traumatic stress disorder: A voxel-based morphometry meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 129, 269-281	9	2
6	Frontal cortical thickness correlates positively with impulsivity in early psychosis male patients. <i>Microbial Biotechnology</i> , 2019 , 13, 848-852	3.3	1
5	T52. N-ACETYL-CYSTEINE ADD-ON TREATMENT LEADS TO AN IMPROVEMENT OF FORNIX WHITE MATTER INTEGRITY IN EARLY PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S133-S134	1.3	1
4	Caught in vicious circles: a perspective on dynamic feed-forward loops driving oxidative stress in schizophrenia; Response to "Adaptive changes to oxidative stress in schizophrenia by Lena Palaniyappan".. <i>Molecular Psychiatry</i> , 2022 ,	15.1	1
3	Six months functional response to early psychosis intervention program best predicts outcome after three years. <i>Schizophrenia Research</i> , 2021 , 238, 62-69	3.6	0
2	Clinical high risk for psychosis paradigm for CAP: do not throw the baby out with the bathwater. <i>European Child and Adolescent Psychiatry</i> , 2020 , 1	5.5	0
1	White Matter Alterations Between Brain Network Hubs Underlie Processing Speed Impairment in Patients With Schizophrenia.. <i>Schizophrenia Bulletin Open</i> , 2021 , 2, sgab033	2.2	