Zhongkui Zhao

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/731753/zhongkui-zhao-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

121
papers2,986
citations29
h-index48
g-index135
ext. papers3,473
ext. citations6.8
avg, IF5.8
L-index

#	Paper	IF	Citations
121	Selective transfer hydrogenation coupling of nitroaromatics to azoxy/azo compounds by electron-enriched single Ni-N4 sites on mesoporous N-doped carbon. <i>Chemical Engineering Journal</i> , 2022 , 443, 136416	14.7	4
120	Photocatalytic Chemoselective Transfer Hydrogenation of Quinolines to Tetrahydroquinolines on Hierarchical NiO/In2O3IdS Microspheres. <i>ACS Catalysis</i> , 2021 , 11, 13408-13415	13.1	6
119	Ni Nanoparticles Grown on SiO2 Supports Using a Carbon Interlayer Sacrificial Strategy for Chemoselective Hydrogenation of Nitrobenzene and m-Cresol. <i>ACS Applied Nano Materials</i> , 2021 , 4, 935	5 3 :936	02
118	Fabrication of Isolated VOx Sites on Alumina for Highly Active and Stable Non-Oxidative Dehydrogenation. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 19229-19237	3.8	1
117	Modulating Location of Single Copper Atoms in Polymeric Carbon Nitride for Enhanced Photoredox Catalysis. <i>ACS Catalysis</i> , 2020 , 10, 5715-5722	13.1	38
116	Unique nitrogen-deficient carbon nitride homojunction prepared by a facile inserting-removing strategy as an efficient photocatalyst for visible light-driven hydrogen evolution. <i>Applied Catalysis B: Environmental</i> , 2020 , 269, 118778	21.8	28
115	Catalytic Conversion of Carbon Oxides in Confined Spaces: Status and Prospects. <i>ChemCatChem</i> , 2020 , 12, 3960-3981	5.2	3
114	Sulfate Surfactant Assisted Approach to Fabricate Sulphur-Doped Supported Nanodiamond Catalyst on Carbon Nanotube with Unprecedented Catalysis for Ethylbenzene Dehydrogenation. <i>ChemCatChem</i> , 2020 , 12, 342-349	5.2	3
113	A mutually isolated nanodiamond/porous carbon nitride nanosheet hybrid with enriched active sites for promoted catalysis in styrene production. <i>Catalysis Science and Technology</i> , 2020 , 10, 1048-105	5 5.5	3
112	Ethanol as a Binder to Fabricate a Highly-Efficient Capsule-Structured CuOInOIAl2O3@HZSM-5 Catalyst for Direct Production of Dimethyl Ether from Syngas. <i>ChemCatChem</i> , 2020 , 12, 999-1006	5.2	2
111	Implanting CopperZinc Nanoparticles into the Matrix of Mesoporous Alumina as a Highly Selective Bifunctional Catalyst for Direct Synthesis of Dimethyl Ether from Syngas. <i>ChemCatChem</i> , 2020 , 12, 1276	5- ⁵ 1281	4
110	Garland-like intercalated carbon nitride prepared by an oxalic acid-mediated assembly strategy for highly-efficient visible-light-driven photoredox catalysis. <i>Applied Catalysis B: Environmental</i> , 2020 , 278, 119342	21.8	26
109	Poly(imidazolium-methylene)-Assisted Grinding Strategy to Prepare Nanocarbon-Embedded Network Monoliths for Carbocatalysis. <i>ACS Catalysis</i> , 2020 , 10, 14604-14614	13.1	2
108	Efficient supported Pt-Sn catalyst on carambola-like alumina for direct dehydrogenation of propane to propene. <i>Molecular Catalysis</i> , 2019 , 477, 110543	3.3	5
107	Catalyst-Free Selective Oxidation of Diverse Olefins to Carbonyls in High Yield Enabled by Light under Mild Conditions. <i>Organic Letters</i> , 2019 , 21, 7726-7730	6.2	16
106	Combining iodic acid and nitric acid to fabricate carbon nitride tubes for enhanced hydrogen evolution under visible light. <i>Catalysis Science and Technology</i> , 2019 , 9, 266-270	5.5	13
105	Fabrication of Tubular g-C3N4 with N-Defects and Extended EConjugated System for Promoted Photocatalytic Hydrogen Production. <i>ChemCatChem</i> , 2019 , 11, 1534-1544	5.2	28

(2018-2019)

104	Direct coating copperdinciluminum oxalate with H-ZSM-5 to fabricate a highly efficient capsule-structured bifunctional catalyst for dimethyl ether production from syngas. <i>Catalysis Science and Technology</i> , 2019 , 9, 3763-3770	5.5	9
103	Defect-Enriched N,O-Codoped Nanodiamond/Carbon Nanotube Catalysts for Styrene Production via Dehydrogenation of Ethylbenzene. <i>ACS Applied Nano Materials</i> , 2019 , 2, 2152-2159	5.6	7
102	Hierarchical Hizeolite as a highly efficient solid acid catalyst for alkenylation of p-xylene with phenylacetylene. <i>Chemical Engineering Science</i> , 2019 , 201, 25-33	4.4	6
101	Three-Dimensional Interconnected Porous Nitrogen-Doped Carbon Hybrid Foam for Notably Promoted Direct Dehydrogenation of Ethylbenzene to Styrene. <i>ChemCatChem</i> , 2019 , 11, 4830-4840	5.2	3
100	Peony-like Pentahedral Al(III)-Enriched Alumina Nanosheets for the Dehydrogenation of Propane. <i>ACS Applied Nano Materials</i> , 2019 , 2, 5833-5840	5.6	7
99	Mesoporous silica nanosphere with open-mouth stellate pore architecture as a promising carrier for highly active solid acid catalysts. <i>Materials Chemistry and Physics</i> , 2019 , 236, 121821	4.4	3
98	Capsule-Structured Copper-Zinc Catalyst for Highly Efficient Hydrogenation of Carbon Dioxide to Methanol. <i>ChemSusChem</i> , 2019 , 12, 4904	8.3	
97	Capsule-Structured Copper-Zinc Catalyst for Highly Efficient Hydrogenation of Carbon Dioxide to Methanol. <i>ChemSusChem</i> , 2019 , 12, 4916-4926	8.3	8
96	Single Atomic Cu-N Catalytic Sites for Highly Active and Selective Hydroxylation of Benzene to Phenol. <i>IScience</i> , 2019 , 22, 97-108	6.1	28
95	Spherical hollow mesoporous silica supported phosphotungstic acid as a promising catalyst for Harylstyrenes synthesis via Friedel-Crafts alkenylation. <i>Chinese Chemical Letters</i> , 2019 , 30, 729-734	8.1	3
94	Nanodiamond@carbon nitride hybrid with loose porous carbon nitride layers as an efficient metal-free catalyst for direct dehydrogenation of ethylbenzene. <i>Applied Catalysis A: General</i> , 2019 , 571, 82-88	5.1	13
93	Visible-light-initiated one-pot clean synthesis of nitrone from nitrobenzene and benzyl alcohol over CdS photocatalyst. <i>Journal of Catalysis</i> , 2019 , 370, 97-106	7.3	14
92	Facile and Scalable Fabrication of Porous g-C3N4 Nanosheets with Nitrogen Defects and Oxygen-Doping for Synergistically Promoted Visible Light Photocatalytic H2 Evolution. <i>Energy Technology</i> , 2019 , 7, 1800886	3.5	10
91	Unexpected coke-resistant stability in steam-CO2 dual reforming of methane over the robust Mo2C-Ni/ZrO2 catalyst. <i>Catalysis Communications</i> , 2019 , 119, 71-75	3.2	11
90	Ceria-modified hierarchical Hizeolite as a robust solid acid catalyst for alkenylation of p-xylene with phenylacetylene. <i>Chinese Journal of Catalysis</i> , 2018 , 39, 181-189	11.3	7
89	Porous defect-modified graphitic carbon nitride via a facile one-step approach with significantly enhanced photocatalytic hydrogen evolution under visible light irradiation. <i>Applied Catalysis B: Environmental</i> , 2018 , 226, 1-9	21.8	196
88	Heteroatom-Doped Carbonaceous Photocatalysts for Solar Fuel Production and Environmental Remediation. <i>ChemCatChem</i> , 2018 , 10, 62-123	5.2	32
87	Enhanced visible light photocatalytic non-oxygen coupling of amines to imines integrated with hydrogen production over Ni/CdS nanoparticles. <i>Catalysis Science and Technology</i> , 2018 , 8, 5148-5154	5.5	27

86	Glucose-Assisted Preparation of a NickelMolybdenum Carbide Bimetallic Catalyst for Chemoselective Hydrogenation of Nitroaromatics and Hydrodeoxygenation of m-Cresol. <i>ACS Applied Nano Materials</i> , 2018 , 1, 3579-3589	5.6	9
85	Preassembly Strategy To Fabricate Porous Hollow Carbonitride Spheres Inlaid with Single Cu-N Sites for Selective Oxidation of Benzene to Phenol. <i>Journal of the American Chemical Society</i> , 2018 , 140, 16936-16940	16.4	92
84	Promoting effect of cyano groups attached on g-C3N4 nanosheets towards molecular oxygen activation for visible light-driven aerobic coupling of amines to imines. <i>Journal of Catalysis</i> , 2018 , 366, 237-244	7.3	45
83	Reconstructing Supramolecular Aggregates to Nitrogen-Deficient g-CN Bunchy Tubes with Enhanced Photocatalysis for H Production. <i>ACS Applied Materials & Description of the Production of the Pr</i>	53 5	69
82	Modulating morphology and textural properties of ZrO2 for supported Ni catalysts toward dry reforming of methane. <i>AICHE Journal</i> , 2017 , 63, 2900-2915	3.6	13
81	The supported sulphated La2O3-ZrO2 on SBA-15 as a promising mesoporous solid superacid catalyst for alkenylation of p-xylene with phenylacetylene. <i>Catalysis Communications</i> , 2017 , 93, 53-56	3.2	5
80	Effect of mineralizers for preparing ZrO2 support on the supported Ni catalyst for steam-CO2 bi-reforming of methane. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 6598-6609	6.7	16
79	Supported phosphotungstic acid catalyst on mesoporous carbon with bimodal pores: A superior catalyst for Friedel-Crafts alkenylation of aromatics with phenylacetylene. <i>Applied Catalysis A: General</i> , 2016 , 526, 139-146	5.1	11
78	Employing a Nickel-Containing Supramolecular Framework as Ni Precursor for Synthesizing Robust Supported Ni Catalysts for Dry Reforming of Methane. <i>ChemCatChem</i> , 2016 , 8, 2939-2952	5.2	20
77	Hierarchically structured tetragonal zirconia as a promising support for robust Ni based catalysts for dry reforming of methane. <i>RSC Advances</i> , 2016 , 6, 72942-72951	3.7	6
76	Facile, low-cost, and scalable fabrication of particle size and pore structure tuneable monodisperse mesoporous silica nanospheres as supports for advanced solid acid catalysts. <i>RSC Advances</i> , 2016 , 6, 90	73:7908	31 ¹⁶
75	Modified natural halloysite nanotube solely employed as an efficient and low-cost solid acid catalyst for alpha-arylstyrenes production via direct alkenylation. <i>Applied Catalysis A: General</i> , 2016 , 513, 1-8	5.1	11
74	Morphology effect of zirconia support on the catalytic performance of supported Ni catalysts for dry reforming of methane. <i>Chinese Journal of Catalysis</i> , 2016 , 37, 2122-2133	11.3	11
73	Modulating the microstructure and surface chemistry of carbocatalysts for oxidative and direct dehydrogenation: A review. <i>Chinese Journal of Catalysis</i> , 2016 , 37, 644-670	11.3	25
72	Supported Ni catalyst on a natural halloysite derived silicallumina composite oxide with unexpected coke-resistant stability for steam-CO2 dual reforming of methane. <i>RSC Advances</i> , 2016 , 6, 49487-49496	3.7	19
71	Tuning of the textural features and acidic properties of sulfated mesoporous lanthana-zirconia solid acid catalysts for alkenylation of diverse aromatics to their corresponding Harylstyrenes. <i>Chinese Journal of Catalysis</i> , 2016 , 37, 1303-1313	11.3	5
70	Dry reforming of methane towards CO-rich hydrogen production over robust supported Ni catalyst on hierarchically structured monoclinic zirconia nanosheets. <i>International Journal of Hydrogen Energy</i> , 2016 , 41, 17907-17921	6.7	22
69	Facile simultaneous defect production and O,N-doping of carbon nanotubes with unexpected catalytic performance for clean and energy-saving production of styrene. <i>Green Chemistry</i> , 2015 , 17, 3723-3727	10	25

(2014-2015)

68	Supported phosphotungstic acid catalyst on modified activated carbon for Friedel@rafts alkenylation of diverse aromatics to their corresponding Barylstyrenes. <i>Applied Catalysis A: General</i> , 2015, 503, 103-110	5.1	11
67	Nitrogen-doped carbon nanotubes via a facile two-step approach as an efficient catalyst for the direct dehydrogenation of ethylbenzene. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 18895-9	3.6	16
66	Increased active sites and their accessibility of a N-doped carbon nanotube carbocatalyst with remarkably enhanced catalytic performance in direct dehydrogenation of ethylbenzene. <i>RSC Advances</i> , 2015 , 5, 53095-53099	3.7	18
65	Explosive decomposition of a melamine-cyanuric acid supramolecular assembly for fabricating defect-rich nitrogen-doped carbon nanotubes with significantly promoted catalysis. <i>Chemistry - A European Journal</i> , 2015 , 21, 8004-9	4.8	18
64	A Facile Approach to Fabricate an N-Doped Mesoporous Graphene/Nanodiamond Hybrid Nanocomposite with Synergistically Enhanced Catalysis. <i>ChemCatChem</i> , 2015 , 7, 1070-1077	5.2	33
63	Novel Co-Mn-O nanosheet catalyst for CO preferential oxidation toward hydrogen purification. <i>AICHE Journal</i> , 2015 , 61, 239-252	3.6	10
62	Nitrogen-doped nanotubes-decorated activated carbon-based hybrid nanoarchitecture as a superior catalyst for direct dehydrogenation. <i>Catalysis Science and Technology</i> , 2015 , 5, 1548-1557	5.5	40
61	Characterization of olivine-supported nickel silicate as potential catalysts for tar removal from biomass gasification. <i>Applied Catalysis A: General</i> , 2015 , 489, 42-50	5.1	44
60	Efficient tuning of microstructure and surface chemistry of nanocarbon catalysts for ethylbenzene direct dehydrogenation. <i>AICHE Journal</i> , 2015 , 61, 2543-2561	3.6	26
59	Guanidine Nitrate Enhanced Catalysis of Nitrogen-Doped Carbon Nanotubes for Metal-Free Styrene Production through Direct Dehydrogenation. <i>ChemCatChem</i> , 2015 , 7, 1135-1144	5.2	29
58	Syngas Production via Steam©O2 Dual Reforming of Methane over LA-Ni/ZrO2 Catalyst Prepared by l-Arginine Ligand-Assisted Strategy: Enhanced Activity and Stability. <i>ACS Sustainable Chemistry and Engineering</i> , 2015 , 3, 3461-3476	8.3	52
57	Effect of molybdenum carbide concentration on the Ni/ZrO2 catalysts for steam-CO2 bi-reforming of methane. <i>RSC Advances</i> , 2015 , 5, 100865-100872	3.7	29
56	Carbon Nitride Encapsulated Nanodiamond Hybrid with Improved Catalytic Performance for Clean and Energy-Saving Styrene Production via Direct Dehydrogenation of Ethylbenzene. <i>ACS Sustainable Chemistry and Engineering</i> , 2015 , 3, 3355-3364	8.3	27
55	NiW2C/mpgt3N4 as a promising catalyst for selective hydrogenation of nitroarenes to corresponding aryl amines in the presence of Lewis acid. <i>Journal of Molecular Catalysis A</i> , 2015 , 398, 268	3-274	20
54	Sulphated mesoporous La2O3ØrO2 composite oxide as an efficient and reusable solid acid catalyst for alkenylation of aromatics with phenylacetylene. <i>Applied Catalysis A: General</i> , 2015 , 503, 77-8	3 5 .1	19
53	Simple primary amine catalyzed aerobic reductive ring-cleavage of isoxazole motif. <i>Chinese Journal of Catalysis</i> , 2015 , 36, 204-208	11.3	
52	Cobalt-modified molybdenum carbide as an efficient catalyst for chemoselective reduction of aromatic nitro compounds. <i>Green Chemistry</i> , 2014 , 16, 1274-1281	10	105
51	Hierarchically nanoporous CoMnD/FeOx as a high performance catalyst for CO preferential oxidation in H2-rich stream. <i>Catalysis Communications</i> , 2014 , 46, 28-31	3.2	9

50	Nanodiamond/carbon nitride hybrid nanoarchitecture as an efficient metal-free catalyst for oxidant- and steam-free dehydrogenation. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 13442-13451	13	59
49	Synergistic effect from Lewis acid and the NiW2C/AC catalyst for highly active and selective hydrogenation of aryl nitro to aryl amine. <i>RSC Advances</i> , 2014 , 4, 22669-22677	3.7	17
48	Highly-Ordered Mesoporous Carbon Nitride with Ultrahigh Surface Area and Pore Volume as a Superior Dehydrogenation Catalyst. <i>Chemistry of Materials</i> , 2014 , 26, 3151-3161	9.6	202
47	The supported CeO2/Co3O4MnO2/CeO2 catalyst on activated carbon prepared by a successive-loading approach with superior catalytic activity and selectivity for CO preferential oxidation in H2-rich stream. <i>Catalysis Communications</i> , 2014 , 48, 24-28	3.2	12
46	Highly efficient and clean synthesis of 1-amino-2-acetylanthraquinone by copper-catalyzed reductive cleavage of isoxazole motif. <i>Chinese Journal of Catalysis</i> , 2014 , 35, 319-323	11.3	3
45	On-line determination of 4-nitrophenol by combining molecularly imprinted solid-phase extraction and fiber-optic spectrophotometry. <i>Journal of Separation Science</i> , 2014 , 37, 1873-9	3.4	14
44	Bismuth effect on the CoMn/Ce0.85Zr0.15O2 nanoparticulate for CO preferential oxidation in simulated syngas. <i>International Journal of Hydrogen Energy</i> , 2013 , 38, 1873-1882	6.7	7
43	H3PW12O40/MCM-41 Mesoporous Solid Acids as Promising Catalysts for the Alkenylation of p-Xylene with Phenylacetylene. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2013 , 35, 1761-1769	1.6	9
42	Mesostructured CollelrMnD composite as a potential catalyst for efficient removal of carbon monoxide from hydrogen-rich stream. <i>Catalysis Science and Technology</i> , 2013 , 3, 2130	5.5	14
41	Efficient cobaltmanganese oxide catalyst deposited on modified AC with unprecedented catalytic performance in CO preferential oxidation. <i>Catalysis Communications</i> , 2013 , 32, 47-51	3.2	18
40	Direct alkenylation of aromatics with phenylacetylene over supported H3PW12O40 catalysts as a clean and highly efficient approach to producing \(\pm\) rylstyrenes. Journal of Catalysis, 2012 , 288, 44-53	7.3	20
39	Ionic Liquids as Green Solvents for Alkylation and Acylation 2012 , 33-66		
38	Improvement of nano-particulate CexZr1NO2 composite oxides supported cobalt oxide catalysts for CO preferential oxidation in H2-rich gases. <i>Catalysis Science and Technology</i> , 2012 , 2, 554-563	5.5	30
37	Mesoporous CexMn1NO2 composites as novel alternative carriers of supported Co3O4 catalysts for CO preferential oxidation in H2 stream. <i>International Journal of Hydrogen Energy</i> , 2012 , 37, 4774-478	86 ^{.7}	26
36	MOx (M=Mn, Fe, Ni or Cr) improved supported Co3O4 catalysts on ceria@irconia nanoparticulate for CO preferential oxidation in H2-rich gases. <i>Applied Catalysis B: Environmental</i> , 2012 , 115-116, 53-62	21.8	53
35	Supported Co3O4-CeO2 catalysts on modified activated carbon for CO preferential oxidation in H2-rich gases. <i>Applied Catalysis B: Environmental</i> , 2012 , 119-120, 62-73	21.8	45
34	High catalytic activity in CO PROX reaction of low cobalt-oxide loading catalysts supported on nano-particulate CeO2@rO2 oxides. <i>Catalysis Communications</i> , 2011 , 12, 1448-1451	3.2	54
33	Mesoporous ceria-zirconia supported cobalt oxide catalysts for CO preferential oxidation reaction in excess H2. <i>Applied Catalysis B: Environmental</i> , 2011 , 110, 154-163	21.8	41

(2006-2009)

32	Liquid-phase cascade acylation/dehydration over various zeolite catalysts to synthesize 2-methylanthraquinone through an efficient one-pot strategy. <i>Journal of Catalysis</i> , 2009 , 268, 376-383	7.3	9
31	Optimization of thermally impregnated Niblivine catalysts for tar removal. <i>Applied Catalysis A: General</i> , 2009 , 363, 64-72	5.1	35
30	Effect of support on the preferential oxidation of CO over cobalt catalysts. <i>Catalysis Communications</i> , 2008 , 9, 1465-1471	3.2	71
29	Thermally Impregnated NiDlivine Catalysts for Tar Removal by Steam Reforming in Biomass Gasifiers. <i>Industrial & Engineering Chemistry Research</i> , 2008 , 47, 717-723	3.9	31
28	Ni-olivine catalysts prepared by thermal impregnation: Structure, steam reforming activity, and stability. <i>Applied Catalysis A: General</i> , 2008 , 341, 43-49	5.1	62
27	Olivine catalysts for methane- and tar-steam reforming. <i>Applied Catalysis B: Environmental</i> , 2008 , 81, 14-26	21.8	153
26	Preferential oxidation of carbon monoxide on CoOx/ZrO2. <i>Journal of Molecular Catalysis A</i> , 2008 , 279, 1-9		54
25	Dynamic Interfacial Tension between Crude Oil and Dodecylmethylnaphthalene Sulfonate Surfactant Flooding Systems. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2007 , 29, 207-215	1.6	4
24	Dynamic interfacial tension behavior of the novel surfactant solutions and Daqing crude oil. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2007 , 294, 191-202	5.1	55
23	Studies on Dynamic Interfacial Tension between Crude Oil and Novel Surfactant Solutions with Buffered Alkali. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2007 , 29, 537-54	7 ^{1.6}	2
22	Dynamic Interfacial Tension Between Crude Oil and Novel Surfactant Flooding Systems Without Alkali. <i>Petroleum Science and Technology</i> , 2006 , 24, 1469-1476	1.4	14
21	Synthesis and Interfacial Behavior of Decyl Methylnaphthalene Sulfonate. <i>Petroleum Science and Technology</i> , 2006 , 24, 595-606	1.4	3
20	Dynamic Interfacial Tension Between Crude Oil and Octylmethylnaphthalene Sulfonate Solution. Energy Sources, Part A: Recovery, Utilization and Environmental Effects, 2006 , 28, 1397-1403	1.6	2
19	A Study on Friedel-Crafts Alkylation in Ambient Temperature Ionic Liquids. <i>Petroleum Science and Technology</i> , 2006 , 24, 129-135	1.4	1
18	Interfacial tension between crude oil and decylmethylnaphthalene sulfonate surfactant alkali-free flooding systems. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2006 , 276, 186-191	5.1	63
17	HY zeolite catalyst for alkylation of Emethylnaphthalene with long-chain alkenes. <i>Microporous and Mesoporous Materials</i> , 2006 , 93, 164-170	5.3	16
16	Effect of alkaline earth metals on catalytic performance of HY zeolite for alkylation of Henthylnaphthalene with long-chain olefins. <i>Microporous and Mesoporous Materials</i> , 2006 , 94, 105-112	5.3	13
15	Alkylation of Emethylnaphthalene with long-chain olefins catalyzed by rare earth lanthanum modified HY zeolite. <i>Journal of Molecular Catalysis A</i> , 2006 , 250, 50-56		21

14	Novel alkyl methylnaphthalene sulfonate surfactants: A good candidate for enhanced oil recovery. <i>Fuel</i> , 2006 , 85, 1815-1820	7.1	46
13	Alkylation of Emethylnaphthalene with long-chain alkenes catalyzed by butylpyridinium bromochloroaluminate ionic liquids. <i>Journal of Molecular Catalysis A</i> , 2005 , 231, 137-143		15
12	Dynamic interfacial behavior between crude oil and octylmethylnaphthalene sulfonate surfactant flooding systems. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2005 , 259, 71-80	5.1	70
11	Effects of kinds of ionic liquid catalysts on alkylations of 1-and 2-methylnaphthalene with alkenes. <i>Applied Catalysis A: General</i> , 2005 , 290, 133-137	5.1	15
10	The metal ion modified ionic liquids promoted free-solvent alkylations of ⊞methylnaphthalene with long-chain olefins. <i>Journal of Molecular Catalysis A</i> , 2005 , 235, 74-80		18
9	HY zeolite promoted free-solvent alkylation of ⊞methylnaphthalene with long chain olefins in liquidBolid intermittent reaction. <i>Journal of Molecular Catalysis A</i> , 2005 , 241, 194-198		5
8	An efficient method for the alkylation of Emethylnaphthalene with various alkylating agents using methanesulfonic acid as novel catalysts and solvents. <i>Catalysis Letters</i> , 2005 , 102, 219-222	2.8	7
7	Synthesis and Surface Activity of Alkyl-Methylnaphthalene Sulfonate Surfactants. <i>Energy Sources Part A Recovery, Utilization, and Environmental Effects</i> , 2005 , 27, 1277-1283		4
6	Alkylation of EMethylnaphthalene with Long-Chain Olefins over Large-Pore Zeolites. <i>Catalysis Letters</i> , 2004 , 98, 145-151	2.8	8
5	Friedel⊡rafts alkylation of ⊞methylnaphthalene in the presence of ionic liquids. <i>Journal of Molecular Catalysis A</i> , 2004 , 222, 207-212		21
4	Friedel © rafts alkylation of 2-methylnaphthalene in room temperature ionic liquids. <i>Applied Catalysis A: General</i> , 2004 , 262, 69-73	5.1	28
3	Dynamic Interfacial Behavior of Decyl Methylnaphthalene Sulfonate Surfactants for Enhanced Oil Recovery. <i>Tenside, Surfactants, Detergents</i> , 2004 , 41, 225-229	1	11
2	Hierarchical superhydrophilic/superaerophobic CoMnP/Ni2P nanosheet-based microplate arrays for enhanced overall water splitting. <i>Journal of Materials Chemistry A</i> ,	13	7
1	Efficient Electronic Modulation of g-C 3 N 4 Photocatalyst by Implanting Single-Atom Ag-N 3 for Extremely High Hydrogen Evolution Rate. <i>CCS Chemistry</i> ,1-36	7.2	4