

# Alyson E Mitchell

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7317643/alyson-e-mitchell-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90  
papers

4,548  
citations

32  
h-index

67  
g-index

97  
ext. papers

5,027  
ext. citations

4.6  
avg, IF

5.5  
L-index

#	Paper	IF	Citations
90	Exposures to FD&C synthetic color additives from over-the-counter medications and vitamins in United States children and pregnant women.. <i>Journal of Exposure Science and Environmental Epidemiology</i> , <b>2022</b> ,	6.7	1
89	Moving Chemistry from Bench to Market: An Introduction to the Agricultural and Food Chemistry Technical Program at the 260th American Chemical Society Fall 2020 Virtual Meeting & Expo. <i>Journal of Agricultural and Food Chemistry</i> , <b>2021</b> , 69, 13255-13259	5.7	
88	Amygdalin: Toxicity, Anticancer Activity and Analytical Procedures for Its Determination in Plant Seeds. <i>Molecules</i> , <b>2021</b> , 26,	4.8	10
87	Evaluation of Saccharin and Resveratrol as Extrinsic Markers of Small-Quantity Lipid-Based Nutrient Supplement Consumption in Healthy Women. <i>Current Developments in Nutrition</i> , <b>2021</b> , 5, nzab089	0.4	0
86	Influence of post-harvest moisture on roasted almond shelf life and consumer acceptance. <i>Journal of the Science of Food and Agriculture</i> , <b>2021</b> , 101, 139-150	4.3	0
85	Measurement of Saccharin and -Resveratrol Metabolites in Urine as Adherence Markers for Small Quantity Lipid-Based Nutrient Supplement Consumption. <i>Journal of Agricultural and Food Chemistry</i> , <b>2021</b> , 69, 1107-1114	5.7	1
84	Dataset of certified food dye levels in over the counter medicines and vitamins intended for consumption by children and pregnant women. <i>Data in Brief</i> , <b>2020</b> , 32, 106073	1.2	3
83	Certified food dyes in over the counter medicines and supplements marketed for children and pregnant women. <i>Food and Chemical Toxicology</i> , <b>2020</b> , 143, 111499	4.7	5
82	A comparison of the chemical composition and antioxidant activity of several new early- to mid-season apple cultivars for a warmer climate with traditional cultivars. <i>Journal of the Science of Food and Agriculture</i> , <b>2019</b> , 99, 4712-4724	4.3	13
81	Defining the Sensory Profiles of Raw Almond ( <i>Prunus dulcis</i> ) Varieties and the Contribution of Key Chemical Compounds and Physical Properties. <i>Journal of Agricultural and Food Chemistry</i> , <b>2019</b> , 67, 3229-3241	5.7	8
80	Determination of d-myo-inositol phosphates in $\bar{\text{t}}$ activatedTraw almonds using anion-exchange chromatography coupled with tandem mass spectrometry. <i>Journal of the Science of Food and Agriculture</i> , <b>2019</b> , 99, 117-123	4.3	2
79	Assessing the Fate and Bioavailability of Glucosinolates in Kale ( ) Using Simulated Human Digestion and Caco-2 Cell Uptake Models. <i>Journal of Agricultural and Food Chemistry</i> , <b>2019</b> , 67, 9492-9500	5.7	7
78	Review of the Sensory and Chemical Characteristics of Almond ( <i>Prunus dulcis</i> ) Flavor. <i>Journal of Agricultural and Food Chemistry</i> , <b>2019</b> , 67, 2743-2753	5.7	27
77	Use of Amberlite Macroporous Resins To Reduce Bitterness in Whole Olives for Improved Processing Sustainability. <i>Journal of Agricultural and Food Chemistry</i> , <b>2019</b> , 67, 1546-1553	5.7	1
76	Quantitation of Oleuropein and Related Phenolics in Cured Spanish-Style Green, California-Style Black Ripe, and Greek-Style Natural Fermentation Olives. <i>Journal of Agricultural and Food Chemistry</i> , <b>2018</b> , 66, 2121-2128	5.7	20
75	Flavor and Acceptance of Roasted California Almonds During Accelerated Storage. <i>Journal of Agricultural and Food Chemistry</i> , <b>2018</b> , 66, 1222-1232	5.7	17
74	Advanced Analytical Methods for Phenolics in Fruits. <i>Journal of Food Quality</i> , <b>2018</b> , 2018, 1-6	2.7	12

73	Reducing Phenolics Related to Bitterness in Table Olives. <i>Journal of Food Quality</i> , <b>2018</b> , 2018, 1-12	2.7	9
72	Chemical and Sensory Characterization of Oxidative Changes in Roasted Almonds Undergoing Accelerated Shelf Life. <i>Journal of Agricultural and Food Chemistry</i> , <b>2017</b> , 65, 2549-2563	5.7	27
71	Effect of Drying Moisture Exposed Almonds on the Development of the Quality Defect Concealed Damage. <i>Journal of Agricultural and Food Chemistry</i> , <b>2017</b> , 65, 8948-8956	5.7	7
70	The Influence of pH and Sodium Hydroxide Exposure Time on Glucosamine and Acrylamide Levels in California-Style Black Ripe Olives. <i>Journal of Food Science</i> , <b>2017</b> , 82, 1574-1581	3.4	2
69	Improving the Quality of Processed Olives: Acrylamide in Californian Table Olives <b>2017</b> , 353-366		
68	Identification/quantification of free and bound phenolic acids in peel and pulp of apples ( <i>Malus domestica</i> ) using high resolution mass spectrometry (HRMS). <i>Food Chemistry</i> , <b>2017</b> , 215, 301-10	8.5	49
67	Optimizing the Extraction of Procyanidins Oligomers through Decamer. <i>Nutrition &amp; Food Science International Journal</i> , <b>2017</b> , 4,	1.5	4
66	Use of Near-Infrared Spectroscopy and Chemometrics for the Nondestructive Identification of Concealed Damage in Raw Almonds ( <i>Prunus dulcis</i> ). <i>Journal of Agricultural and Food Chemistry</i> , <b>2016</b> , 64, 5958-62	5.7	31
65	Effect of Temperature and Moisture on the Development of Concealed Damage in Raw Almonds ( <i>Prunus dulcis</i> ). <i>Journal of Agricultural and Food Chemistry</i> , <b>2015</b> , 63, 8234-40	5.7	12
64	Monitoring selected monomeric polyphenol composition in pre- and post-fermentation products of <i>Vitis vinifera</i> L. cv. AirB and cv. Grenache noir. <i>LWT - Food Science and Technology</i> , <b>2015</b> , 60, 552-562	5.4	11
63	Ultrahigh-pressure liquid chromatography triple-quadrupole tandem mass spectrometry quantitation of polyphenols and secoiridoids in california-style black ripe olives and dry salt-cured olives. <i>Journal of Agricultural and Food Chemistry</i> , <b>2015</b> , 63, 2400-5	5.7	28
62	HS-SPME GC/MS characterization of volatiles in raw and dry-roasted almonds ( <i>Prunus dulcis</i> ). <i>Food Chemistry</i> , <b>2014</b> , 151, 31-9	8.5	113
61	Influence of storage on volatile profiles in roasted almonds ( <i>Prunus dulcis</i> ). <i>Journal of Agricultural and Food Chemistry</i> , <b>2014</b> , 62, 11236-45	5.7	34
60	Influence of California-style black ripe olive processing on the formation of acrylamide. <i>Journal of Agricultural and Food Chemistry</i> , <b>2014</b> , 62, 8716-21	5.7	29
59	Profiling the trace metal composition of wine as a function of storage temperature and packaging type. <i>Journal of Analytical Atomic Spectrometry</i> , <b>2013</b> , 28, 1288	3.7	24
58	Nontargeted Unknown LC(ESI)-Q/TOF MS Approaches for Food Verification. <i>ACS Symposium Series</i> , <b>2013</b> , 17-29	0.4	1
57	Quantification of amygdalin in nonbitter, semibitter, and bitter almonds ( <i>Prunus dulcis</i> ) by UHPLC-(ESI)QqQ MS/MS. <i>Journal of Agricultural and Food Chemistry</i> , <b>2013</b> , 61, 7754-9	5.7	42
56	A long-term comparison of the influence of organic and conventional crop management practices on the content of the glycoalkaloid tomatine in tomatoes. <i>Journal of the Science of Food and Agriculture</i> , <b>2013</b> , 93, 1537-42	4.3	29

55	Effects of industrial tomato paste processing on ascorbic acid, flavonoids and carotenoids and their stability over one-year storage. <i>Journal of the Science of Food and Agriculture</i> , <b>2012</b> , 92, 23-8	4.3	35
54	Literature Review on the Ergogenic Effects of Quercetin <b>2012</b> , 165-180		
53	Pharmacokinetics of quercetin absorption from apples and onions in healthy humans. <i>Journal of Agricultural and Food Chemistry</i> , <b>2012</b> , 60, 3874-81	5.7	92
52	High-Throughput, Sub ng/L Analysis of Haloanisoles in Wines Using HS-SPME with GC-Triple Quadrupole MS. <i>American Journal of Enology and Viticulture</i> , <b>2012</b> , 63, 494-499	2.2	18
51	Effect of organic and conventional cropping systems on ascorbic acid, vitamin C, flavonoids, nitrate, and oxalate in 27 varieties of spinach ( <i>Spinacia oleracea</i> L.). <i>Journal of Agricultural and Food Chemistry</i> , <b>2012</b> , 60, 3144-50	5.7	94
50	Factors influencing phenolic compounds in table olives ( <i>Olea europaea</i> ). <i>Journal of Agricultural and Food Chemistry</i> , <b>2012</b> , 60, 7081-95	5.7	141
49	UHPLC-(ESI)QTOF MS/MS profiling of quercetin metabolites in human plasma postconsumption of applesauce enriched with apple peel and onion. <i>Journal of Agricultural and Food Chemistry</i> , <b>2012</b> , 60, 8510-20	5.7	30
48	Quercetin and isorhamnetin glycosides in onion ( <i>Allium cepa</i> L.): varietal comparison, physical distribution, coproduct evaluation, and long-term storage stability. <i>Journal of Agricultural and Food Chemistry</i> , <b>2011</b> , 59, 857-63	5.7	76
47	CHARACTERIZATION OF URINARY ISOFLAVONE METABOLITES EXCRETED AFTER THE CONSUMPTION OF SOY FLOUR OR SOYBEAN PASTE USING LC-(ESI)MS/MS. <i>Journal of Food Biochemistry</i> , <b>2011</b> , 35, 1474-1485	3.3	10
46	Determination of advanced glycation endproducts by LC-MS/MS in raw and roasted almonds ( <i>Prunus dulcis</i> ). <i>Journal of Agricultural and Food Chemistry</i> , <b>2011</b> , 59, 12037-46	5.7	87
45	Acrylamide formation in almonds ( <i>Prunus dulcis</i> ): influences of roasting time and temperature, precursors, varietal selection, and storage. <i>Journal of Agricultural and Food Chemistry</i> , <b>2011</b> , 59, 8225-32	5.7	20
44	Regulation of phase II enzymes by genistein and daidzein in male and female Swiss Webster mice. <i>Journal of Medicinal Food</i> , <b>2009</b> , 12, 1227-37	2.8	23
43	Content of ascorbic acid, quercetin, kaempferol and total phenolics in commercial broccoli. <i>Journal of Food Composition and Analysis</i> , <b>2009</b> , 22, 637-643	4.1	106
42	Influence of cooking on anthocyanins in black rice ( <i>Oryza sativa</i> L. japonica var. SBR). <i>Journal of Agricultural and Food Chemistry</i> , <b>2009</b> , 57, 1908-14	5.7	123
41	Influence of dietary quercetin on glutathione redox status in mice. <i>Journal of Agricultural and Food Chemistry</i> , <b>2008</b> , 56, 830-6	5.7	45
40	The influence of diet composition on phase I and II biotransformation enzyme induction. <i>Archives of Toxicology</i> , <b>2008</b> , 82, 893-901	5.8	5
39	A comparison of flavonoids, carotenoids and vitamin C in commercial organic and conventional marinara pasta sauce. <i>Journal of the Science of Food and Agriculture</i> , <b>2008</b> , 88, 344-354	4.3	10
38	Trends In The Analysis Of Phytochemicals Flavonoids And Carotenoids <b>2008</b> , 39-76		

37	An exploratory study of the nutritional composition of Tanoak ( <i>Lithocarpus densiflorus</i> ) acorns after potassium phosphonate treatment. <i>Journal of Agricultural and Food Chemistry</i> , <b>2007</b> , 55, 6186-90	5.7	3
36	Urinary isoflavone excretion in Korean adults: comparisons of fermented soybean paste and unfermented soy flour. <i>Journal of the Science of Food and Agriculture</i> , <b>2007</b> , 87, 2112-2120	4.3	7
35	Isozyme- and gender-specific induction of glutathione S-transferases by flavonoids. <i>Archives of Toxicology</i> , <b>2007</b> , 81, 777-84	5.8	10
34	Ten-year comparison of the influence of organic and conventional crop management practices on the content of flavonoids in tomatoes. <i>Journal of Agricultural and Food Chemistry</i> , <b>2007</b> , 55, 6154-9	5.7	210
33	Relative hydrolysis rates of glycosidic forms of genistein and daidzein by beta-glycosidase. <i>FASEB Journal</i> , <b>2007</b> , 21, A729	0.9	
32	Non-galloylated and galloylated proanthocyanidin oligomers in grape seeds from <i>Vitis vinifera</i> L. cv. Graciano, Tempranillo and Cabernet Sauvignon. <i>Journal of the Science of Food and Agriculture</i> , <b>2006</b> , 86, 915-921	4.3	35
31	Three-year comparison of the content of antioxidant microconstituents and several quality characteristics in organic and conventionally managed tomatoes and bell peppers. <i>Journal of Agricultural and Food Chemistry</i> , <b>2006</b> , 54, 8244-52	5.7	144
30	The flavonoid glycosides and procyanidin composition of Deglet Noor dates ( <i>Phoenix dactylifera</i> ). <i>Journal of Agricultural and Food Chemistry</i> , <b>2006</b> , 54, 2405-11	5.7	171
29	Understanding the native Californian diet: Identification of condensed and hydrolyzable tannins in tanoak acorns ( <i>Lithocarpus densiflorus</i> ). <i>Journal of Agricultural and Food Chemistry</i> , <b>2006</b> , 54, 7686-91	5.7	49
28	Identification of glutathione-related quercetin metabolites in humans. <i>Chemical Research in Toxicology</i> , <b>2006</b> , 19, 1525-32	4	24
27	Genistein and daidzein modulate the activities of kidney and small intestinal quinone reductase and UDP-glucuronosyltransferase biotransformation enzymes in Swiss Webster mice. <i>FASEB Journal</i> , <b>2006</b> , 20, A597	0.9	
26	Profiling urinary isoflavone metabolites after the consumption of either fermented or unfermented soy products in humans. <i>FASEB Journal</i> , <b>2006</b> , 20, A598	0.9	
25	Gender- and isozyme-specific manner of glutathione S-transferase induction. <i>FASEB Journal</i> , <b>2006</b> , 20, A569	0.9	
24	A Comparison of Polyvinylpolypyrrolidone (PVPP), Silica Xerogel and a Polyvinylpyrrolidone (PVP)Silica Co-Product for Their Ability to Remove Polyphenols from Beer. <i>Journal of the Institute of Brewing</i> , <b>2005</b> , 111, 20-25	2	32
23	Characterization of glutathione S-transferases in juvenile white sturgeon. <i>Aquatic Toxicology</i> , <b>2005</b> , 71, 203-14	5.1	13
22	Rebuttal on Comparison of the Total Phenolic and Ascorbic Acid Content of Freeze-Dried and Air-Dried Marionberry, Strawberry, and Corn Grown Using Conventional, Organic, and Sustainable Agricultural Practices. <i>Journal of Agricultural and Food Chemistry</i> , <b>2004</b> , 52, 150-152	5.7	4
21	Metabolic profiling of flavonol metabolites in human urine by liquid chromatography and tandem mass spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , <b>2004</b> , 52, 6794-801	5.7	53
20	Liquid chromatography/mass spectrometry investigation of the impact of thermal processing and storage on peach procyanidins. <i>Journal of Agricultural and Food Chemistry</i> , <b>2004</b> , 52, 2366-71	5.7	55

19	Direct liquid chromatography-mass spectrometry method for the detection of glutathione S-transferase isozymes and investigation of their expression in response to dietary flavone. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2004</b> , 809, 331-337	3.2	7
18	Direct liquid chromatography-mass spectrometry method for the detection of glutathione S-transferase isozymes and investigation of their expression in response to dietary flavone. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2004</b> , 809, 331-7	3.2	6
17	Processing-induced changes in total phenolics and procyanidins in clingstone peaches. <i>Journal of the Science of Food and Agriculture</i> , <b>2003</b> , 83, 56-63	4.3	70
16	Comparison of the total phenolic and ascorbic acid content of freeze-dried and air-dried marionberry, strawberry, and corn grown using conventional, organic, and sustainable agricultural practices. <i>Journal of Agricultural and Food Chemistry</i> , <b>2003</b> , 51, 1237-41	5.7	651
15	Effect of dietary constituents with chemopreventive potential on adduct formation of a low dose of the heterocyclic amines PhIP and IQ and phase II hepatic enzymes. <i>Nutrition and Cancer</i> , <b>2003</b> , 46, 212-21	2.8	79
14	Physiological importance of quinoenzymes and the O-quinone family of cofactors. <i>Journal of Nutrition</i> , <b>2000</b> , 130, 719-27	4.1	106
13	Antioxidative activities of aroma extracts isolated from natural plants. <i>BioFactors</i> , <b>2000</b> , 13, 173-8	6.1	21
12	Quantification of individual glutathione S-transferase isozymes in hepatic and pulmonary tissues of naphthalene-tolerant mice. <i>Archives of Toxicology</i> , <b>2000</b> , 74, 215-21	5.8	7
11	Accumulation of advanced glycation endproducts in aging male Fischer 344 rats during long-term feeding of various dietary carbohydrates. <i>Journal of Nutrition</i> , <b>2000</b> , 130, 1247-55	4.1	29
10	Antioxidative activities of heterocyclic compounds formed in brewed coffee. <i>Journal of Agricultural and Food Chemistry</i> , <b>2000</b> , 48, 5600-3	5.7	75
9	Determination of antioxidant properties of aroma extracts from various beans. <i>Journal of Agricultural and Food Chemistry</i> , <b>2000</b> , 48, 4817-20	5.7	83
8	Activation of chick tendon lysyl oxidase in response to dietary copper. <i>Journal of Nutrition</i> , <b>1999</b> , 129, 2143-6	4.1	13
7	HPLC method for the quantification of procyanidins in cocoa and chocolate samples and correlation to total antioxidant capacity. <i>Journal of Agricultural and Food Chemistry</i> , <b>1999</b> , 47, 4184-8	5.7	329
6	Identification of procyanidins in cocoa ( <i>Theobroma cacao</i> ) and chocolate using high-performance liquid chromatography/mass spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , <b>1999</b> , 47, 490-6	5.7	389
5	Structural and functional consequences of haloenol lactone inactivation of murine and human glutathione S-transferase. <i>Biochemistry</i> , <b>1998</b> , 37, 6752-9	3.2	24
4	Copper, lysyl oxidase, and extracellular matrix protein cross-linking. <i>American Journal of Clinical Nutrition</i> , <b>1998</b> , 67, 996S-1002S	7	233
3	Quantitative profiling of tissue- and gender-related expression of glutathione S-transferase isoenzymes in the mouse. <i>Biochemical Journal</i> , <b>1997</b> , 325 ( Pt 1), 207-16	3.8	69
2	Haloenol lactone is a new isozyme-selective and active site-directed inactivator of glutathione S-transferase. <i>Journal of Biological Chemistry</i> , <b>1996</b> , 271, 20421-5	5.4	17

1 Purification, mass spectrometric characterization, and covalent modification of murine glutathione S-transferases. *Chemical Research in Toxicology*, **1995**, 8, 1054-62 4 34