

# Kris Vissenberg

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7320358/kris-vissenberg-publications-by-year.pdf>

**Version:** 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

88  
papers

3,626  
citations

34  
h-index

59  
g-index

100  
ext. papers

4,345  
ext. citations

5.2  
avg, IF

5.12  
L-index

#	Paper	IF	Citations
88	Plant biology: Positive feedback between auxin and cell wall mechanics during apical hook formation. <i>Current Biology</i> , <b>2021</b> , 31, R306-R309	6.3	
87	The Arabidopsis Root Tip (Phospho)Proteomes at Growth-Promoting versus Growth-Repressing Conditions Reveal Novel Root Growth Regulators. <i>Cells</i> , <b>2021</b> , 10,	7.9	3
86	Brassinosteroids Influence Arabidopsis Hypocotyl Gravidresponses through Changes in Mannans and Cellulose. <i>Plant and Cell Physiology</i> , <b>2021</b> , 62, 678-692	4.9	4
85	The quiescent centre and root apical meristem: organization and function. <i>Journal of Experimental Botany</i> , <b>2021</b> , 72, 6673-6678	7	0
84	Osmotic stress inhibits leaf growth of Arabidopsis thaliana by enhancing ARF-mediated auxin responses. <i>New Phytologist</i> , <b>2020</b> , 226, 1766-1780	9.8	9
83	Hormonal regulation of root hair growth and responses to the environment in Arabidopsis. <i>Journal of Experimental Botany</i> , <b>2020</b> , 71, 2412-2427	7	47
82	The Proline-Rich Family Protein EXTENSIN33 Is Required for Etiolated Arabidopsis thaliana Hypocotyl Growth. <i>Plant and Cell Physiology</i> , <b>2020</b> , 61, 1191-1203	4.9	2
81	The effect of metal mixture composition on toxicity to C. elegans at individual and population levels. <i>PLoS ONE</i> , <b>2019</b> , 14, e0218929	3.7	10
80	The Auxin-Regulated CrRLK1L Kinase ERULUS Controls Cell Wall Composition during Root Hair Tip Growth. <i>Current Biology</i> , <b>2018</b> , 28, 722-732.e6	6.3	64
79	CBL1-CIPK26-mediated phosphorylation enhances activity of the NADPH oxidase RBOHC, but is dispensable for root hair growth. <i>FEBS Letters</i> , <b>2018</b> , 592, 2582-2593	3.8	18
78	Cell Wall Expansion as Viewed by the Creep Method <b>2018</b> , 305-320		1
77	Mixture effects of copper, cadmium, and zinc on mortality and behavior of Caenorhabditis elegans. <i>Environmental Toxicology and Chemistry</i> , <b>2018</b> , 37, 145-159	3.8	27
76	Cellulose Synthesis and Cell Expansion Are Regulated by Different Mechanisms in Growing Arabidopsis Hypocotyls. <i>Plant Cell</i> , <b>2017</b> , 29, 1305-1315	11.6	48
75	Shaping 3D Root System Architecture. <i>Current Biology</i> , <b>2017</b> , 27, R919-R930	6.3	99
74	Alteration in Auxin Homeostasis and Signaling by Overexpression Of PINOID Kinase Causes Leaf Growth Defects in. <i>Frontiers in Plant Science</i> , <b>2017</b> , 8, 1009	6.2	15
73	Perturbation of Auxin Homeostasis and Signaling by Overexpression Induces Stress Responses in Arabidopsis. <i>Frontiers in Plant Science</i> , <b>2017</b> , 8, 1308	6.2	10
72	The Kinase ERULUS Controls Pollen Tube Targeting and Growth in. <i>Frontiers in Plant Science</i> , <b>2017</b> , 8, 1942	6.2	20

71	Molecular Mechanisms Regulating Root Hair Tip Growth: A Comparison with Pollen Tubes <b>2017</b> , 167-243		9
70	Cell type specificity of plant hormonal signals: Case studies and reflections on ethylene. <i>Russian Journal of Plant Physiology</i> , <b>2016</b> , 63, 577-586	1.6	4
69	Ethylene is involved in the actin cytoskeleton rearrangement during the root gravitropic response of <i>Arabidopsis thaliana</i> . <i>Russian Journal of Plant Physiology</i> , <b>2016</b> , 63, 587-596	1.6	3
68	A large insertion in intron 2 of the TYRP1 gene associated with American Palomino phenotype in American mink. <i>Mammalian Genome</i> , <b>2016</b> , 27, 135-43	3.2	9
67	Dioxygenase-encoding AtDAO1 gene controls IAA oxidation and homeostasis in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2016</b> , 113, 11016-21	11.5	93
66	In vitro cell wall extensibility controls age-related changes in the growth rate of etiolated <i>Arabidopsis hypocotyls</i> . <i>Functional Plant Biology</i> , <b>2015</b> , 42, 1068-1079	2.7	5
65	Multi-omics analysis identifies genes mediating the extension of cell walls in the <i>Arabidopsis thaliana</i> root elongation zone. <i>Frontiers in Cell and Developmental Biology</i> , <b>2015</b> , 3, 10	5.7	25
64	Cell Fate Determination and the Switch from Diffuse Growth to Planar Polarity in <i>Arabidopsis</i> Root Epidermal Cells. <i>Frontiers in Plant Science</i> , <b>2015</b> , 6, 1163	6.2	38
63	New insights into root gravitropic signalling. <i>Journal of Experimental Botany</i> , <b>2015</b> , 66, 2155-65	7	101
62	Over-expression of AtEXLA2 alters etiolated <i>arabidopsis</i> hypocotyl growth. <i>Annals of Botany</i> , <b>2015</b> , 115, 67-80	4.1	30
61	Transverse Sectioning of <i>Arabidopsis thaliana</i> Leaves Using Resin Embedding. <i>Bio-protocol</i> , <b>2015</b> , 5,	0.9	4
60	Imaging and quantitative methods for studying cytoskeletal rearrangements during root development and gravitropism. <i>Methods in Molecular Biology</i> , <b>2015</b> , 1309, 81-9	1.4	1
59	Proline-rich protein-like PRPL1 controls elongation of root hairs in <i>Arabidopsis thaliana</i> . <i>Journal of Experimental Botany</i> , <b>2014</b> , 65, 5485-95	7	28
58	Three-dimensional patterns of cell division and expansion throughout the development of <i>Arabidopsis thaliana</i> leaves. <i>Journal of Experimental Botany</i> , <b>2014</b> , 65, 6385-97	7	51
57	Review on shape formation in epidermal pavement cells of the <i>Arabidopsis</i> leaf. <i>Functional Plant Biology</i> , <b>2014</b> , 41, 914-921	2.7	22
56	Putting theory to the test: which regulatory mechanisms can drive realistic growth of a root?. <i>PLoS Computational Biology</i> , <b>2014</b> , 10, e1003910	5	30
55	Potentiometric sensors doped with biomolecules as a new approach to small molecule/biomolecule binding kinetics analysis. <i>Biosensors and Bioelectronics</i> , <b>2014</b> , 54, 515-20	11.8	12
54	The <i>Arabidopsis thaliana</i> hypocotyl, a model to identify and study control mechanisms of cellular expansion. <i>Plant Cell Reports</i> , <b>2014</b> , 33, 697-706	5.1	32

53	Mechanical stress in Arabidopsis leaves orients microtubules in a continuous supracellular pattern. <i>BMC Plant Biology</i> , <b>2013</b> , 13, 163	5.3	41
52	MicroFilament Analyzer, an image analysis tool for quantifying fibrillar orientation, reveals changes in microtubule organization during gravitropism. <i>Plant Journal</i> , <b>2013</b> , 74, 1045-58	6.9	28
51	MicroFilament Analyzer identifies actin network organizations in epidermal cells of Arabidopsis thaliana roots. <i>Plant Signaling and Behavior</i> , <b>2013</b> , 8, e24821	2.5	5
50	Xyloglucan endotransglucosylase/hydrolase (XTH) overexpression affects growth and cell wall mechanics in etiolated Arabidopsis hypocotyls. <i>Journal of Experimental Botany</i> , <b>2013</b> , 64, 2481-97	7	70
49	Characterization of a small auxin-up RNA (SAUR)-like gene involved in Arabidopsis thaliana development. <i>PLoS ONE</i> , <b>2013</b> , 8, e82596	3.7	50
48	Exclusion of candidate genes for coat colour phenotypes of the American mink ( <i>Neovison vison</i> ). <i>Animal Genetics</i> , <b>2012</b> , 43, 813-6	2.5	2
47	Effect of serine/threonine protein kinases and protein phosphatases inhibitors on mitosis progression in a synchronized tobacco BY-2 culture. <i>Cytology and Genetics</i> , <b>2012</b> , 46, 89-95	0.7	1
46	Effects of tyrosine kinase and phosphatase inhibitors on mitosis progression in synchronized tobacco BY-2 cells. <i>Cytology and Genetics</i> , <b>2012</b> , 46, 263-271	0.7	5
45	Ethylene in vegetative development: a tale with a riddle. <i>New Phytologist</i> , <b>2012</b> , 194, 895-909	9.8	105
44	Identification of genes involved in the ACC-mediated control of root cell elongation in Arabidopsis thaliana. <i>BMC Plant Biology</i> , <b>2012</b> , 12, 208	5.3	47
43	Towards mechanistic models of plant organ growth. <i>Journal of Experimental Botany</i> , <b>2012</b> , 63, 3325-37	7	30
42	Root gravitropism is regulated by a transient lateral auxin gradient controlled by a tipping-point mechanism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2012</b> , 109, 4668-73	11.5	240
41	UV radiation reduces epidermal cell expansion in Arabidopsis thaliana leaves without altering cellular microtubule organization. <i>Plant Signaling and Behavior</i> , <b>2011</b> , 6, 83-5	2.5	10
40	The role of brassinosteroids in shoot gravitropism. <i>Plant Physiology</i> , <b>2011</b> , 156, 1331-6	6.6	25
39	Differences in enzymic properties of five recombinant xyloglucan endotransglucosylase/hydrolase (XTH) proteins of Arabidopsis thaliana. <i>Journal of Experimental Botany</i> , <b>2011</b> , 62, 261-71	7	66
38	Apoplastic alkalization is instrumental for the inhibition of cell elongation in the Arabidopsis root by the ethylene precursor 1-aminocyclopropane-1-carboxylic acid. <i>Plant Physiology</i> , <b>2011</b> , 155, 2049-55	6.6	72
37	A role for pectin de-methylesterification in a developmentally regulated growth acceleration in dark-grown Arabidopsis hypocotyls. <i>New Phytologist</i> , <b>2010</b> , 188, 726-39	9.8	119
36	UV radiation reduces epidermal cell expansion in leaves of Arabidopsis thaliana. <i>Journal of Experimental Botany</i> , <b>2010</b> , 61, 4339-49	7	52

35	Is acid-induced extension in seed plants only protein-mediated?. <i>Plant Signaling and Behavior</i> , <b>2010</b> , 5, 757-9	2.5	3
34	High-throughput transient transformation of Arabidopsis roots enables systematic colocalization analysis of GFP-tagged proteins. <i>Plant Signaling and Behavior</i> , <b>2010</b> , 5, 261-3	2.5	11
33	Effects of inhibitors of serine/threonine protein kinases on Arabidopsis thaliana root morphology and microtubule organization in its cells. <i>Cell and Tissue Biology</i> , <b>2010</b> , 4, 399-409	0.4	7
32	Enzymic characterization of two recombinant xyloglucan endotransglucosylase/hydrolase (XTH) proteins of Arabidopsis and their effect on root growth and cell wall extension. <i>Journal of Experimental Botany</i> , <b>2009</b> , 60, 3959-72	7	115
31	Onion epidermis as a new model to study the control of growth anisotropy in higher plants. <i>Journal of Experimental Botany</i> , <b>2009</b> , 60, 4175-87	7	52
30	Colonization strategy of Campylobacter jejuni results in persistent infection of the chicken gut. <i>Veterinary Microbiology</i> , <b>2008</b> , 130, 285-97	3.3	104
29	Effects of tyrosine kinase and phosphatase inhibitors on microtubules in Arabidopsis root cells. <i>Cell Biology International</i> , <b>2008</b> , 32, 630-7	4.5	41
28	Microtubules And The Control Of Cell Elongation In Arabidopsis Roots. <i>NATO Science for Peace and Security Series C: Environmental Security</i> , <b>2008</b> , 73-90	0.3	5
27	Combination of the ALCR/alcA ethanol switch and GAL4/VP16-UAS enhancer trap system enables spatial and temporal control of transgene expression in Arabidopsis. <i>Plant Biotechnology Journal</i> , <b>2007</b> , 5, 477-82	11.6	16
26	Xyloglucan endotransglycosylase/hydrolase (XTH) is encoded by a multi-gene family in the primitive vascular land plant Selaginella kraussiana. <i>Plant Biology</i> , <b>2007</b> , 9, 142-6	3.7	12
25	Direct creation of marker-free tobacco plants from agroinfiltrated leaf discs. <i>Plant Cell Reports</i> , <b>2007</b> , 26, 1961-5	5.1	28
24	XET activity is found near sites of growth and cell elongation in bryophytes and some green algae: new insights into the evolution of primary cell wall elongation. <i>Annals of Botany</i> , <b>2007</b> , 99, 39-51	4.1	45
23	Xyloglucan endotransglucosylase activity loosens a plant cell wall. <i>Annals of Botany</i> , <b>2007</b> , 100, 1467-73	4.1	154
22	Cell Expansion: Past, Present and Perspectives <b>2006</b> , 1-6		6
21	Roles of the XTH Protein Family in the Expanding Cell <b>2006</b> , 89-116		25
20	The Root Apex of Arabidopsis thaliana Consists of Four Distinct Zones of Growth Activities: Meristematic Zone, Transition Zone, Fast Elongation Zone and Growth Terminating Zone. <i>Plant Signaling and Behavior</i> , <b>2006</b> , 1, 296-304	2.5	204
19	Analysis of a xyloglucan endotransglycosylase/hydrolase (XTH) from the lycopodiophyte Selaginella kraussiana suggests that XTH sequence characteristics and function are highly conserved during the evolution of vascular plants. <i>Journal of Experimental Botany</i> , <b>2006</b> , 57, 2909-22	7	30
18	The Control of Cell Size and Rate of Elongation in the Arabidopsis Root. <i>Plant Cell Monographs</i> , <b>2006</b> , 249-269	0.6	5

17	Infection of Chinese cabbage by <i>Plasmodiophora brassicae</i> leads to a stimulation of plant growth: impacts on cell wall metabolism and hormone balance. <i>New Phytologist</i> , <b>2005</b> , 166, 241-50	9.8	78
16	Regulation of cell length in the <i>Arabidopsis thaliana</i> root by the ethylene precursor 1-aminocyclopropane-1-carboxylic acid: a matter of apoplastic reactions. <i>New Phytologist</i> , <b>2005</b> , 168, 541-50	9.8	96
15	XTH acts at the microfibril-matrix interface during cell elongation. <i>Journal of Experimental Botany</i> , <b>2005</b> , 56, 673-83	7	75
14	Differential expression of AtXTH17, AtXTH18, AtXTH19 and AtXTH20 genes in <i>Arabidopsis</i> roots. Physiological roles in specification in cell wall construction. <i>Plant and Cell Physiology</i> , <b>2005</b> , 46, 192-200	4.9	94
13	Reactive blue 2 inhibition of cyclic AMP-dependent differentiation of rat C6 glioma cells by purinergic receptor-independent inactivation of phosphatidylinositol 3-kinase. <i>Biochemical Pharmacology</i> , <b>2004</b> , 67, 1489-98	6	19
12	The cytoskeleton, elongation and the control of elongation. <i>Cell Biology International</i> , <b>2003</b> , 27, 287-8	4.5	1
11	Xyloglucan endotransglucosylase action is high in the root elongation zone and in the trichoblasts of all vascular plants from <i>Selaginella</i> to <i>Zea mays</i> . <i>Journal of Experimental Botany</i> , <b>2003</b> , 54, 335-44	7	62
10	Phosphatidylinositol 3-kinase activity is required for the expression of glial fibrillary acidic protein upon cAMP-dependent induction of differentiation in rat C6 glioma. <i>Journal of Neurochemistry</i> , <b>2001</b> , 76, 610-8	6	32
9	Ion fluxes, auxin and the induction of elongation growth in <i>Nicotiana tabacum</i> cells. <i>Journal of Experimental Botany</i> , <b>2001</b> , 52, 2161-7	7	31
8	The onion and the student: a fruitful combination!. <i>Journal of Biological Education</i> , <b>2001</b> , 35, 196-200	0.9	1
7	Root Hair Initiation Is Coupled to a Highly Localized Increase of Xyloglucan Endotransglycosylase Action in <i>Arabidopsis</i> Roots. <i>Plant Physiology</i> , <b>2001</b> , 127, 1125-1135	6.6	128
6	Identification of the tumor metastasis suppressor Nm23-H1/Nm23-R1 as a constituent of the centrosome. <i>Experimental Cell Research</i> , <b>2001</b> , 262, 145-53	4.2	39
5	Cell expansion in the epidermis: microtubules, cellulose orientation and wall loosening enzymes. <i>Journal of Plant Physiology</i> , <b>2001</b> , 158, 537-543	3.6	24
4	From hormone signal, via the cytoskeleton, to cell growth in single cells of tobacco. <i>Cell Biology International</i> , <b>2000</b> , 24, 343-9	4.5	16
3	In vivo colocalization of xyloglucan endotransglycosylase activity and its donor substrate in the elongation zone of <i>Arabidopsis</i> roots. <i>Plant Cell</i> , <b>2000</b> , 12, 1229-37	11.6	185
2	Nucleoside diphosphate kinase beta (Nm23-R1/NDPKbeta) is associated with intermediate filaments and becomes upregulated upon cAMP-induced differentiation of rat C6 glioma. <i>Experimental Cell Research</i> , <b>2000</b> , 261, 127-38	4.2	37
1	Auxin-triggered changes in the <i>Arabidopsis</i> root tip (phospho)proteome reveal novel root growth regulators		1