

Minjun Ji

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7320769/publications.pdf>

Version: 2024-02-01

30
papers

521
citations

623574

14
h-index

713332

21
g-index

30
all docs

30
docs citations

30
times ranked

660
citing authors

#	ARTICLE	IF	CITATIONS
1	Protective Role of Fecal Microbiota Transplantation on Colitis and Colitis-Associated Colon Cancer in Mice Is Associated With Treg Cells. <i>Frontiers in Microbiology</i> , 2019, 10, 2498.	1.5	49
2	RRM2 is a potential prognostic biomarker with functional significance in glioma. <i>International Journal of Biological Sciences</i> , 2019, 15, 533-543.	2.6	46
3	Rescue of maternal immune activation-induced behavioral abnormalities in adult mouse offspring by pathogen-activated maternal Treg cells. <i>Nature Neuroscience</i> , 2021, 24, 818-830.	7.1	42
4	ASF1B promotes cervical cancer progression through stabilization of CDK9. <i>Cell Death and Disease</i> , 2020, 11, 705.	2.7	40
5	Immune Events Associated with High Level Protection against <i>Schistosoma japonicum</i> Infection in Pigs Immunized with UV-Attenuated Cercariae. <i>PLoS ONE</i> , 2010, 5, e13408.	1.1	33
6	<i>Schistosoma japonicum</i> infection induces macrophage polarization. <i>Journal of Biomedical Research</i> , 2014, 28, 299.	0.7	26
7	Multiple vaccinations with UV- attenuated cercariae in pig enhance protective immunity against <i>Schistosoma japonicum</i> infection as compared to single vaccination. <i>Parasites and Vectors</i> , 2011, 4, 103.	1.0	25
8	Fucoidan from seaweed <i>Fucus vesiculosus</i> inhibits 2,4-dinitrochlorobenzene-induced atopic dermatitis. <i>International Immunopharmacology</i> , 2019, 75, 105823.	1.7	24
9	TLR2 Directing PD-L2 Expression Inhibit T Cells Response in <i>Schistosoma japonicum</i> Infection. <i>PLoS ONE</i> , 2013, 8, e82480.	1.1	23
10	PPAR α agonist ameliorates liver pathology accompanied by increasing regulatory B and T cells in high-fat diet mice. <i>Obesity</i> , 2017, 25, 581-590.	1.5	21
11	Therapeutic inhibition of miR-802 protects against obesity through AMPK-mediated regulation of hepatic lipid metabolism. <i>Theranostics</i> , 2021, 11, 1079-1099.	4.6	20
12	PPAR α Agonist Alleviates Liver and Spleen Pathology via Inducing Treg Cells during <i>Schistosoma japonicum</i> Infection. <i>Journal of Immunology Research</i> , 2018, 2018, 1-11.	0.9	19
13	Pyroptosis induced by enterovirus A71 infection in cultured human neuroblastoma cells. <i>Virology</i> , 2018, 521, 69-76.	1.1	18
14	<i>Wolbachia</i> limits pathogen infections through induction of host innate immune responses. <i>PLoS ONE</i> , 2020, 15, e0226736.	1.1	18
15	Praziquantel treatment after <i>Schistosoma japonicum</i> infection maintains hepatic insulin sensitivity and improves glucose metabolism in mice. <i>Parasites and Vectors</i> , 2017, 10, 453.	1.0	15
16	Up-regulation of MELK by E2F1 promotes the proliferation in cervical cancer cells. <i>International Journal of Biological Sciences</i> , 2021, 17, 3875-3888.	2.6	15
17	IFN-inducible p47 GTPases display differential responses to <i>Schistosoma japonicum</i> acute infection. <i>Cellular and Molecular Immunology</i> , 2010, 7, 69-76.	4.8	10
18	Research on the effect and mechanism of antimicrobial peptides HPRP α 1/A2 work against <i>Toxoplasma gondii</i> infection. <i>Parasite Immunology</i> , 2019, 41, e12619.	0.7	10

#	ARTICLE	IF	CITATIONS
19	Indolepropionic acid reduces obesity-induced metabolic dysfunction through colonic barrier restoration mediated via tuft cell-derived IL-25. <i>FEBS Journal</i> , 2022, 289, 5985-6004.	2.2	10
20	Therapeutic potential of fucoidan in the reduction of hepatic pathology in murine schistosomiasis japonica. <i>Parasites and Vectors</i> , 2020, 13, 451.	1.0	9
21	A Biological and Immunological Characterization of Schistosoma Japonicum Heat Shock Proteins 40 and 90kDa. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4034.	1.8	9
22	Evaluation of factors influencing the guide to read biomedical English literature course for Chinese new medical postgraduates—a multiple regression analysis. <i>BMC Medical Education</i> , 2019, 19, 295.	1.0	7
23	Upregulated Expression of Cytotoxicity-Related Genes in IFN- γ Knockout Mice with <i>Schistosoma japonicum</i> Infection. <i>Journal of Biomedicine and Biotechnology</i> , 2011, 2011, 1-13.	3.0	6
24	SjTat-TPI facilitates adaptive T-cell responses and reduces hepatic pathology during <i>Schistosoma japonicum</i> infection in BALB/c mice. <i>Parasites and Vectors</i> , 2015, 8, 664.	1.0	6
25	Absence of Batf3 results in reduced liver pathology in mice infected with <i>Schistosoma japonicum</i> . <i>Parasites and Vectors</i> , 2017, 10, 306.	1.0	6
26	Helminth-induced CD9+ B-cell subset alleviates obesity-associated inflammation via IL-10 production. <i>International Journal for Parasitology</i> , 2022, 52, 111-123.	1.3	6
27	Aberrant expression of long non-coding RNAs (lncRNAs) is involved in brain glioma development. <i>Archives of Medical Science</i> , 2020, 16, 177-188.	0.4	5
28	Predictive Modeling of MAFLD Based on Hsp90kDa and the Therapeutic Application of Teprenone in a Diet-Induced Mouse Model. <i>Frontiers in Endocrinology</i> , 2021, 12, 743202.	1.5	3
29	Mice lack of LRG-47 display the attenuated outcome of infection with <i>Schistosoma japonicum</i> . <i>Parasitology Research</i> , 2016, 115, 1185-1193.	0.6	0
30	Pipiserpin, a <i>Culex</i> Factor Xa inhibitor, affects female reproductive capacity and serve as a potential target for mosquito control. <i>Pest Management Science</i> , 2022, , .	1.7	0