

K Jensen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7321637/publications.pdf>

Version: 2024-02-01

55
papers

1,502
citations

430874

18
h-index

315739

38
g-index

56
all docs

56
docs citations

56
times ranked

800
citing authors

#	ARTICLE	IF	CITATIONS
1	A DNA Sequence-Based Approach To the Identification of Shark and Ray Species and Its Implications for Global Elasmobranch Diversity and Parasitology. <i>Bulletin of the American Museum of Natural History</i> , 2012, 367, 1-262.	3.4	352
2	Orders out of chaos – molecular phylogenetics reveals the complexity of shark and stingray tapeworm relationships. <i>International Journal for Parasitology</i> , 2014, 44, 55-73.	3.1	148
3	On the phylogenetic relationships among tetraphyllidean, lecanicephalidean and diphyllidean tapeworm genera. <i>Systematic Parasitology</i> , 1999, 42, 77-151.	1.1	129
4	Characterization of a diversity of tetraphyllidean and rhinebothriidean cestode larval types, with comments on host associations and life-cycles. <i>International Journal for Parasitology</i> , 2010, 40, 889-910.	3.1	106
5	Evolution of the trypanorhynch tapeworms: Parasite phylogeny supports independent lineages of sharks and rays. <i>International Journal for Parasitology</i> , 2010, 40, 223-242.	3.1	99
6	Proposal for a new tapeworm order, Rhinebothriidea. <i>International Journal for Parasitology</i> , 2009, 39, 497-511.	3.1	85
7	A Digest of Elasmobranch Tapeworms. <i>Journal of Parasitology</i> , 2014, 100, 373-391.	0.7	64
8	An investigation of the co-evolutionary relationships between onchobothriid tapeworms and their elasmobranch hosts. <i>International Journal for Parasitology</i> , 2001, 31, 960-975.	3.1	48
9	Five new species of <i>Acanthobothrium</i> (Cestoda: Tetraphyllidea) from an unusual species of <i>Himantura</i> (Rajiformes: Dasyatidae) from northern Australia. <i>Folia Parasitologica</i> , 2009, 56, 107-128.	1.3	35
10	New Genus and Species of Aporocotylidae (Digenea) from a Basal Actinopterygian, The American Paddlefish, <i>Polyodon spathula</i> , (Acipenseriformes: Polyodontidae) from the Mississippi Delta. <i>Journal of Parasitology</i> , 2008, 94, 487-495.	0.7	33
11	Historical account of the two family-group names in use for the single accepted family comprising the ‘fish blood flukes’. <i>Acta Parasitologica</i> , 2009, 54, .	1.1	30
12	Blood Flukes (Digenea: Aporocotylidae) of Stingrays (Myliobatiformes: Dasyatidae): <i>Orchispirium heterovitellatum</i> From <i>Himantura imbricata</i> in the Bay of Bengal and a New Genus and Species of Aporocotylidae From <i>Dasyatis sabina</i> in the Northern Gulf of Mexico. <i>Journal of Parasitology</i> , 2008, 94, 1311-1321.	0.7	28
13	SEVEN NEW YORKERIA SPECIES (CESTODA: TETRAPHYLLIDEA) FROM BORNEO AND AUSTRALIA AND THEIR IMPLICATIONS FOR IDENTIFICATION OF CHILOSCYLLIUM (ELASMOBRANCHII: ORECTOLOBIFORMES) SPECIES. <i>Journal of Parasitology</i> , 2007, 93, 357-376.	0.7	23
14	Four New Genera and Five New Species of Lecanicephalideans (Cestoda: Lecanicephalidea) From Elasmobranchs in the Gulf of California, Mexico. <i>Journal of Parasitology</i> , 2001, 87, 845-861.	0.7	22
15	Three New Genera and Six New Species of Lecanicephalideans (Cestoda) from Eagle Rays of the Genus <i>Aetomylaeus</i> (Myliobatiformes: Myliobatidae) from Northern Australia and Borneo. <i>Journal of Parasitology</i> , 2012, 98, 175-198.	0.7	22
16	Phylogenetic analysis and reconfiguration of genera in the cestode order Diphyllidea. <i>International Journal for Parasitology</i> , 2013, 43, 621-639.	3.1	22
17	A new genus and two new species of Anteroporidae (Cestoda: Lecanicephalidea) from the darkspotted numbfish, <i>Narcine maculata</i> (Torpediniformes: Narcinidae), off Malaysian Borneo. <i>Folia Parasitologica</i> , 2011, 58, 95-107.	1.3	22
18	When proglottids and scoleces conflict: phylogenetic relationships and a family-level classification of the Lecanicephalidea (Platyhelminthes: Cestoda). <i>International Journal for Parasitology</i> , 2016, 46, 291-310.	3.1	21

#	ARTICLE	IF	CITATIONS
19	New insights into the identities of the elasmobranch fauna of Sri Lanka. Zootaxa, 2019, 4585, zootaxa.4585.2.1.	0.5	21
20	Insights from new cestodes of the crocodile shark, <i>Pseudocarcharias kamoharui</i> (Lamniformes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50) seven phyllobothriidean genera at last!. Journal of Helminthology, 2020, 94, e132.	1.0	16
21	Insights on the identities of sharks of the <i>Rhizoprionodon acutus</i> (Elasmobranchii: Carcharhiniformes) species complex based on three new species of <i>Phoreiobothrium</i> (Cestoda: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50)	0.5	13
22	A revision of <i>Hexacanalus</i> Perrenoud, 1931 (Cestoda: Lecanicephalidea) and description of <i>H. folifer</i> n. sp. from the zonetail butterfly ray <i>Gymnura zonura</i> (Bleeker) (Rajiformes: Gymnuridae). Systematic Parasitology, 2011, 79, 1-16.	1.1	11
23	Intrigue surrounding the life-cycles of species of <i>Clistobothrium</i> (Cestoda: Phyllobothriidea) parasitising large pelagic sharks. International Journal for Parasitology, 2020, 50, 1043-1055.	3.1	11
24	A Revision of <i>Uncibilocularis</i> Southwell, 1925 (Tetraphyllidea: Onchobothriidae) with the Description of Four New Species. Comparative Parasitology, 2008, 75, 157-173.	0.4	9
25	Erection of a New Onchobothriid Genus (Cestoda: Tetraphyllidea) and the Description of Five New Species from Whaler Sharks (Carcharhinidae). Journal of Parasitology, 2009, 95, 924-940.	0.7	9
26	<i>Floriparicapitus</i> , a New Genus of Lecanicephalidean Tapeworm (Cestoda) from Sawfishes (Pristidae) and Guitarfishes (Rhinobatidae) in the Indo-West Pacific. Journal of Parasitology, 2014, 100, 485-499.	0.7	9
27	Emerging global novelty in phyllobothriidean tapeworms (Cestoda: Phyllobothriidea) from sharks and skates (Elasmobranchii). Zoological Journal of the Linnean Society, 2021, 193, 1336-1363.	2.3	8
28	The status of <i>Rhoptrobothrium</i> Shipley et Hornell, 1906 (Cestoda: Tetraphyllidea), with redescription of the type species, <i>R. myliobatidis</i> , and description of three new species from two species of <i>Aetomylaeus</i> (Myliobatiformes: Myliobatidae) from Malaysian Borneo. Folia Parasitologica, 2006, 53, 189-207.	1.3	8
29	Three new genera of rhinebothriidean cestodes from stingrays in Southeast Asia. Folia Parasitologica, 2017, 64, .	1.3	8
30	<i>Seussapex</i> , a new genus of lecanicephalidean tapeworm (Platyhelminthes: Cestoda) from the stingray genus <i>Himantura</i> (Myliobatiformes: Dasyatidae) in the Indo-West Pacific with investigation of mode of attachment. Folia Parasitologica, 2014, 61, 231-241.	1.3	7
31	An enigmatic new tapeworm, <i>Litobothrium aenigmaticum</i> , sp. nov. (Platyhelminthes : Cestoda : Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50) <i>Litobothrium</i> species. Invertebrate Systematics, 2014, 28, 231.	1.3	7
32	Five New Species of the Tapeworm Genus <i>Anthocephalum</i> (Rhinebothriidea: Anthocephaliidae) Parasitizing A Single Species of Indo-Pacific Stingray and A Revised Diagnosis of the Genus. Journal of Parasitology, 2018, 104, 505-522.	0.7	7
33	Four New Species of <i>Paraorygmatobothrium</i> (Eucestoda: Phyllobothriidea) from Sharks of the Gulf of Mexico and the Atlantic Ocean, with Comments on Their Host Specificity. Journal of Parasitology, 2020, 106, 133.	0.7	7
34	A new species of <i>Aberrapex</i> Jensen, 2001 (Cestoda: Lecanicephalidea) from <i>Taeniura lymma</i> (Forssk.) (Myliobatiformes: Dasyatidae) from off Sabah, Malaysia. Systematic Parasitology, 2006, 64, 117-123.	1.1	6
35	Ultrastructure of the sperm of <i>Adelobothrium</i> sp. (Cestoda: Lecanicephalidea). Invertebrate Biology, 2013, 132, 315-325.	0.9	6
36	<i>Stoibocephalum</i> , n. gen. (Cestoda: Lecanicephalidea) from the sharkray, <i>Rhina ancylostoma</i> Bloch & Schneider (Elasmobranchii: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50)	0.5	13

#	ARTICLE	IF	CITATIONS
37	Ahamulina n. gen. (Cestoda: Diphyllidea) from the polkadot catshark, <i>Scyliorhinus besnardi</i> (Carcharhiniformes: Scyliorhinidae), off Brazil. <i>Zootaxa</i> , 2012, 3352, 51.	0.5	5
38	Two new species of <i>Caulobothrium</i> (Cestoda: Tetraphyllidea) from the duckbill eagle ray, <i>Aetomylaeus bovinus</i> (Myliobatiformes: Myliobatidae), off Senegal with new insights on morphological features of the genus. <i>Zootaxa</i> , 2021, 4903, zootaxa.4903.1.8.	0.5	5
39	The Ocellated Eagle Ray, <i>Aetobatus ocellatus</i> (Myliobatiformes: Myliobatidae), from Borneo and Northern Australia as Host of Four New Species of <i>Hornellobothrium</i> (Cestoda: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 60	0.7	4
40	A New Genus of Tapeworm (Cestoda: Onchoproteocephalidea) from Sawfish (Elasmobranchii: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62	0.7	4
41	Electron microscopy reveals novel external specialized organs housing bacteria in eagle ray tapeworms. <i>PLoS ONE</i> , 2021, 16, e0244586.	2.5	4
42	A new genus with two new species of lecanicephalidean tapeworms (Cestoda) from the mangrove whipray, <i>Urogymnus granulatus</i> (Myliobatiformes: Dasyatidae), from the Solomon Islands and northern Australia. <i>Folia Parasitologica</i> , 2017, 64, .	1.3	4
43	A new genus and two new species of lecanicephalidean tapeworms from the striped panray, <i>Zanobatus schoenleinii</i> (Rhinopristiformes: Zanobatidae), off Senegal. <i>Folia Parasitologica</i> , 2014, 61, 432-440.	1.3	3
44	First Report of Lecanicephalidean Tapeworms (Eucestoda) from Freshwater, Including Description of Three New Species of <i>Tetragonocephalum</i> Shipley and Hornell, 1905. <i>Journal of Parasitology</i> , 2021, 107, 1-15.	0.7	3
45	A synergistic, global approach to revising the trypanorhynch tapeworm family <i>Rhinoptericolidae</i> (Trypanobatoidea). <i>PeerJ</i> , 2022, 10, e12865.	2.0	3
46	The parasite-host interface in the zonetail butterfly ray, <i>Gymnura zonura</i> (Bleeker), infected with <i>Exacanalisis folifer</i> (Cestoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 37 Td (<szp>L</sc	3.7	3
47	Three new species of 'tetraphyllidean' cestodes from an undescribed bamboo shark (Orectolobiformes: Hemiscylliidae) in Sri Lanka. <i>Folia Parasitologica</i> , 2021, 68, .	1.3	2
48	A revision of the Rhoptrobothriidae (Cestoda: Tetraphyllidea). <i>Zootaxa</i> , 2021, 4999, 201-218.	0.5	2
49	Acceptance of the 2014 Henry Baldwin Ward Medal: Arriving Dead Center of a Target I Didn't Know I was Aiming For. <i>Journal of Parasitology</i> , 2014, 100, 715-718.	0.7	1
50	Expanding known global biodiversity of <i>Yamaguticestus</i> (Cestoda: Phyllobothriidea) parasitizing catsharks (Pentanchidae and Scyliorhinidae). <i>Systematics and Biodiversity</i> , 0, , 1-20.	1.2	1
51	Four New Species of (Eucestoda: Phyllobothriidea) From Sharks of the Gulf of Mexico and the Atlantic Ocean, with Comments on Their Host Specificity. <i>Journal of Parasitology</i> , 2020, 106, 133-156.	0.7	1
52	Diversity and phylogenetic relationships of 'tetraphyllidean' Clade 3 (Cestoda) based on new material from orectolobiform sharks in Australia and Taiwan. <i>Folia Parasitologica</i> , 0, 69, .	1.3	1
53	Introduction of John M. Hawdon, Recipient of the Henry Baldwin Ward Medal for 2016. <i>Journal of Parasitology</i> , 2016, 102, 577-578.	0.7	0
54	Morphological variation in the hyperapolytic lecanicephalidean species <i>Anteropora japonica</i> (Yamaguti, 1934) (Eucestoda). <i>Folia Parasitologica</i> , 2020, 67, .	1.3	0

#	ARTICLE	IF	CITATIONS
55	A New Species of (Cestoda: "Tetraphyllidea") from the Taiwan Saddled Carpetshark, (Orectolobiformes:) Tj ETQq1	1.0784314	0 rgBT /Cve