Bastian J M Etzold

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/732223/bastian-j-m-etzold-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

107 2,625 27 47 g-index

120 3,194 8 5.44 ext. papers ext. citations avg, IF L-index

| # | Paper | IF | Citations |
|-----|--|--------------------|-----------|
| 107 | Benchmarking Fuel Cell Electrocatalysts Using Gas Diffusion Electrodes: Inter-lab Comparison and Best Practices. <i>ACS Energy Letters</i> , 2022 , 7, 816-826 | 20.1 | 9 |
| 106 | Thermodynamic equilibrium investigation to operational capabilities and process tolerance of plasma gasification for various feedstock. <i>Chemical Engineering Science</i> , 2022 , 250, 117401 | 4.4 | 0 |
| 105 | The effect of temperature on ionic liquid modified Fe-N-C catalysts for alkaline oxygen reduction reaction. <i>Journal of Energy Chemistry</i> , 2022 , 68, 324-329 | 12 | 1 |
| 104 | 3D-printed activated carbon for post-combustion CO2 capture. <i>Microporous and Mesoporous Materials</i> , 2022 , 335, 111818 | 5.3 | 2 |
| 103 | Oxygen reduction reaction measurements on platinum electrocatalysts in gas diffusion electrode half-cells: Influence of electrode preparation, measurement protocols and common pitfalls. <i>Journal of Power Sources</i> , 2022 , 539, 231530 | 8.9 | O |
| 102 | Methodology for the identification of carbonyl absorption maxima of carbon surface oxides in DRIFT spectra. <i>Carbon Trends</i> , 2021 , 3, 100020 | О | 1 |
| 101 | Mesoporous and crystalline carbide-derived carbons: Towards a general correlation on synthesis temperature and precursor structure influence. <i>Carbon</i> , 2021 , 175, 215-222 | 10.4 | 2 |
| 100 | Avoiding Pitfalls in Comparison of Activity and Selectivity of Solid Catalysts for Electrochemical HMF Oxidation. <i>ChemistryOpen</i> , 2021 , 10, 600-606 | 2.3 | O |
| 99 | Emerging Applications of Solid Catalysts with Ionic Liquid Layer Concept in Electrocatalysis. <i>Advanced Functional Materials</i> , 2021 , 31, 2010977 | 15.6 | 3 |
| 98 | Comparison of the selective oxidation kinetics between acrolein and methacrolein on Mo/V/W-mixed oxides. <i>Catalysis Today</i> , 2021 , 363, 85-92 | 5.3 | |
| 97 | Synthesis strategies towards amorphous porous carbons with selective oxygen functionalization for the application as reference material. <i>Carbon</i> , 2021 , 171, 658-670 | 10.4 | 5 |
| 96 | Nanoscale Hybrid Amorphous/Graphitic Carbon as Key Towards Next-Generation Carbon-Based Oxidative Dehydrogenation Catalysts. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 5898-5906 | 16.4 | 18 |
| 95 | Innentitelbild: Nanoskaliger hybrider amorph/graphitischer Kohlenstoff als Schl\u00e4sel zur n\u00edhsten Generation von kohlenstoffbasierten Katalysatoren f\u00e4loxidative Dehydrierungen (Angew. Chem. 11/2021). <i>Angewandte Chemie</i> , 2021 , 133, 5634-5634 | 3.6 | |
| 94 | Understanding the activity transport nexus in water and CO2 electrolysis: State of the art, challenges and perspectives. <i>Chemical Engineering Journal</i> , 2021 , 424, 130501 | 14.7 | 6 |
| 93 | Nanoskaliger hybrider amorph/graphitischer Kohlenstoff als Schl\u00e4sel zur n\u00edhsten Generation von kohlenstoffbasierten Katalysatoren f\u00e4oxidative Dehydrierungen. <i>Angewandte Chemie</i> , 2021 , 133, 5962 | - 3 971 | 2 |
| 92 | Methanol oxidative dehydrogenation and dehydration on carbon nanotubes: active sites and basic reaction kinetics. <i>Catalysis Science and Technology</i> , 2020 , 10, 4952-4959 | 5.5 | 15 |
| 91 | Porous graphite as stationary phase for the chromatographic separation of polymer additives - determination of adsorption capability by Raman spectroscopy and physisorption. <i>Journal of Chromatography A</i> , 2020 , 1625, 461302 | 4.5 | 2 |

(2019-2020)

| 90 | Cathodic activated stainless steel mesh as a highly active electrocatalyst for the oxygen evolution reaction with self-healing possibility. <i>Journal of Energy Chemistry</i> , 2020 , 49, 153-160 | 12 | 23 |
|----|--|------|----|
| 89 | Methanol conversion on borocarbonitride catalysts: Identification and quantification of active sites. <i>Science Advances</i> , 2020 , 6, eaba5778 | 14.3 | 20 |
| 88 | Paper-Based Microfluidics for Electrochemical Applications. <i>ChemElectroChem</i> , 2020 , 7, 10-30 | 4.3 | 24 |
| 87 | Oxygen assisted butanol conversion on bifunctional carbon nanotube catalysts: Activity of oxygen functionalities. <i>Carbon</i> , 2020 , 170, 580-588 | 10.4 | 12 |
| 86 | Probing CO Reduction Pathways for Copper Catalysis Using an Ionic Liquid as a Chemical Trapping Agent. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 18095-18102 | 16.4 | 24 |
| 85 | Investigation of the acrolein oxidation on heteropolyacid catalysts by transient response methods. <i>Catalysis Science and Technology</i> , 2020 , 10, 5231-5244 | 5.5 | 1 |
| 84 | Probing CO2 Reduction Pathways for Copper Catalysis Using an Ionic Liquid as a Chemical Trapping Agent. <i>Angewandte Chemie</i> , 2020 , 132, 18251-18258 | 3.6 | O |
| 83 | Carbon-Methanol Based Adsorption Heat Pumps: Identifying Accessible Parameter Space with Carbide-Derived Carbon Model Materials. <i>Chemical Engineering and Technology</i> , 2020 , 43, 1876-1883 | 2 | 1 |
| 82 | Innenrāktitelbild: Probing CO2 Reduction Pathways for Copper Catalysis Using an Ionic Liquid as a Chemical Trapping Agent (Angew. Chem. 41/2020). <i>Angewandte Chemie</i> , 2020 , 132, 18431-18431 | 3.6 | |
| 81 | Carbide-Derived Niobium Pentoxide with Enhanced Charge Storage Capacity for Use as a Lithium-Ion Battery Electrode. <i>ACS Applied Energy Materials</i> , 2020 , 3, 4275-4285 | 6.1 | 13 |
| 80 | Mechanistic Study on the Selective Oxidation of Acrolein to Acrylic Acid concerning the Role of Water. <i>ChemCatChem</i> , 2020 , 12, 3560-3575 | 5.2 | 1 |
| 79 | Mechanistic Study on the Selective Oxidation of Acrolein to Acrylic Acid: Identification of the Rate-Limiting Step via Perdeuterated Acrolein. <i>ChemCatChem</i> , 2019 , 11, 3242-3252 | 5.2 | 6 |
| 78 | Improving control of carbide-derived carbon microstructure by immobilization of a transition-metal catalyst within the shell of carbide/carbon core-shell structures. <i>Beilstein Journal of Nanotechnology</i> , 2019 , 10, 419-427 | 3 | 5 |
| 77 | Simulative Approach for Linking Electrode and Electrolyte Properties to Supercapacitor Performance. <i>Chemie-Ingenieur-Technik</i> , 2019 , 91, 889-899 | 0.8 | 1 |
| 76 | Insights into the redox kinetics of vanadium substituted heteropoly acids through liquid core waveguide membrane microreactor studies. <i>Chemical Engineering Journal</i> , 2019 , 369, 443-450 | 14.7 | 11 |
| 75 | Investigation of the Phase Equilibria of CO2/CH3OH/H2O and CO2/CH3OH/H2O/H2 Mixtures. <i>Chemical Engineering and Technology</i> , 2019 , 42, 2386-2392 | 2 | |
| 74 | Effect of Ionic Liquid Modification on the ORR Performance and Degradation Mechanism of Trimetallic PtNiMo/C Catalysts. <i>ACS Catalysis</i> , 2019 , 9, 8682-8692 | 13.1 | 35 |
| 73 | Activated Carbon in the Third Dimension-3D Printing of a Tuned Porous Carbon. <i>Advanced Science</i> , 2019 , 6, 1901340 | 13.6 | 13 |

| 72 | Oxidative dehydrogenation on nanocarbon: Effect of heteroatom doping. <i>Applied Catalysis B: Environmental</i> , 2019 , 258, 117982 | 21.8 | 19 |
|----|---|------|----|
| 71 | Paper-based microfluidic aluminum-air batteries: toward next-generation miniaturized power supply. <i>Lab on A Chip</i> , 2019 , 19, 3438-3447 | 7.2 | 31 |
| 70 | Combining autoclave and LCWM reactor studies to shed light on the kinetics of glucose oxidation catalyzed by doped molybdenum-based heteropoly acids <i>RSC Advances</i> , 2019 , 9, 29347-29356 | 3.7 | 6 |
| 69 | Towards best practices for improving paper-based microfluidic fuel cells. <i>Electrochimica Acta</i> , 2019 , 298, 389-399 | 6.7 | 44 |
| 68 | Combined Computational and Experimental Study on the Influence of Surface Chemistry of Carbon-Based Electrodes on ElectrodeElectrolyte Interactions in Supercapacitors. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 2716-2727 | 3.8 | 12 |
| 67 | Highly efficient removal of pharmaceuticals from water by well-defined carbide-derived carbons. <i>Chemical Engineering Journal</i> , 2018 , 347, 595-606 | 14.7 | 27 |
| 66 | Aqueous-phase reforming of alcohols with three carbon atoms on carbon-supported Pt. <i>Catalysis Today</i> , 2018 , 301, 78-89 | 5.3 | 40 |
| 65 | Introducing sulphur surface groups in microporous carbons: A mechanistic study on carbide derived carbons. <i>Catalysis Today</i> , 2018 , 301, 191-195 | 5.3 | 9 |
| 64 | Improved electrochemical performance of Fe-N-C catalysts through ionic liquid modification in alkaline media. <i>Journal of Power Sources</i> , 2018 , 375, 222-232 | 8.9 | 50 |
| 63 | Tuning the Electrocatalytic Performance of Ionic Liquid Modified Pt Catalysts for the Oxygen Reduction Reaction via Cationic Chain Engineering. <i>ACS Catalysis</i> , 2018 , 8, 8244-8254 | 13.1 | 53 |
| 62 | Trendbericht Technische Chemie. <i>Nachrichten Aus Der Chemie</i> , 2018 , 66, 489-495 | 0.1 | 2 |
| 61 | Preparation of hollow mesoporous carbon spheres and their performances for electrochemical applications. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018 , 316, 012018 | 0.4 | O |
| 60 | An Optical Microreactor Enabling In Situ Spectroscopy Combined with Fast Gas-Liquid Mass Transfer. <i>Chemie-Ingenieur-Technik</i> , 2018 , 90, 1855-1863 | 0.8 | 7 |
| 59 | Stable Immobilization of Size-Controlled Bimetallic Nanoparticles in Photonic Crystal Fiber Microreactor. <i>Chemie-Ingenieur-Technik</i> , 2018 , 90, 653-659 | 0.8 | 7 |
| 58 | Exploring the role of the catalytic support sorption capacity on the hydrodechlorination kinetics by the use of carbide-derived carbons. <i>Applied Catalysis B: Environmental</i> , 2017 , 203, 591-598 | 21.8 | 15 |
| 57 | Photochemistry in a soft-glass single-ring hollow-core photonic crystal fibre. <i>Analyst, The</i> , 2017 , 142, 925-929 | 5 | 21 |
| 56 | Controlled synthesis of core-shell carbide-derived carbons through in situ generated chlorine. <i>Carbon</i> , 2017 , 115, 422-429 | 10.4 | 13 |
| 55 | Carbon structure in nanodiamonds elucidated from Raman spectroscopy. <i>Carbon</i> , 2017 , 121, 322-329 | 10.4 | 65 |

| 54 | Dynamics of Bulk Oxygen in the Selective Oxidation of Acrolein. ChemCatChem, 2017, 9, 2390-2398 | 5.2 | 9 |
|----|---|-----------------|----|
| 53 | Molecular Modeling of Microporous Structures of Carbide-Derived Carbon-Based Supercapacitors. Journal of Physical Chemistry C, 2017 , 121, 7221-7231 | 3.8 | 14 |
| 52 | Characterization of VMoW Mixed Oxide Catalyst Surface Species by51V Solid-State Dynamic Nuclear Polarization NMR. <i>Journal of Physical Chemistry C</i> , 2017 , 121, 20857-20864 | 3.8 | 9 |
| 51 | Activity Hysteresis during Cyclic Temperature-Programmed Reactions in the Partial Oxidation of Acrolein to Acrylic Acid. <i>Chemical Engineering and Technology</i> , 2017 , 40, 2084-2095 | 2 | 7 |
| 50 | Modifier-Free Microfluidic Electrochemical Sensor for Heavy-Metal Detection. ACS Omega, 2017, 2, 4593 | 33,49603 | 48 |
| 49 | Heterogeneously Catalyzed Hydrogenation of Supercritical CO2 to Methanol. <i>Chemical Engineering and Technology</i> , 2017 , 40, 1907-1915 | 2 | 5 |
| 48 | Carbide-derived carbon with hollow core structure and its performance as catalyst support for methanol electro-oxidation. <i>Electrochemistry Communications</i> , 2017 , 82, 12-15 | 5.1 | 17 |
| 47 | Polymer-based spherical activated carbon as catalytic support for hydrodechlorination reactions. <i>Applied Catalysis B: Environmental</i> , 2017 , 218, 498-505 | 21.8 | 21 |
| 46 | Controlled synthesis of PVP-based carbon-supported Ru nanoparticles: synthesis approaches, characterization, capping agent removal and catalytic behavior. <i>Catalysis Science and Technology</i> , 2016 , 6, 8490-8504 | 5.5 | 11 |
| 45 | Vanadium pentoxide/carbide-derived carbon coreBhell hybrid particles for high performance electrochemical energy storage. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 18899-18909 | 13 | 27 |
| 44 | Ionic liquids in electrocatalysis. <i>Journal of Energy Chemistry</i> , 2016 , 25, 199-207 | 12 | 66 |
| 43 | Size-controlled PtNi nanoparticles as highly efficient catalyst for hydrodechlorination reactions. <i>Applied Catalysis B: Environmental</i> , 2016 , 192, 1-7 | 21.8 | 36 |
| 42 | Deducing kinetic constants for the hydrodechlorination of 4-chlorophenol using high adsorption capacity catalysts. <i>Chemical Engineering Journal</i> , 2016 , 285, 228-235 | 14.7 | 34 |
| 41 | Accelerating Oxygen-Reduction Catalysts through Preventing Poisoning with Non-Reactive Species by Using Hydrophobic Ionic Liquids. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 2257-61 | 16.4 | 85 |
| 40 | Thermal and Electrical Conductivity of Amorphous and Graphitized Carbide-Derived Carbon Monoliths. <i>Chemical Engineering and Technology</i> , 2016 , 39, 1121-1129 | 2 | 11 |
| 39 | Adsorption of Nickel Ions on Oxygen-Functionalized Carbons. <i>Chemical Engineering and Technology</i> , 2016 , 39, 715-722 | 2 | 6 |
| 38 | AktivitEssteigerung von Sauerstoffreduktionskatalysatoren durch UnterdrEkung der Katalysatorvergiftung mittels hydrophober ionischer FlBsigkeiten. <i>Angewandte Chemie</i> , 2016 , 128, 2298 | - <u>3</u> 2302 | 5 |
| 37 | Polymer-Based Spherical Activated Carbon as Easy-to-Handle Catalyst Support for Hydrogenation Reactions. <i>Chemical Engineering and Technology</i> , 2016 , 39, 276-284 | 2 | 17 |

| 36 | InnenrEktitelbild: AktivitEssteigerung von Sauerstoffreduktionskatalysatoren durch UnterdrEkung der Katalysatorvergiftung mittels hydrophober ionischer FlEsigkeiten (Angew. Chem. 6/2016). <i>Angewandte Chemie</i> , 2016 , 128, 2315-2315 | 3.6 | |
|----|---|------|-----|
| 35 | Improved synthesis and hydrothermal stability of Pt/C catalysts based on size-controlled nanoparticles. <i>Catalysis Science and Technology</i> , 2016 , 6, 5196-5206 | 5.5 | 20 |
| 34 | Boosting the Activity in Supported Ionic Liquid-Phase-Catalyzed Hydroformylation via Surface Functionalization of the Carbon Support. <i>ACS Catalysis</i> , 2016 , 6, 2280-2286 | 13.1 | 21 |
| 33 | Producing high quality carbide-derived carbon from low quality byproducts stemming from SiC production. <i>Chemical Engineering Journal</i> , 2016 , 283, 676-681 | 14.7 | 10 |
| 32 | Mesoporous and Graphitic Carbide-Derived Carbons as Selective and Stable Catalysts for the Dehydrogenation Reaction. <i>Chemistry of Materials</i> , 2015 , 27, 5719-5725 | 9.6 | 47 |
| 31 | Synthesis of carbon coreBhell pore structures and their performance as supercapacitors. Microporous and Mesoporous Materials, 2015, 218, 130-136 | 5.3 | 32 |
| 30 | Determination of vapor pressure and thermal decomposition using thermogravimetrical analysis. <i>Thermochimica Acta</i> , 2015 , 622, 9-17 | 2.9 | 22 |
| 29 | Preparation of carbide-derived carbon supported platinum catalysts. <i>Catalysis Today</i> , 2015 , 249, 30-37 | 5.3 | 20 |
| 28 | A feasible way to remove the heat during adsorptive methane storage. <i>Environmental Science & Environmental Science</i> | 10.3 | 4 |
| 27 | Boosting performance of low temperature fuel cell catalysts by subtle ionic liquid modification. <i>ACS Applied Materials & Discrete Section</i> (1988) ACS Applied Materials & Discrete Section (1988) Boosting Provided Materials & Discrete Section (1988) Boosting (1988) Boosting Provided Materials & Discrete Section (1988) | 9.5 | 65 |
| 26 | Layer-by-Layer Oxidation for Decreasing the Size of Detonation Nanodiamond. <i>Chemistry of Materials</i> , 2014 , 26, 3479-3484 | 9.6 | 37 |
| 25 | Comparing Different Synthesis Procedures for Carbide-Derived Carbon-Based Structured Catalyst Supports. <i>Chemical Engineering and Technology</i> , 2014 , 37, 453-461 | 2 | 7 |
| 24 | Aqueous-phase reforming of xylitol over Pt/C and Pt/TiC-CDC catalysts: catalyst characterization and catalytic performance. <i>Catalysis Science and Technology</i> , 2014 , 4, 387-401 | 5.5 | 44 |
| 23 | An advanced method to manufacture hierarchically structured carbide-derived carbon monoliths. <i>Carbon</i> , 2014 , 70, 30-37 | 10.4 | 15 |
| 22 | In Situ Heterogeneous Catalysis Monitoring in a Hollow-Core Photonic Crystal Fiber Microflow Reactor. <i>Advanced Materials Interfaces</i> , 2014 , 1, 1300093 | 4.6 | 9 |
| 21 | High selectivity of TiC-CDC for CO2/N2 separation. <i>Carbon</i> , 2013 , 59, 221-228 | 10.4 | 54 |
| 20 | Photonic crystal fibres for chemical sensing and photochemistry. <i>Chemical Society Reviews</i> , 2013 , 42, 8629-48 | 58.5 | 181 |
| 19 | Chemical and (Photo)-Catalytical Transformations in Photonic Crystal Fibers. <i>ChemCatChem</i> , 2013 , 5, 641-650 | 5.2 | 19 |

(2007-2012)

| 18 | Titanium carbide-derived carbon as a novel support for platinum catalysts in direct methanol fuel cell application. <i>Journal of Power Sources</i> , 2012 , 199, 22-28 | 8.9 | 45 |
|----|--|------|-----|
| 17 | Ultra-low concentration monitoring of catalytic reactions in photonic crystal fiber. <i>Chemistry - A European Journal</i> , 2012 , 18, 1586-90 | 4.8 | 20 |
| 16 | Recommendations for the Production of Silicon Carbide-derived Carbon Based on Intrinsic Kinetic Data. <i>Chemical Engineering and Technology</i> , 2012 , 35, 1495-1503 | 2 | 5 |
| 15 | Process specific catalyst supportsBelective electron beam melted cellular metal structures coated with microporous carbon. <i>Chemical Engineering Journal</i> , 2012 , 181-182, 725-733 | 14.7 | 26 |
| 14 | Shrinking core like fluid solid reactions dispersion model accounting for fluid phase volume change and solid phase particle size distributions. <i>Chemical Engineering Science</i> , 2012 , 69, 492-502 | 4.4 | 26 |
| 13 | Analysis of evaporation and thermal decomposition of ionic liquids by thermogravimetrical analysis at ambient pressure and high vacuum. <i>Green Chemistry</i> , 2011 , 13, 1453 | 10 | 109 |
| 12 | Covalent incorporation of aminated nanodiamond into an epoxy polymer network. <i>ACS Nano</i> , 2011 , 5, 7494-502 | 16.7 | 221 |
| 11 | In-situ thermal activation of carbide-derived carbon. <i>Carbon</i> , 2011 , 49, 3679-3686 | 10.4 | 33 |
| 10 | Fast production of monolithic carbide-derived carbons with secondary porosity produced by chlorination of carbides containing a free metal phase. <i>Carbon</i> , 2011 , 49, 4359-4367 | 10.4 | 24 |
| 9 | An improved method to measure the rate of vaporisation and thermal decomposition of high boiling organic and ionic liquids by thermogravimetrical analysis. <i>Physical Chemistry Chemical Physics</i> , 2010 , 12, 12089-100 | 3.6 | 88 |
| 8 | Chlorination of titanium carbide for the processing of nanoporous carbon: A kinetic study. <i>Chemical Engineering Journal</i> , 2010 , 159, 236-241 | 14.7 | 47 |
| 7 | Synthesis of Microporous Carbon Foams as Catalyst Supports. <i>Chemical Engineering and Technology</i> , 2010 , 33, NA-NA | 2 | 5 |
| 6 | Vapor Pressure of Water in Mixtures with Hydrophilic Ionic Liquids IA Contribution to the Design of Processes for Drying of Gases by Absorption in Ionic Liquids. <i>Chemical Engineering and Technology</i> , 2010 , 33, 1625-1634 | 2 | 37 |
| 5 | Kinetic Study of the Asymmetric Hydrogenation of Methyl Acetoacetate in the Presence of a Ruthenium Binaphthophosphepine Complex. <i>Advanced Synthesis and Catalysis</i> , 2009 , 351, 235-245 | 5.6 | 9 |
| 4 | Epimerisation of menthol stereoisomers: Kinetic studies of the heterogeneously catalysed menthol production. <i>Catalysis Today</i> , 2009 , 140, 30-36 | 5.3 | 17 |
| 3 | Heterogeneously Catalyzed Epimerization of Menthol Stereoisomers IAn Instructive Example to Account for Diffusion Limitations in Complex Reaction Networks. <i>Chemical Engineering and Technology</i> , 2008 , 31, 1282-1289 | 2 | 3 |
| 2 | Verbesserung der Selektivit fester Katalysatoren durch die Beschichtung mit ionischen Flßsigkeiten Untersuchungen am Beispiel der Hydrierung von Cyclooctadien. <i>Chemie-Ingenieur-Technik</i> , 2007 , 79, 807-819 | 0.8 | 8 |
| 1 | Solid Catalyst with Ionic Liquid Layer (SCILL) [A New Concept to Improve Selectivity Illustrated by Hydrogenation of Cyclooctadiene. <i>Chemical Engineering and Technology</i> , 2007 , 30, 985-994 | 2 | 179 |