

Koki Mise

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7322538/publications.pdf>

Version: 2024-02-01

76
papers

1,349
citations

394286

19
h-index

395590

33
g-index

76
all docs

76
docs citations

76
times ranked

1761
citing authors

#	ARTICLE	IF	CITATIONS
1	Development of Urinary Diagnostic Biomarker for IgA Nephropathy by Lectin Microarray. American Journal of Nephrology, 2022, 53, 10-20.	1.4	1
2	Analysis of inflammatory cytokines and estimated glomerular filtration rate decline in Japanese patients with diabetic kidney disease: a pilot study. Biomarkers in Medicine, 2022, . .	0.6	0
3	Novel urinary glycan profiling by lectin array serves as the biomarkers for predicting renal prognosis in patients with IgA nephropathy. Scientific Reports, 2021, 11, 3394.	1.6	9
4	Novel Urinary Glycan Biomarkers Predict Cardiovascular Events in Patients With Type 2 Diabetes: A Multicenter Prospective Study With 5-Year Follow Up (U-CARE Study 2). Frontiers in Cardiovascular Medicine, 2021, 8, 668059.	1.1	3
5	PGC1 α is required for the renoprotective effect of lncRNA Tug1 in vivo and links Tug1 with urea cycle metabolites. Cell Reports, 2021, 36, 109510.	2.9	13
6	Mitochondrial Regulation of Diabetic Kidney Disease. Frontiers in Medicine, 2021, 8, 745279.	1.2	15
7	Nondiabetic Renal Disease (NDRD) and Diabetic Kidney Disease (DKD)., 2021, , 159-171.		0
8	Shaping Up Mitochondria in Diabetic Nephropathy. Kidney360, 2020, 1, 982-992.	0.9	20
9	Role for carbohydrate response element-binding protein (ChREBP) in high glucose-mediated repression of long noncoding RNA Tug1. Journal of Biological Chemistry, 2020, 295, 15840-15852.	1.6	14
10	Podocyte autophagy is associated with foot process effacement and proteinuria in patients with minimal change nephrotic syndrome. PLoS ONE, 2020, 15, e0228337.	1.1	20
11	Conditions, pathogenesis, and progression of diabetic kidney disease and early decliner in Japan. BMJ Open Diabetes Research and Care, 2020, 8, e000902.	1.2	31
12	Clinicopathological predictors for progression of chronic kidney disease in nephrosclerosis: a biopsy-based cohort study. Nephrology Dialysis Transplantation, 2019, 34, 1182-1188.	0.4	22
13	Urine 5MedC, a Marker of DNA Methylation, in the Progression of Chronic Kidney Disease. Disease Markers, 2019, 2019, 1-10.	0.6	11
14	Gut microbiome-derived phenyl sulfate contributes to albuminuria in diabetic kidney disease. Nature Communications, 2019, 10, 1835.	5.8	173
15	Nonproteinuric Versus Proteinuric Phenotypes in Diabetic Kidney Disease: A Propensity Score-Matched Analysis of a Nationwide, Biopsy-Based Cohort Study. Diabetes Care, 2019, 42, 891-902.	4.3	77
16	Amplified Association Between Blood Pressure and Albuminuria in Overweight Patients With Biopsy-Proven Hypertensive Nephrosclerosis. American Journal of Hypertension, 2019, 32, 486-491.	1.0	2
17	V. Biomarkers for Predicting Development and Progression of DKD. The Journal of the Japanese Society of Internal Medicine, 2019, 108, 928-936.	0.0	0
18	The 2018 Incentive Award of the Okayama Medical Association in General Medical Science (2018 Yuuki) Tj ETQq0 0.0 rgBT /Qoverlock 10	0.0	0

#	ARTICLE	IF	CITATIONS
19	A Patient with Type 3 Autoimmune Polyglandular Syndrome who Developed Systemic Lupus Erythematosus 8 years after the Diagnosis of Autoimmune Hepatitis. <i>Acta Medica Okayama</i> , 2019, 73, 367-372.	0.1	1
20	Cryoglobulinemic vasculitis with primary Sjögren's syndrome: A case report. <i>Modern Rheumatology</i> , 2018, 28, 570-574.	0.9	4
21	Anti-RNA polymerase III antibody-associated scleroderma renal crisis in a patient with limited cutaneous systemic sclerosis: A case report. <i>Modern Rheumatology</i> , 2018, 28, 369-372.	0.9	6
22	TAFRO syndrome with refractory thrombocytopenia responding to tocilizumab and romiplostim: a case report. <i>CEN Case Reports</i> , 2018, 7, 162-168.	0.5	18
23	Nationwide multicentre kidney biopsy study of Japanese patients with type 2 diabetes. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 138-148.	0.4	62
24	Clinicopathological analysis of biopsy-proven diabetic nephropathy based on the Japanese classification of diabetic nephropathy. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 570-582.	0.7	28
25	Clinical and pathological features of anti-neutrophil cytoplasmic antibody-associated vasculitis in patients with minor urinary abnormalities. <i>Nephrology</i> , 2018, 23, 1007-1012.	0.7	7
26	Nationwide multicenter kidney biopsy study of Japanese patients with hypertensive nephrosclerosis. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 629-637.	0.7	14
27	Cyst infection in autosomal dominant polycystic kidney disease: penetration of meropenem into infected cysts. <i>BMC Nephrology</i> , 2018, 19, 272.	0.8	16
28	Urine Trefoil Factors as Prognostic Biomarkers in Chronic Kidney Disease. <i>BioMed Research International</i> , 2018, 2018, 1-11.	0.9	14
29	Renal expression of trefoil factor 3 mRNA in association with tubulointerstitial fibrosis in IgA nephropathy. <i>Nephrology</i> , 2018, 23, 855-862.	0.7	19
30	Identification of Novel Urinary Biomarkers for Predicting Renal Prognosis in Patients With Type 2 Diabetes by Glycan Profiling in a Multicenter Prospective Cohort Study: U-CARE Study 1. <i>Diabetes Care</i> , 2018, 41, 1765-1775.	4.3	13
31	A new pathological scoring system by the Japanese classification to predict renal outcome in diabetic nephropathy. <i>PLoS ONE</i> , 2018, 13, e0190923.	1.1	24
32	Value of adding the renal pathological score to the kidney failure risk equation in advanced diabetic nephropathy. <i>PLoS ONE</i> , 2018, 13, e0190930.	1.1	18
33	Clinical and histological features of antineutrophil cytoplasmic antibody-associated vasculitis related to antithyroid drugs. <i>Clinical Nephrology</i> , 2018, 89, 438-444.	0.4	8
34	Prediction of hepatic cyst recurrence after minocycline hydrochloride aspiration sclerotherapy using cyst computed tomography values. <i>Hepatology Research</i> , 2017, 47, 419-424.	1.8	6
35	A clinical staging score to measure the severity of dialysis-related amyloidosis. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 300-306.	0.7	7
36	Nodular lesions in diabetic nephropathy: Collagen staining and renal prognosis. <i>Diabetes Research and Clinical Practice</i> , 2017, 127, 187-197.	1.1	22

#	ARTICLE	IF	CITATIONS
37	Arterial Stiffness is an Independent Risk Factor for Anemia After Percutaneous Native Kidney Biopsy. <i>Kidney and Blood Pressure Research</i> , 2017, 42, 284-293.	0.9	11
38	Paratubular basement membrane insudative lesions predict renal prognosis in patients with type 2 diabetes and biopsy-proven diabetic nephropathy. <i>PLoS ONE</i> , 2017, 12, e0183190.	1.1	14
39	Phospholipase A2 Receptor-Positive Idiopathic Membranous Glomerulonephritis with Onset at 95 Years: Case Report. <i>Case Reports in Nephrology and Dialysis</i> , 2016, 6, 76-82.	0.3	2
40	Effect of Proteinuria and Glomerular Filtration Rate on Renal Outcome in Patients with Biopsy-Proven Benign Nephrosclerosis. <i>PLoS ONE</i> , 2016, 11, e0147690.	1.1	8
41	Five Sequential Evaluations of Renal Histology in a Patient with Light Chain Deposition Disease. <i>Internal Medicine</i> , 2016, 55, 2993-2999.	0.3	3
42	AA-negative and Kappa-positive Amyloidosis in a Patient with Rheumatoid Arthritis. <i>Internal Medicine</i> , 2016, 55, 2491-2495.	0.3	2
43	Clinicopathological analysis of allogeneic hematopoietic stem cell transplantation-related membranous glomerulonephritis. <i>Human Pathology</i> , 2016, 50, 187-194.	1.1	17
44	Daughter and mother with orofacioidigital syndrome type 1 and glomerulocystic kidney disease. <i>Human Pathology</i> , 2016, 55, 24-29.	1.1	2
45	Ursodeoxycholic Acid for Treatment of Enlarged Polycystic Liver. <i>Therapeutic Apheresis and Dialysis</i> , 2016, 20, 73-78.	0.4	11
46	Suitability of Patients with Autosomal Dominant Polycystic Kidney Disease for Renal Transcatheter Arterial Embolization. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 2177-2187.	3.0	24
47	Prognostic Value of Tubulointerstitial Lesions, Urinary N-Acetyl- β -D-Glucosaminidase, and Urinary β 2-Microglobulin in Patients with Type 2 Diabetes and Biopsy-Proven Diabetic Nephropathy. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 593-601.	2.2	93
48	Kidney transplantation for a patient with refractory childhood-onset ANCA-associated vasculitis. <i>Modern Rheumatology</i> , 2016, 26, 307-309.	0.9	3
49	Successful treatment with humanized anti-interleukin-6 receptor antibody (tocilizumab) in a case of AA amyloidosis complicated by familial Mediterranean fever. <i>Modern Rheumatology</i> , 2016, 26, 610-613.	0.9	27
50	Hepatocellular Carcinoma in a Patient with Polycystic Liver Disease. <i>Internal Medicine</i> , 2015, 54, 1891-1896.	0.3	3
51	Tocilizumab for AA Amyloidosis after Treatment of Multicentric Castleman Disease with Steroids, Chemotherapy and Rituximab for Over 20 Years. <i>Internal Medicine</i> , 2015, 54, 3215-3219.	0.3	9
52	IgG4-related Disease: A Mass Lesion in the Intrarenal Sinus near the Renal Pelvis. <i>Internal Medicine</i> , 2015, 54, 1897-1900.	0.3	7
53	Peritoneal Dialysis is Limited by Kidney and Liver Volume in Autosomal Dominant Polycystic Kidney Disease. <i>Therapeutic Apheresis and Dialysis</i> , 2015, 19, 207-211.	0.4	10
54	Destructive Spondyloarthropathy in Patients on Long-Term Peritoneal Dialysis or Hemodialysis. <i>Therapeutic Apheresis and Dialysis</i> , 2015, 19, 393-398.	0.4	12

#	ARTICLE	IF	CITATIONS
55	Two Types of Renovascular Lesions in Lupus Nephritis with Clinical Thrombotic Thrombocytopenic Purpura. <i>Case Reports in Nephrology and Dialysis</i> , 2015, 5, 192-199.	0.3	7
56	Clinical and pathological predictors of estimated GFR decline in patients with type 2 diabetes and overt proteinuric diabetic nephropathy. <i>Diabetes/Metabolism Research and Reviews</i> , 2015, 31, 572-581.	1.7	50
57	Survival after arterial embolization therapy in patients with polycystic kidney and liver disease. <i>Journal of Nephrology</i> , 2015, 28, 369-377.	0.9	11
58	Characteristics of Intravascular Large B-Cell Lymphoma Limited to the Glomerular Capillaries: A Case Report. <i>Case Reports in Nephrology and Dialysis</i> , 2015, 5, 173-179.	0.3	8
59	Denosumab for Low Bone Mass in Hemodialysis Patients: A Noncontrolled Trial. <i>American Journal of Kidney Diseases</i> , 2015, 66, 175-177.	2.1	39
60	A Pathological Scoring System to Predict Renal Outcome in Diabetic Nephropathy. <i>American Journal of Nephrology</i> , 2015, 41, 337-344.	1.4	41
61	Sleep-Disordered Breathing in Patients with Polycystic Liver and Kidney Disease Referred for Transcatheter Arterial Embolization. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 949-956.	2.2	3
62	ANCA-Associated Vasculitis in a Patient with Systemic Sclerosis and Sjögren's Syndrome: A Case Report. <i>Case Reports in Nephrology and Dialysis</i> , 2015, 5, 113-117.	0.3	7
63	Umbilical hernia in autosomal dominant polycystic kidney disease. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 154-156.	0.7	3
64	Significance of Small Renal Artery Lesions in Patients with Antineutrophil Cytoplasmic Antibody-associated Glomerulonephritis. <i>Journal of Rheumatology</i> , 2014, 41, 1140-1146.	1.0	13
65	Clinical implications of linear immunofluorescent staining for immunoglobulin G in patients with diabetic nephropathy. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, 522-530.	1.1	20
66	Renal prognosis a long time after renal biopsy on patients with diabetic nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 109-118.	0.4	78
67	Hemodialysis without Anticoagulation for a Patient with Chronic Disseminated Intravascular Coagulation. <i>Case Reports in Nephrology and Dialysis</i> , 2014, 4, 25-30.	0.3	1
68	Adynamic bone disease: a 14-year case report. <i>Kidney International</i> , 2014, 85, 217.	2.6	1
69	Intravascular Embolization Therapy in Patients With Enlarged Polycystic Liver. <i>American Journal of Kidney Diseases</i> , 2014, 63, 937-944.	2.1	37
70	IgG4-Related Disease and Malignant Tumor. , 2014, , 219-224.		0
71	Quality of life of patients with ADPKD—TORONTO PKD QOL study: cross-sectional study. <i>BMC Nephrology</i> , 2013, 14, 179.	0.8	43
72	Long term follow up of congenital thrombotic thrombocytopenic purpura (Upshaw-Schulman) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62	0.8	14

#	ARTICLE	IF	CITATIONS
73	Variegate porphyria complicated by systemic AA amyloidosis: a case report. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2013, 20, 272-274.	1.4	1
74	Cushing's Syndrome after Hemodialysis for 21 Years. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 13-19.	1.8	5
75	Castleman's Disease Accompanied by Hypolipidemic Cerebral Hemorrhage and Nephrosclerosis. <i>Internal Medicine</i> , 2013, 52, 1611-1616.	0.3	4
76	Osteomalacia and Insufficiency Fracture in a Hemodialysis Patient with Autosomal Dominant Polycystic Kidney Disease. <i>Internal Medicine</i> , 2012, 51, 3277-3280.	0.3	7