

# Shosuke Satake

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7324685/publications.pdf>

Version: 2024-02-01

27  
papers

4,494  
citations

566801

15  
h-index

552369

26  
g-index

28  
all docs

28  
docs citations

28  
times ranked

4836  
citing authors

#	ARTICLE	IF	CITATIONS
1	Sarcopenia in Asia: Consensus Report of the Asian Working Group for Sarcopenia. Journal of the American Medical Directors Association, 2014, 15, 95-101.	1.2	3,035
2	Validity of the <sc>K</sc>ihon Checklist for assessing frailty status. Geriatrics and Gerontology International, 2016, 16, 709-715.	0.7	414
3	English translation of the <sc>K</sc>ihon <sc>C</sc>hecklist. Geriatrics and Gerontology International, 2015, 15, 518-519.	0.7	233
4	Prevalence of frailty among community-dwellers and outpatients in Japan as defined by the Japanese version of the Cardiovascular Health Study criteria. Geriatrics and Gerontology International, 2017, 17, 2629-2634.	0.7	174
5	The revised Japanese version of the Cardiovascular Health Study criteria (revised <sc>J&C</sc>HS</sc>). Tj ETQq1 1 0,784314 rgBT /Ovelde F66	0.7	166
6	Validity of Total Kihon Checklist Score for Predicting the Incidence of 3-Year Dependency and Mortality in a Community-Dwelling Older Population. Journal of the American Medical Directors Association, 2017, 18, 552.e1-552.e6.	1.2	125
7	Chapter 1 Frailty: Definition, diagnosis, epidemiology. Geriatrics and Gerontology International, 2020, 20, 7-13.	0.7	46
8	Association of Glucose Fluctuations with Sarcopenia in Older Adults with Type 2 Diabetes Mellitus. Journal of Clinical Medicine, 2019, 8, 319.	1.0	43
9	Frailty prevalence using Frailty Index, associated factors and level of agreement among frailty tools in a cohort of Japanese older adults. Archives of Gerontology and Geriatrics, 2019, 84, 103908.	1.4	32
10	Osteosarcopenia, the co-existence of osteoporosis and sarcopenia, is associated with social frailty in older adults. Aging Clinical and Experimental Research, 2022, 34, 535-543.	1.4	31
11	Postprandial Hyperglycemia Is Associated With White Matter Hyperintensity and Brain Atrophy in Older Patients With Type 2 Diabetes Mellitus. Frontiers in Aging Neuroscience, 2018, 10, 273.	1.7	29
12	A 3-year prospective cohort study of dietary patterns and frailty risk among community-dwelling older adults. Clinical Nutrition, 2021, 40, 229-236.	2.3	28
13	Questionnaire for medical checkup of old&old (<sc>QMCOO</sc>). Geriatrics and Gerontology International, 2020, 20, 991-992.	0.7	26
14	Diagnostic accuracy of sarcopenia by &œpossible sarcopenia&œ-premiered by the Asian Working Group for Sarcopenia 2019 definition. Archives of Gerontology and Geriatrics, 2021, 97, 104484.	1.4	16
15	Implications of frailty screening in clinical practice. Current Opinion in Clinical Nutrition and Metabolic Care, 2017, 20, 4-10.	1.3	15
16	More Active Participation in Voluntary Exercise of Older Users of Information and Communicative Technology even during the COVID-19 Pandemic, Independent of Frailty Status. Journal of Nutrition, Health and Aging, 2021, 25, 516-519.	1.5	12
17	Association between Sarcopenia and Fall Risk According to the Muscle Mass Adjustment Method in Japanese Older Outpatients. Journal of Nutrition, Health and Aging, 2021, 25, 762-766.	1.5	10
18	Management of frailty under COVID-19 pandemic in Japan. Global Health & Medicine, 2021, 3, 196-202.	0.6	10

#	ARTICLE	IF	CITATIONS
19	PREDICTIVE ABILITY OF SEVEN DOMAINS OF THE KIHON CHECKLIST FOR INCIDENT DEPENDENCY AND MORTALITY. <i>Journal of Frailty &amp; Aging</i> , 2019, 8, 1-3.	0.8	9
20	Microvascular complications and frailty can predict adverse outcomes in older patients with diabetes. <i>Geriatrics and Gerontology International</i> , 2021, 21, 359-363.	0.7	8
21	Quantifying Muscle Mass by Adjusting for Body Mass Index Is the Best for Discriminating Low Strength and Function in Japanese Older Outpatients. <i>Journal of Nutrition, Health and Aging</i> , 2021, 25, 501-506.	1.5	7
22	Predictive validity of the modified Kihon Checklist for the incidence of functional disability among older people: A 3-year cohort study from the JAGES. <i>Geriatrics and Gerontology International</i> , 2022, 22, 667-674.	0.7	7
23	Association between osteosarcopenia and cognitive frailty in older outpatients visiting a frailty clinic. <i>Archives of Gerontology and Geriatrics</i> , 2022, 98, 104530.	1.4	6
24	A non-interventional cross-sectional re-contact study investigating the relationship between overactive bladder and frailty in older adults in Japan. <i>BMC Geriatrics</i> , 2022, 22, 68.	1.1	6
25	Physical domain of the Kihon Checklist: A possible surrogate for physical function tests. <i>Geriatrics and Gerontology International</i> , 2020, 20, 644-646.	0.7	5
26	Relationship between Frailty and Insufficient Nutrient Intake in Older Outpatients at a Frailty Clinic. <i>Nihon Eiyō-Shokuryō-Gakkai Shi = Nippon Eiyō-Shokuryō-Gakkaishi = Journal of Japanese Society of Nutrition and Food Science</i> , 2019, 72, 221-229.	0.2	1
27	Proposal for revising the nutrition intervention standards on the Kihon Checklist. <i>Geriatrics and Gerontology International</i> , 2020, 20, 731-732.	0.7	0