Benjamin Hennart

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7325388/publications.pdf

Version: 2024-02-01

17	532	12	17
papers	citations	h-index	g-index
17	17	17	1257 citing authors
all docs	docs citations	times ranked	

#	Article	IF	CITATIONS
1	The kynurenine pathway is activated in human obesity and shifted toward kynurenine monooxygenase activation. Obesity, 2015, 23, 2066-2074.	3.0	196
2	Tryptophan metabolism activation by indoleamine 2,3-dioxygenase in adipose tissue of obese women: an attempt to maintain immune homeostasis and vascular tone. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2012, 303, R135-R143.	1.8	95
3	Tryptophan catabolism in Pseudomonas aeruginosa and potential for inter-kingdom relationship. BMC Microbiology, 2016, 16, 137.	3.3	49
4	Metabolites of tryptophan catabolism are elevated in sera of patients with myelodysplastic syndromes and inhibit hematopoietic progenitor amplification. Leukemia Research, 2013, 37, 573-579.	0.8	29
5	Assessment of tobacco, alcohol and cannabinoid metabolites in 645 meconium samples of newborns compared to maternal self-reports. Journal of Psychiatric Research, 2017, 90, 86-93.	3.1	29
6	Identification of a Variable Number of Tandem Repeats Polymorphism and Characterization of LEF-1 Response Elements in the Promoter of the IDO1 Gene. PLoS ONE, 2011, 6, e25470.	2.5	25
7	Post-Bariatric Surgery Changes in Quinolinic and Xanthurenic Acid Concentrations Are Associated with Glucose Homeostasis. PLoS ONE, 2016, 11, e0158051.	2.5	21
8	TRAnexamic acid in hemorrhagic CESarean section (TRACES) randomized placebo controlled dose-ranging pharmacobiological ancillary trial: study protocol for a randomized controlled trial. Trials, 2018, 19, 149.	1.6	16
9	Risk factors associated to tobacco and alcohol use in a large French cohort of pregnant women. Archives of Women's Mental Health, 2019, 22, 267-277.	2.6	14
10	Induction of TDO2 and IDO2 in Liver by High-Fat Feeding in Mice: Discrepancies with Human Obesity. International Journal of Tryptophan Research, 2013, 6s1, IJTR.S11717.	2.3	13
11	Systemic immune changes associated with adjuvant interferon-α2b-therapy in stage III melanoma patients. Melanoma Research, 2015, 25, 357-361.	1.2	13
12	Therapeutic and pharmaco-biological, dose-ranging multicentre trial to determine the optimal dose of TRAnexamic acid to reduce blood loss in haemorrhagic CESarean delivery (TRACES): study protocol for a randomised, double-blind, placebo-controlled trial. Trials, 2018, 19, 148.	1.6	13
13	Clinical Relevance of Serum Kyn/Trp Ratio and Basal and IFNÎ ³ -Upregulated IDO1 Expression in Peripheral Monocytes in Early Stage Melanoma. Frontiers in Immunology, 2021, 12, 736498.	4.8	8
14	Pharmacokinetics of Curative Tranexamic Acid in Parturients Undergoing Cesarean Delivery. Pharmaceutics, 2022, 14, 578.	4.5	5
15	Development and validation of a GC-MS/MS method for the determination of ethylglucuronide in human urine and serum. Toxicologie Analytique Et Clinique, 2011, 23, 183-191.	0.1	3
16	Metabolomic alteration induced by psychotropic drugs: Shortâ€ŧerm metabolite profile as a predictor of weight gain evolution. Clinical and Translational Science, 2021, 14, 2544-2555.	3.1	2
17	Using unusual drug-drug interactions to maximize voriconazole treatment efficacy. Médecine Et Maladies Infectieuses, 2019, 49, 555-557.	5. 0	1