

Adrian C Newton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7325908/publications.pdf>

Version: 2024-02-01

149
papers

7,376
citations

87843

38
h-index

64755

79
g-index

153
all docs

153
docs citations

153
times ranked

9123
citing authors

#	ARTICLE	IF	CITATIONS
1	Inconsistent detection of extinction debts using different methods. <i>Ecography</i> , 2021, 44, 33-43.	2.1	10
2	Facilitation and biodiversity–ecosystem function relationships in crop production systems and their role in sustainable farming. <i>Journal of Ecology</i> , 2021, 109, 2054-2067.	1.9	58
3	Using seed respiration as a tool for calculating optimal soaking times for “on-farm” seed priming of barley (<i>Hordeum vulgare</i>). <i>Seed Science Research</i> , 2021, 31, 116-124.	0.8	6
4	Grain Yield Stability of Cereal-Legume Intercrops Is Greater Than Sole Crops in More Productive Conditions. <i>Agriculture (Switzerland)</i> , 2021, 11, 255.	1.4	31
5	The rise, fall and resurrection of chemical-induced resistance agents. <i>Pest Management Science</i> , 2021, 77, 3900-3909.	1.7	28
6	Ecological restoration of agricultural land can improve its contribution to economic development. <i>PLoS ONE</i> , 2021, 16, e0247850.	1.1	20
7	Identifying potential novel resistance to the foliar disease “Scald” (<i>Rhynchosporium commune</i>) in a population of Scottish Bere barley landrace (<i>Hordeum vulgare</i> L.). <i>Journal of Plant Diseases and Protection</i> , 2021, 128, 999-1012.	1.6	10
8	Does crop genetic diversity support positive biodiversity effects under experimental drought?. <i>Basic and Applied Ecology</i> , 2021, 56, 431-445.	1.2	5
9	Does agricultural intensification cause tipping points in ecosystem services?. <i>Landscape Ecology</i> , 2021, 36, 3473-3491.	1.9	15
10	Can “On-Farm” Seed Priming and Chitosan Seed Treatments Induce Host Defences in Winter Barley (<i>Hordeum vulgare</i> L.) under Field Conditions?. <i>Crops</i> , 2021, 1, 68-87.	0.6	0
11	Adaptation of Winter Barley Cultivars to Inversion and Non-Inversion Tillage for Yield and <i>Rhynchosporium</i> Symptoms. <i>Agronomy</i> , 2021, 11, 30.	1.3	0
12	Strengthening the Scientific Basis of Ecosystem Collapse Risk Assessments. <i>Land</i> , 2021, 10, 1252.	1.2	0
13	Ongoing, but slowing, habitat loss in a rural landscape over 85 years. <i>Landscape Ecology</i> , 2020, 35, 257-273.	1.9	29
14	Changes in vegetation structure and composition of a lowland mire over a sixty-five year interval. <i>Ecology and Evolution</i> , 2020, 10, 13913-13925.	0.8	1
15	Modelling historical landscape changes. <i>Landscape Ecology</i> , 2020, 35, 2695-2712.	1.9	14
16	Assessing the variation in manganese use efficiency traits in Scottish barley landrace Bere (<i>Hordeum</i>) Tj ETQq0 0 0 rgBT /Overlap 10 Tf	1.4	12
17	Identifying Spring Barley Cultivars with Differential Response to Tillage. <i>Agronomy</i> , 2020, 10, 686.	1.3	4
18	Assessing Effects of Crop History and Soil Amendments on Yields of Subsequent Crops. <i>Agricultural Sciences</i> , 2020, 11, 514-527.	0.2	2

#	ARTICLE	IF	CITATIONS
19	Liming impacts on soils, crops and biodiversity in the UK: A review. <i>Science of the Total Environment</i> , 2018, 610-611, 316-332.	3.9	285
20	Contrasting nutrient–disease relationships: Potassium gradients in barley leaves have opposite effects on two fungal pathogens with different sensitivities to jasmonic acid. <i>Plant, Cell and Environment</i> , 2018, 41, 2357-2372.	2.8	25
21	Dependency of Businesses on Flows of Ecosystem Services: A Case Study from the County of Dorset, UK. <i>Sustainability</i> , 2018, 10, 1368.	1.6	8
22	Infection strategy of <i>Ramularia collo-cygni</i> and development of ramularia leaf spot on barley and alternative graminaceous hosts. <i>Plant Pathology</i> , 2017, 66, 45-55.	1.2	25
23	Species but not genotype diversity strongly impacts the establishment of rare colonisers. <i>Functional Ecology</i> , 2017, 31, 1462-1470.	1.7	5
24	Wheat cultivar yield response to some organic and conventional farming conditions and the yield potential of mixtures. <i>Journal of Agricultural Science</i> , 2017, 155, 1045-1060.	0.6	11
25	Impacts of invasive plants on carbon pools depend on both species’ traits and local climate. <i>Ecology</i> , 2017, 98, 1026-1035.	1.5	25
26	Soil carbon and nitrogen and barley yield responses to repeated additions of compost and slurry. <i>Journal of Agricultural Science</i> , 2017, 155, 141-155.	0.6	4
27	Sustainability of European winter wheat- and maize-based cropping systems: Economic, environmental and social ex-post assessment of conventional and IPM-based systems. <i>Crop Protection</i> , 2017, 97, 60-69.	1.0	25
28	Diversity of methodologies to experiment Integrated Pest Management in arable cropping systems: Analysis and reflections based on a European network. <i>European Journal of Agronomy</i> , 2017, 83, 86-99.	1.9	36
29	Crop presence, but not genetic diversity, impacts on the rare arable plant <i>Valerianella rimosa</i> . <i>Plant Ecology and Diversity</i> , 2017, 10, 495-507.	1.0	3
30	Exploitation of Diversity within Crops—the Key to Disease Tolerance?. <i>Frontiers in Plant Science</i> , 2016, 7, 665.	1.7	22
31	Can landscape-scale approaches to conservation management resolve biodiversity–ecosystem service trade-offs?. <i>Journal of Applied Ecology</i> , 2016, 53, 96-105.	1.9	48
32	Biodiversity Risks of Adopting Resilience as a Policy Goal. <i>Conservation Letters</i> , 2016, 9, 369-376.	2.8	42
33	Drivers of the composition and diversity of carabid functional traits in UK coniferous plantations. <i>Forest Ecology and Management</i> , 2016, 359, 300-308.	1.4	35
34	Facilitation and sustainable agriculture: a mechanistic approach to reconciling crop production and conservation. <i>Functional Ecology</i> , 2016, 30, 98-107.	1.7	97
35	Similar biodiversity of ectomycorrhizal fungi in set-aside plantations and ancient old-growth broadleaved forests. <i>Biological Conservation</i> , 2016, 194, 71-79.	1.9	34
36	A transcriptional reference map of defence hormone responses in potato. <i>Scientific Reports</i> , 2015, 5, 15229.	1.6	28

#	ARTICLE	IF	CITATIONS
37	Habitat Fragmentation Intensifies Trade-Offs between Biodiversity and Ecosystem Services in a Heathland Ecosystem in Southern England. <i>PLoS ONE</i> , 2015, 10, e0130004.	1.1	28
38	Restoration of forest resilience: An achievable goal?. <i>New Forests</i> , 2015, 46, 645-668.	0.7	59
39	A meta-analysis of functional group responses to forest recovery outside of the tropics. <i>Conservation Biology</i> , 2015, 29, 1695-1703.	2.4	59
40	Genetic mapping of resistance to <i>Rhynchosporium commune</i> and characterisation of early infection in a winter barley mapping population. <i>Euphytica</i> , 2015, 203, 337-347.	0.6	11
41	A trait-based approach to crop-weed interactions. <i>European Journal of Agronomy</i> , 2015, 70, 22-32.	1.9	18
42	Future environmental and geographic risks of <i>Fusarium</i> head blight of wheat in Scotland. <i>European Journal of Plant Pathology</i> , 2015, 142, 133-147.	0.8	21
43	Intraspecific genetic diversity and composition modify species-level diversity-productivity relationships. <i>New Phytologist</i> , 2015, 205, 720-730.	3.5	71
44	Assessing the Consequences of Microbial Infection in Field Trials: Seen, Unseen, Beneficial, Parasitic and Pathogenic. <i>Agronomy</i> , 2014, 4, 302-321.	1.3	5
45	Scale-Dependent Assessment of Relative Disease Resistance to Plant Pathogens. <i>Agronomy</i> , 2014, 4, 178-190.	1.3	4
46	Does landscape-scale conservation management enhance the provision of ecosystem services?. <i>International Journal of Biodiversity Science, Ecosystem Services & Management</i> , 2014, 10, 71-83.	2.9	39
47	Molecular effects of resistance elicitors from biological origin and their potential for crop protection. <i>Frontiers in Plant Science</i> , 2014, 5, 655.	1.7	138
48	Understanding the genetic control and physiological traits associated with rhizosheath production by barley (<i>Hordeum vulgare</i>). <i>New Phytologist</i> , 2014, 203, 195-205.	3.5	105
49	Evaluation of Bayesian networks for modelling habitat suitability and management of a protected area. <i>Journal for Nature Conservation</i> , 2014, 22, 235-246.	0.8	21
50	Field Phenotyping and Long-Term Platforms to Characterise How Crop Genotypes Interact with Soil Processes and the Environment. <i>Agronomy</i> , 2014, 4, 242-278.	1.3	16
51	Conservation implications of long-term changes detected in a lowland heath plant metacommunity. <i>Biological Conservation</i> , 2013, 167, 325-333.	1.9	25
52	Adapting crops and cropping systems to future climates to ensure food security: The role of crop modelling. <i>Global Food Security</i> , 2013, 2, 24-28.	4.0	70
53	Dynamics and Conservation Management of a Wooded Landscape under High Herbivore Pressure. <i>International Journal of Biodiversity</i> , 2013, 2013, 1-15.	0.7	5
54	Climate Change and Defense against Pathogens in Plants. <i>Advances in Applied Microbiology</i> , 2012, 81, 89-132.	1.3	17

#	ARTICLE	IF	CITATIONS
55	Yield response to fungicide of spring barley genotypes differing in disease susceptibility and canopy structure. <i>Field Crops Research</i> , 2012, 139, 9-19.	2.3	14
56	Control of foliar diseases in barley: towards an integrated approach. <i>European Journal of Plant Pathology</i> , 2012, 133, 33-73.	0.8	73
57	Genetic Diversity and Structure in <i>Austrocedrus chilensis</i> Populations: Implications for Dryland Forest Restoration. <i>Restoration Ecology</i> , 2012, 20, 568-575.	1.4	11
58	Structure, composition and dynamics of a calcareous grassland metacommunity over a 70-year interval. <i>Journal of Ecology</i> , 2012, 100, 196-209.	1.9	49
59	Soil tillage effects on the efficacy of cultivars and their mixtures in winter barley. <i>Field Crops Research</i> , 2012, 128, 91-100.	2.3	34
60	Effects of Climate Change on the Potential Species Richness of Mesoamerican Forests. <i>Biotropica</i> , 2012, 44, 284-293.	0.8	40
61	Genetic basis of control of <i>Rhynchosporium secalis</i> infection and symptom expression in barley. <i>Euphytica</i> , 2012, 184, 47-56.	0.6	23
62	Pathogen Populations Evolve to Greater Race Complexity in Agricultural Systems – Evidence from Analysis of <i>Rhynchosporium secalis</i> Virulence Data. <i>PLoS ONE</i> , 2012, 7, e38611.	1.1	23
63	Implications of Goodhart's Law for monitoring global biodiversity loss. <i>Conservation Letters</i> , 2011, 4, 264-268.	2.8	28
64	Infection of <i>Rrs1</i> barley by an incompatible race of the fungus <i>Rhynchosporium secalis</i> expressing the green fluorescent protein. <i>Plant Pathology</i> , 2011, 60, 513-521.	1.2	24
65	Climate change, plant diseases and food security: an overview. <i>Plant Pathology</i> , 2011, 60, 2-14.	1.2	710
66	<i>Agrobacterium</i> -mediated transformation of the barley pathogen <i>Ramularia collopygni</i> with fluorescent marker tags and live tissue imaging of infection development. <i>Plant Pathology</i> , 2011, 60, 929-937.	1.2	13
67	Individualistic species limitations of climate-induced range expansions generated by meso-scale dispersal barriers. <i>Diversity and Distributions</i> , 2011, 17, 275-286.	1.9	66
68	Plant metacommunity structure remains unchanged during biodiversity loss in English woodlands. <i>Oikos</i> , 2011, 120, 302-310.	1.2	55
69	Scale and spatial structure effects on the outcome of barley cultivar mixture trials for disease control. <i>Field Crops Research</i> , 2011, 123, 74-79.	2.3	33
70	Implications of climate change for diseases, crop yields and food security. <i>Euphytica</i> , 2011, 179, 3-18.	0.6	197
71	Impact of soil tillage on the robustness of the genetic component of variation in phosphorus (P) use efficiency in barley (<i>Hordeum vulgare</i> L.). <i>Plant and Soil</i> , 2011, 339, 113-123.	1.8	42
72	Crops that feed the world 4. Barley: a resilient crop? Strengths and weaknesses in the context of food security. <i>Food Security</i> , 2011, 3, 141-178.	2.4	216

#	ARTICLE	IF	CITATIONS
73	Cereal Landraces for Sustainable Agriculture. , 2011, , 147-186.		19
74	Managing the ecology of foliar pathogens: ecological tolerance in crops. <i>Annals of Applied Biology</i> , 2010, 157, 343-359.	1.3	94
75	Survival, distribution and genetic variability of inoculum of the strawberry red core pathogen, <i>Phytophthora fragariae</i> var. <i>fragariae</i> , in soil. <i>Plant Pathology</i> , 2010, 59, 472-479.	1.2	14
76	Genome-wide association mapping to candidate polymorphism resolution in the unsequenced barley genome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 21611-21616.	3.3	259
77	Cereal landraces for sustainable agriculture. A review. <i>Agronomy for Sustainable Development</i> , 2010, 30, 237-269.	2.2	197
78	Pathogenesis, parasitism and mutualism in the trophic space of microbe–plant interactions. <i>Trends in Microbiology</i> , 2010, 18, 365-373.	3.5	278
79	Taxonomic homogenization of woodland plant communities over 70 years. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009, 276, 3539-3544.	1.2	132
80	Quantitative evolution of aggressiveness of powdery mildew under two cultivar barley mixtures. <i>Plant Pathology</i> , 2009, 58, 378-388.	1.2	38
81	Deployment of diversity for enhanced crop function. <i>Annals of Applied Biology</i> , 2009, 154, 309-322.	1.3	130
82	The effects of uneven, patchy cultivar mixtures on disease control and yield in winter barley. <i>Field Crops Research</i> , 2009, 110, 225-228.	2.3	33
83	Integrating pests and pathogens into the climate change/food security debate. <i>Journal of Experimental Botany</i> , 2009, 60, 2827-2838.	2.4	433
84	Resistance, epidemiology and sustainable management of <i>Rhynchosporium secalis</i> populations on barley. <i>Plant Pathology</i> , 2008, 57, 1-14.	1.2	44
85	Analysing the contribution of component cultivars and cultivar combinations to malting quality, yield and disease in complex mixtures. <i>Journal of the Science of Food and Agriculture</i> , 2008, 88, 2142-2152.	1.7	17
86	Successional changes in soil, litter and macroinvertebrate parameters following selective logging in a Mexican Cloud Forest. <i>Applied Soil Ecology</i> , 2007, 35, 340-355.	2.1	51
87	Variation across environments in patterns of water uptake and endosperm modification in barley varieties and variety mixtures. <i>Journal of the Science of Food and Agriculture</i> , 2006, 86, 826-833.	1.7	17
88	Mixtures of UK Wheat as an Efficient and Environmentally Friendly Source for Bioethanol. <i>Journal of Industrial Ecology</i> , 2005, 9, 109-126.	2.8	21
89	Induced Resistance for Plant Disease Control: Maximizing the Efficacy of Resistance Elicitors. <i>Phytopathology</i> , 2005, 95, 1368-1373.	1.1	393
90	Determining the spirit yield of wheat varieties and variety mixtures. <i>Journal of Cereal Science</i> , 2005, 42, 127-134.	1.8	32

#	ARTICLE	IF	CITATIONS
91	Effects of drought stress and its sudden relief on free radical processes in barley. <i>Journal of the Science of Food and Agriculture</i> , 2005, 85, 47-53.	1.7	21
92	Barleys Grown as Cultivar Mixtures Compared with Blends Made Before and After Malting, for Effects on Malting Performance. <i>Journal of the Institute of Brewing</i> , 2005, 111, 144-152.	0.8	5
93	Bacterial inoculum from a previous crop affects fungal disease development on subsequent nonhost crops. <i>New Phytologist</i> , 2004, 163, 133-138.	3.5	14
94	Relationship between canopy reflectance and yield loss due to disease in barley. <i>Annals of Applied Biology</i> , 2004, 145, 95-106.	1.3	10
95	Characterisation of early transcriptional changes involving multiple signalling pathways in the Mla13 barley interaction with powdery mildew (<i>Blumeria graminis</i> f. sp. <i>hordei</i>). <i>Planta</i> , 2004, 218, 803-813.	1.6	26
96	Non-Timber Forest Products in the Community of El Terrero, Sierra de Manantlán Biosphere Reserve, Mexico: Is Their Use Sustainable?. <i>Economic Botany</i> , 2003, 57, 262-278.	0.8	35
97	Susceptibility of oat cultivars to groat discoloration: causes and remedies. <i>Plant Breeding</i> , 2003, 122, 125-130.	1.0	3
98	The practical use of semiparametric models in field trials. <i>Journal of Agricultural, Biological, and Environmental Statistics</i> , 2003, 8, 48-66.	0.7	12
99	Resistance to the Shoot Borer in Mahoganies. , 2003, , 395-404.		3
100	The need for a standard nomenclature for gene classification (a Nucleotide Function Code) and an automated data-based tool to assist in understanding the molecular associations in cell signalling in plant-pathogen interactions. <i>Molecular Plant Pathology</i> , 2002, 3, 103-109.	2.0	1
101	The Gaharu Trade in Indonesia: Is It Sustainable?1. <i>Economic Botany</i> , 2002, 56, 271-284.	0.8	20
102	Title is missing!. <i>Euphytica</i> , 2002, 125, 325-335.	0.6	26
103	Current approaches to native woodland restoration in Scotland. <i>Botanical Journal of Scotland</i> , 2001, 53, 169-195.	0.3	7
104	Variation in cultural characteristics, pathogenicity, vegetative compatibility and electrophoretic karyotype within field populations of <i>Stagonospora nodorum</i> . <i>Plant Pathology</i> , 2000, 49, 219-226.	1.2	27
105	Cellular characteristics of temporary partial breakdown of mlo- resistance in barley to powdery mildew. <i>Physiological and Molecular Plant Pathology</i> , 2000, 56, 1-11.	1.3	15
106	The development and application of molecular markers for abiotic stress tolerance in barley. <i>Journal of Experimental Botany</i> , 2000, 51, 19-27.	2.4	117
107	The Barley mlo-gene: an important powdery mildew resistance source. <i>Agronomy for Sustainable Development</i> , 2000, 20, 745-756.	0.8	114
108	Cereal variety and species mixtures in practice, with emphasis on disease resistance. <i>Agronomy for Sustainable Development</i> , 2000, 20, 813-837.	0.8	276

#	ARTICLE	IF	CITATIONS
109	The Potential for Community-Based Forest Management in Chiapas, Mexico. <i>Journal of Sustainable Forestry</i> , 1999, 9, 169-191.	0.6	2
110	Helper bacteria and pathogenicity assessments. <i>New Phytologist</i> , 1999, 144, 385-386.	3.5	16
111	Title is missing!. <i>Biodiversity and Conservation</i> , 1999, 8, 869-889.	1.2	73
112	Title is missing!. , 1998, 104, 829-833.		13
113	Title is missing!. <i>European Journal of Plant Pathology</i> , 1998, 104, 925-931.	0.8	14
114	The Interaction of Humidity and Resistance Elicitors on Expression of Polygenic Resistance of Barley to Mildew. <i>Journal of Phytopathology</i> , 1998, 146, 123-130.	0.5	6
115	Temporary partial breakdown of mlo resistance in spring barley by sudden relief of soil water stress under field conditions: the effects of genetic background and mlo allele. <i>Plant Pathology</i> , 1998, 47, 401-410.	1.2	18
116	The interaction of fertiliser treatment with tolerance to powdery mildew in spring barley. <i>Field Crops Research</i> , 1998, 55, 45-56.	2.3	29
117	Heterokaryosis and Vegetative Incompatibility in <i>Stagonospora nodorum</i> . <i>Mycologia</i> , 1998, 90, 215.	0.8	3
118	THE EFFECT OF CULTIVAR MIXTURES ON MALTING QUALITY IN WINTER BARLEY. <i>Journal of the Institute of Brewing</i> , 1998, 104, 41-45.	0.8	24
119	Detection of Polymorphism in <i>Puccinia hordei</i> using RFLP and RAPD Markers, Differential Cultivars, and Analysis of the Intergenic Spacer Region of rDNA. <i>Journal of Phytopathology</i> , 1997, 145, 511-519.	0.5	12
120	Do resistance elicitors offer new opportunities in integrated disease control strategies?. <i>Plant Pathology</i> , 1997, 46, 636-641.	1.2	53
121	The effect of component number on <i>Rhynchosporium secalis</i> infection and yield in mixtures of winter barley cultivars. <i>Plant Pathology</i> , 1997, 46, 930-938.	1.2	64
122	Transformation of the plant pathogenic fungus, <i>Rhynchosporium secalis</i> . <i>Current Genetics</i> , 1996, 29, 587-590.	0.8	24
123	Temporary partial breakdown of Mlo-resistance in spring barley by the sudden relief of soil water stress. <i>Plant Pathology</i> , 1996, 45, 973-977.	1.2	24
124	Use of additive models to represent trends in a barley field trial. <i>Annals of Applied Biology</i> , 1995, 127, 391-403.	1.3	4
125	Novel disease control compounds: the potential to 'immunize' plants against infection. <i>Plant Pathology</i> , 1995, 44, 407-427.	1.2	143
126	Assumptions and implications of current gene-for-gene hypotheses. <i>Plant Pathology</i> , 1995, 44, 607-618.	1.2	12

#	ARTICLE	IF	CITATIONS
127	Subjective components of mildew assessment on spring barley. <i>European Journal of Plant Pathology</i> , 1994, 100, 395-412.	0.8	55
128	Detection of tolerance of barley cultivars to infection by powdery mildew (<i>Erysiphe graminis</i> f.sp.) Tj ETQq0 0 0 rgBT /Overlock, 10 Tf 50	0.6	14
129	Modelling the spread of fungal diseases using a nearest neighbour approach: effect of geometrical arrangement. <i>Plant Pathology</i> , 1994, 43, 631-643.	1.2	35
130	Induction of resistance mechanisms in barley by yeast-derived elicitors. <i>Annals of Applied Biology</i> , 1994, 124, 509-517.	1.3	41
131	Evaluation of sources of partial resistance to mildew in barley using enzyme-linked immunosorbent assay and other assessment methods. <i>Euphytica</i> , 1993, 66, 27-34.	0.6	3
132	Genetic variation in mahogonies: its importance, capture and utilization. <i>Biodiversity and Conservation</i> , 1993, 2, 114-126.	1.2	28
133	The effect of humidity on the expression of partial resistance to powdery mildew in barley. <i>Plant Pathology</i> , 1993, 42, 364-367.	1.2	7
134	The Interaction of Either an Effective or a Defeated Major Gene with Non-specific Resistance on Mildew Infection (<i>Erysiphe graminis</i> f. sp. hordei) and Yield in Mixtures of Barley. <i>Journal of Phytopathology</i> , 1993, 139, 268-274.	0.5	12
135	Mahogany Conservation: Status and Policy Initiatives. <i>Environmental Conservation</i> , 1992, 19, 331-338.	0.7	55
136	Selection for Aggressiveness in <i>Erysiphe graminis</i> f. sp. Hordei Towards Partial Resistance in Barley. <i>Journal of Phytopathology</i> , 1992, 136, 165-169.	0.5	2
137	Characteristics of strains of <i>Septoria nodorum</i> adapted to wheat or to barley. <i>Plant Pathology</i> , 1991, 40, 546-553.	1.2	12
138	Recurrent Selection for Adaptation of <i>Erysiphe graminis</i> f. sp. hordei to Partial Resistance and the Effect of Environment on Expression of Partial Resistance of Barley. <i>Journal of Phytopathology</i> , 1991, 132, 328-338.	0.5	25
139	Isozyme Variability in Isolates of Some Facultative Phytopathogenic Fungi. <i>Journal of Phytopathology</i> , 1991, 131, 199-204.	0.5	7
140	Detection of components of partial resistance to mildew (<i>Erysiphe graminis</i> f.sp. hordei) incorporated into advanced breeding lines of barley using measurement of fungal cell wall sterol. <i>Plant Pathology</i> , 1990, 39, 598-602.	1.2	16
141	Genetic Adaptation of <i>Erysiphe graminis</i> f. sp. Hordei to Barley with Partial Resistance. <i>Journal of Phytopathology</i> , 1989, 126, 133-148.	0.5	23
142	Somatic recombination in <i>Rhynchosporium secalis</i> . <i>Plant Pathology</i> , 1989, 38, 71-74.	1.2	16
143	Measuring the sterol content of barley leaves infected with powdery mildew as a means of assessing partial resistance to <i>Erysiphe graminis</i> f.sp. hordei. <i>Plant Pathology</i> , 1989, 38, 534-540.	1.2	28
144	A CONSIDERATION OF THE GENETIC CONTROL OF SPECIES SPECIFICITY IN FUNGAL PLANT PATHOGENS AND ITS RELEVANCE TO A COMPREHENSION OF THE UNDERLYING MECHANISMS. <i>Biological Reviews</i> , 1989, 64, 35-50.	4.7	17

#	ARTICLE	IF	CITATIONS
145	Establishment of <i>Clethra occidentalis</i> on stems of the tree-fern <i>Cyathea pubescens</i> in a Jamaican montane rain forest. <i>Journal of Tropical Ecology</i> , 1989, 5, 441-445.	0.5	30
146	Attempted somatic hybridization of <i>Puccinia striiformis</i> f. sp. <i>tritici</i> and <i>P. striiformis</i> f. sp. <i>hordei</i> . <i>Plant Pathology</i> , 1986, 35, 108-113.	1.2	11
147	Variation for isozymes and double-stranded RNA among isolates of <i>Puccinia striiformis</i> and two other cereal rusts. <i>Plant Pathology</i> , 1985, 34, 235-247.	1.2	81
148	Induced Resistance in Crop Protection: The Future, Drivers and Barriers. , 0, , 243-249.		3
149	Induced Resistance in Natural Ecosystems and Pathogen Population Biology: Exploiting Interactions. , 0, , 133-142.		3