

Ben-Erik Van Wyk

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7327420/publications.pdf>

Version: 2024-02-01

247
papers

5,870
citations

94415

37
h-index

110368

64
g-index

249
all docs

249
docs citations

249
times ranked

4490
citing authors

#	ARTICLE	IF	CITATIONS
1	Legume phylogeny and classification in the 21st century: Progress, prospects and lessons for other species-rich clades. <i>Taxon</i> , 2013, 62, 217-248.	0.7	305
2	A broad review of commercially important southern African medicinal plants. <i>Journal of Ethnopharmacology</i> , 2008, 119, 342-355.	4.1	239
3	The potential of South African plants in the development of new medicinal products. <i>South African Journal of Botany</i> , 2011, 77, 812-829.	2.5	230
4	Reconstructing the deep-branching relationships of the papilionoid legumes. <i>South African Journal of Botany</i> , 2013, 89, 58-75.	2.5	189
5	Chemistry of Aloe Species. <i>Current Organic Chemistry</i> , 2000, 4, 1055-1078.	1.6	163
6	<i>Osmitopsis asteriscoides</i> (Asteraceae)-the antimicrobial activity and essential oil composition of a Cape-Dutch remedy. <i>Journal of Ethnopharmacology</i> , 2003, 88, 137-143.	4.1	159
7	A review of the taxonomy, ethnobotany, chemistry and pharmacology of <i>Sutherlandia frutescens</i> (Fabaceae). <i>Journal of Ethnopharmacology</i> , 2008, 119, 620-629.	4.1	141
8	A historical, scientific and commercial perspective on the medicinal use of <i>Pelargonium sidoides</i> (Geraniaceae). <i>Journal of Ethnopharmacology</i> , 2008, 119, 420-433.	4.1	130
9	A review of Khoi-San and Cape Dutch medical ethnobotany. <i>Journal of Ethnopharmacology</i> , 2008, 119, 331-341.	4.1	127
10	An ethnobotanical survey of medicinal plants in the southeastern Karoo, South Africa. <i>South African Journal of Botany</i> , 2008, 74, 696-704.	2.5	113
11	A review of commercially important African medicinal plants. <i>Journal of Ethnopharmacology</i> , 2015, 176, 118-134.	4.1	113
12	The potential of South African plants in the development of new food and beverage products. <i>South African Journal of Botany</i> , 2011, 77, 857-868.	2.5	107
13	Cape aloes "A review of the phytochemistry, pharmacology and commercialisation of <i>Aloe ferox</i> . <i>Phytochemistry Letters</i> , 2012, 5, 1-12.	1.2	101
14	Nectar Sugars in Proteaceae: Patterns and Processes. <i>Australian Journal of Botany</i> , 1998, 46, 489.	0.6	100
15	An ethnobotanical survey of the <i>Agter</i> "Hantam, Northern Cape Province, South Africa. <i>South African Journal of Botany</i> , 2011, 77, 741-754.	2.5	92
16	Analysis of Phenolic Compounds in Rooibos Tea (<i>Aspalathus linearis</i>) with a Comparison of Flavonoid-Based Compounds in Natural Populations of Plants from Different Regions. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 10270-10281.	5.2	88
17	A molecular phylogenetic study of southern African Apiaceae. <i>American Journal of Botany</i> , 2006, 93, 1828-1847.	1.7	77
18	Fire-survival strategy " a character of taxonomic, ecological and evolutionary importance in fynbos legumes. <i>Plant Systematics and Evolution</i> , 1995, 195, 243-259.	0.9	76

#	ARTICLE	IF	CITATIONS
19	Ethnobotanical plant uses in the KwaNobela Peninsula, St Lucia, South Africa. <i>South African Journal of Botany</i> , 2011, 77, 346-359.	2.5	67
20	The history and ethnobotany of Cape herbal teas. <i>South African Journal of Botany</i> , 2017, 110, 18-38.	2.5	64
21	<i>Burkholderia dilworthii</i> sp. nov., isolated from <i>Lebeckia ambigua</i> root nodules. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1090-1095.	1.7	63
22	The potential of South African indigenous plants for the international cut flower trade. <i>South African Journal of Botany</i> , 2011, 77, 934-946.	2.5	60
23	Phylogenetic Relationships of Tribe Crotalariaeae (Fabaceae) Inferred from DNA Sequences and Morphology. <i>Systematic Botany</i> , 2008, 33, 752-761.	0.5	58
24	Ameliorative effect of aspalathin from rooibos (<i>Aspalathus linearis</i>) on acute oxidative stress in <i>Caenorhabditis elegans</i> . <i>Phytomedicine</i> , 2013, 20, 380-386.	5.3	53
25	Medicinal plants of the Kamiesberg, Namaqualand, South Africa. <i>Journal of Ethnopharmacology</i> , 2015, 171, 205-222.	4.1	50
26	Chemotaxonomic significance of anthraquinones in the roots of asphodeloideae (asphodelaceae). <i>Biochemical Systematics and Ecology</i> , 1995, 23, 277-281.	1.3	47
27	The value of chemosystematics in clarifying relationships in the genistoid tribes of papilionoid legumes. <i>Biochemical Systematics and Ecology</i> , 2003, 31, 875-884.	1.3	47
28	Nectar sugar composition in the subfamily Alloideae (Asphodelaceae). <i>Biochemical Systematics and Ecology</i> , 1993, 21, 249-253.	1.3	46
29	Phenolic variation in wild populations of <i>Aspalathus linearis</i> (rooibos tea). <i>Biochemical Systematics and Ecology</i> , 2003, 31, 885-895.	1.3	46
30	An ethnobotanical survey of southern African Menispermaceae. <i>South African Journal of Botany</i> , 2008, 74, 2-9.	2.5	44
31	Nectar sugar composition in Southern African Papilionoideae (Fabaceae). <i>Biochemical Systematics and Ecology</i> , 1993, 21, 271-277.	1.3	43
32	Indigenous edible plant use by contemporary Khoe-San descendants of South Africa's Cape South Coast. <i>South African Journal of Botany</i> , 2016, 102, 60-69.	2.5	43
33	Distribution and taxonomic significance of major alkaloids in the genus <i>Virgilia</i> . <i>Biochemical Systematics and Ecology</i> , 1989, 17, 231-238.	1.3	42
34	The major phenolic compounds in the leaves of <i>Cyclopia</i> species (honeybush tea). <i>Biochemical Systematics and Ecology</i> , 1996, 24, 243-246.	1.3	42
35	Notes on the occurrence and significance of triterpenoids (asiaticoside and related compounds) and caffeoylquinic acids in <i>Centella</i> species. <i>South African Journal of Botany</i> , 2012, 82, 53-59.	2.5	42
36	New tribal delimitations for the early diverging lineages of Apiaceae subfamily Apioideae. <i>Taxon</i> , 2010, 59, 567-580.	0.7	40

#	ARTICLE	IF	CITATIONS
37	Nectar sugar composition in <i>Erica</i> . <i>Biochemical Systematics and Ecology</i> , 1995, 23, 419-423.	1.3	39
38	Systematic Position of the Anomalous Genus <i>Cadia</i> and the Phylogeny of the Tribe Podalyrieae (Fabaceae). <i>Systematic Botany</i> , 2008, 33, 133-147.	0.5	39
39	Generic relationships in the Alooideae (Asphodelaceae). <i>Taxon</i> , 1991, 40, 557-581.	0.7	38
40	The generic concept of <i>Lotononis</i> (Crotalariaeae, Fabaceae): Reinstatement of the genera <i>Euchlora</i> , <i>Leobordea</i> and <i>Listia</i> and the new genus <i>Ezoloba</i> . <i>Taxon</i> , 2011, 60, 161-177.	0.7	38
41	A family-level floristic inventory and analysis of medicinal plants used in Traditional African Medicine. <i>Journal of Ethnopharmacology</i> , 2020, 249, 112351.	4.1	36
42	The taxonomic value of fruit structure in the subfamily Saniculoideae and related African genera (Apiaceae). <i>Taxon</i> , 2003, 52, 261-270.	0.7	35
43	The taxonomic value of fruit wing types in the order Apiales. <i>American Journal of Botany</i> , 2006, 93, 1357-1368.	1.7	35
44	A global infrageneric classification system for the genus <i>Crotalaria</i> (Leguminosae) based on molecular and morphological evidence. <i>Taxon</i> , 2013, 62, 957-971.	0.7	34
45	Phylogenetic relationships in Asphodelaceae (subfamily Alooideae) inferred from chloroplast DNA sequences (<i>rbcl</i> , <i>matK</i>) and from genomic fingerprinting (ISSR). <i>Taxon</i> , 2003, 52, 193-207.	0.7	33
46	Furanoterpenoids from <i>Siphonochilus aethiopicus</i> . <i>Phytochemistry</i> , 2002, 59, 405-407.	2.9	31
47	Physical and chemical characteristics of <i>Aloe ferox</i> leaf gel. <i>South African Journal of Botany</i> , 2011, 77, 988-995.	2.5	31
48	Chemotaxonomic survey of anthraquinones and pre-anthraquinones in roots of <i>Aloe</i> species. <i>Biochemical Systematics and Ecology</i> , 1995, 23, 267-275.	1.3	30
49	A review of the use of allozyme electrophoresis in plant systematics. <i>Biochemical Systematics and Ecology</i> , 2001, 29, 469-483.	1.3	30
50	The composition and antimicrobial activity of the essential oil of the resurrection plant <i>Myrothamnus flabellifolius</i> . <i>South African Journal of Botany</i> , 2002, 68, 100-105.	2.5	30
51	The occurrence and taxonomic distribution of the anthrones aloin, aloinoside and microdontin in <i>Aloe</i> . <i>Biochemical Systematics and Ecology</i> , 2001, 29, 53-67.	1.3	29
52	Simultaneous quantification of anthrones and chromones in <i>Aloe ferox</i> (‘Cape aloes’) using UHPLC-MS. <i>Phytochemistry Letters</i> , 2015, 13, 85-90.	1.2	29
53	Esters of quinolizidine alkaloids from the genus <i>Pearsonia</i> . <i>Phytochemistry</i> , 1990, 29, 1297-1302.	2.9	28
54	Antimicrobial and antimalarial activity of <i>Cussonia</i> species (Araliaceae). <i>Journal of Ethnopharmacology</i> , 2010, 129, 189-196.	4.1	27

#	ARTICLE	IF	CITATIONS
55	Chemotaxonomic value of alkaloids in the genus <i>Dichilus</i> . <i>Biochemical Systematics and Ecology</i> , 1988, 16, 471-474.	1.3	26
56	Distribution and taxonomic significance of major alkaloids in the genus <i>Podalyria</i> . <i>Biochemical Systematics and Ecology</i> , 1992, 20, 163-172.	1.3	26
57	The generic concept of <i>Lebeckia</i> (Crotalariaeae, Fabaceae): Reinstatement of the genus <i>Calobota</i> and the new genus <i>Wiborgiella</i> . <i>South African Journal of Botany</i> , 2009, 75, 546-556.	2.5	26
58	Alkaloids as taxonomic characters in the tribe Crotalariaeae (Fabaceae). <i>Biochemical Systematics and Ecology</i> , 1990, 18, 503-515.	1.3	25
59	Three dihydroanthracenones from <i>Gasteria bicolor</i> . <i>Phytochemistry</i> , 1996, 41, 795-799.	2.9	25
60	Chromones and anthrones from <i>Aloe marlothii</i> and <i>Aloe rupestris</i> . <i>Phytochemistry</i> , 2000, 55, 949-952.	2.9	25
61	Evidence for the Polyphyly of <i>Haworthia</i> (Asphodelaceae Subfamily Alooideae; Asparagales) Inferred from Nucleotide Sequences of <i>rbcl</i> , <i>matK</i> , ITS1 and Genomic Fingerprinting with ISSR-PCR. <i>Plant Biology</i> , 2003, 5, 513-521.	3.8	25
62	Biochemical genetic variation in four wild populations of <i>Aspalathus linearis</i> (Rooibos Tea). <i>Biochemical Systematics and Ecology</i> , 1995, 23, 257-262.	1.3	24
63	<i>Senecio angustifolius</i> as the major source of pyrrolizidine alkaloid contamination of rooibos tea (<i>Aspalathus linearis</i>). <i>South African Journal of Botany</i> , 2017, 110, 124-131.	2.5	23
64	Chemotaxonomic significance of alkaloids in the genus <i>Lebeckia</i> . <i>Biochemical Systematics and Ecology</i> , 1989, 17, 225-229.	1.3	22
65	Genetic variation in two economically important <i>Aloe</i> species (Aloaceae). <i>Biochemical Systematics and Ecology</i> , 1995, 23, 251-256.	1.3	22
66	Alkaloidal Variation in <i>Cissampelos Capensis</i> (Menispermaceae). <i>Molecules</i> , 2011, 16, 3001-3009.	3.8	22
67	Bitterness values for traditional tonic plants of southern Africa. <i>Journal of Ethnopharmacology</i> , 2013, 147, 676-679.	4.1	22
68	The chemotaxonomic significance of the phenyl pyrone aloenin in the genus <i>Aloe</i> . <i>Biochemical Systematics and Ecology</i> , 2000, 28, 1009-1017.	1.3	21
69	The ethnobotany and pharmacognosy of <i>Olea europaea</i> subsp. <i>africana</i> (Oleaceae). <i>South African Journal of Botany</i> , 2010, 76, 324-331.	2.5	21
70	The systematic value of flower structure in <i>Crotalaria</i> and related genera of the tribe Crotalariaeae (Fabaceae). <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2012, 207, 414-426.	1.2	21
71	Three oxantrones from <i>Aloe littoralis</i> . <i>Phytochemistry</i> , 1996, 42, 1683-1687.	2.9	20
72	Chromone and aloin derivatives from <i>Aloe broomii</i> , <i>A. africana</i> and <i>A. speciosa</i> . <i>Phytochemistry</i> , 1997, 45, 97-102.	2.9	20

#	ARTICLE	IF	CITATIONS
73	Plicataloside in <i>Aloe</i> – a chemotaxonomic appraisal. <i>Biochemical Systematics and Ecology</i> , 1999, 27, 507-517.	1.3	20
74	The chemotaxonomic and medicinal significance of phenolic acids in <i>Arctopus</i> and <i>Alepidea</i> (Apiaceae) <i>Tj ETQq0 0 0 ggBT /Overlock 10 T</i>	1.3	20
75	Antimicrobial activity of volatile and non-volatile isolated compounds and extracts from the bark and leaves of <i>Warburgia salutaris</i> (Canellaceae) against skin and respiratory pathogens. <i>South African Journal of Botany</i> , 2019, 122, 547-550.	2.5	20
76	Aloeresins E and F, two chromone derivatives from <i>Aloe peglerae</i> . <i>Phytochemistry</i> , 1996, 43, 867-869.	2.9	19
77	Alkaloids of <i>Antizoma miersiana</i> (Menispermaceae). <i>Biochemical Systematics and Ecology</i> , 2005, 33, 799-807.	1.3	19
78	Generic Delimitations and Relationships of the Cape Genera <i>Capnophyllum</i> , <i>Dasispermum</i> , and <i>Sonderina</i> , the North African Genera <i>Kruberia</i> and <i>Stoibrax</i> , and a New Monotypic Genus of the Subfamily Apioideae (Apiaceae). <i>Systematic Botany</i> , 2009, 34, 580-594.	0.5	19
79	The anatomy, ethnobotany, antimicrobial activity and essential oil composition of southern African species of <i>Teucrium</i> (Lamiaceae). <i>South African Journal of Botany</i> , 2016, 102, 175-185.	2.5	19
80	Antimicrobial Isoflavones and Derivatives from <i>Erythrina</i> (Fabaceae): Structure Activity Perspective (Sar & Qsar) on Experimental and Mined Values Against <i>Staphylococcus aureus</i> . <i>Antibiotics</i> , 2020, 9, 223.	3.7	19
81	Chemotaxonomic significance of alkaloids in the genus <i>Pearsonia</i> . <i>Biochemical Systematics and Ecology</i> , 1989, 17, 391-394.	1.3	18
82	The chemotaxonomic significance of root anthraquinones and pre-anthraquinones in the genus <i>Lomatophyllum</i> (asphodelaceae). <i>Biochemical Systematics and Ecology</i> , 1995, 23, 805-808.	1.3	18
83	The chemotaxonomic value of two cinnamoyl chromones, aloeresin E and F, in <i>Aloe</i> (Aloaceae). <i>Taxon</i> , 1999, 48, 747-754.	0.7	18
84	6-O-Coumaroylaloetin from <i>Aloe castanea</i> – a taxonomic marker for <i>Aloe</i> section <i>Anguialoe</i> . <i>Phytochemistry</i> , 2000, 55, 117-120.	2.9	18
85	Systematics of the tribe Podalyrieae (Fabaceae) based on DNA, morphological and chemical data. <i>Botanical Journal of the Linnean Society</i> , 2002, 139, 159-170.	1.6	18
86	Useful plants of Namaqualand, South Africa: A checklist and analysis. <i>South African Journal of Botany</i> , 2019, 122, 120-135.	2.5	18
87	Plicataloside, an O,O-diglycosylated naphthalene derivative from <i>Aloe plicatilis</i> . <i>Phytochemistry</i> , 1996, 41, 1547-1551.	2.9	17
88	Anthrones from <i>Aloe microstigma</i> . <i>Phytochemistry</i> , 1997, 44, 1271-1274.	2.9	17
89	The systematic significance of morphological and anatomical variation in fruits of <i>Crotalaria</i> and related genera of tribe Crotalarieae (Fabaceae). <i>Botanical Journal of the Linnean Society</i> , 2011, 165, 84-106.	1.6	17
90	A chemotaxonomic survey of major alkaloids in <i>Lotononis</i> and <i>Buchenroedera</i> . <i>Biochemical Systematics and Ecology</i> , 1989, 17, 385-389.	1.3	16

#	ARTICLE	IF	CITATIONS
91	Evidence from fruit structure supports in general the circumscription of Apiaceae subfamily Azorelloideae. <i>Plant Systematics and Evolution</i> , 2009, 280, 1-13.	0.9	16
92	Phylogenetic position of African and Malagasy <i>Pimpinella</i> species and related genera (Apiaceae). <i>Tj ETQq0 0 0 rgBT /Overlock_10 Tf 50 7</i>	0.9	16
93	A ley-farming system for marginal lands based upon a self-regenerating perennial pasture legume. <i>Agronomy for Sustainable Development</i> , 2019, 39, 1.	5.3	16
94	Alkaloidal variation in the genus <i>Pearsonia</i> . <i>Biochemical Systematics and Ecology</i> , 1991, 19, 685-695.	1.3	15
95	Alkaloids of the genera <i>Dicraeopetalum</i> , <i>Platycelyphium</i> and <i>Sakoanala</i> . <i>Biochemical Systematics and Ecology</i> , 1993, 21, 711-714.	1.3	15
96	Chemotaxonomic value of anthocyanins in <i>Podalyria</i> and <i>Virgilia</i> (tribe Podalyrieae: Fabaceae). <i>Biochemical Systematics and Ecology</i> , 1994, 22, 813-818.	1.3	15
97	Allozyme Variation in <i>Virgilia oroboides</i> (Tribe Podalyrieae: Fabaceae). <i>Biochemical Systematics and Ecology</i> , 1995, 23, 47-52.	1.3	15
98	A revision of the genus <i>Anginon</i> (Apiaceae). <i>Nordic Journal of Botany</i> , 1997, 17, 561-577.	0.5	15
99	A PRELIMINARY ANALYSIS OF EVOLUTION OF AFRICAN AND MADAGASCAN APIACEAE. <i>Edinburgh Journal of Botany</i> , 2001, 58, 291-299.	0.4	15
100	Ethnobotany and antimicrobial activity of sieketroos (<i>Arctopus</i> species). <i>South African Journal of Botany</i> , 2007, 73, 159-162.	2.5	15
101	The ethnobotany, leaf anatomy, essential oil variation and biological activity of <i>Pteronia incana</i> (Asteraceae). <i>South African Journal of Botany</i> , 2010, 76, 668-675.	2.5	15
102	A revision of the genus <i>Annesorhiza</i> (Apiaceae). <i>Nordic Journal of Botany</i> , 2001, 21, 615-649.	0.5	14
103	Alkaloids of <i>Antizoma angustifolia</i> (Menispermaceae). <i>Biochemical Systematics and Ecology</i> , 2004, 32, 1145-1152.	1.3	14
104	Antimicrobial activity of <i>Elytropappus rhinocerotis</i> (Asteraceae) against micro-organisms associated with foot odour and skin ailments. <i>Journal of Ethnopharmacology</i> , 2019, 228, 92-98.	4.1	14
105	A reappraisal of the generic status of <i>Liparia</i> and <i>Priestleya</i> (Fabaceae). <i>Taxon</i> , 1994, 43, 573-582.	0.7	13
106	Lack of genetic differentiation between 19 populations from seven taxa of <i>Sutherlandia</i> Tribe. <i>Biochemical Systematics and Ecology</i> , 1998, 26, 595-609.	1.3	13
107	Four new genera of woody Apiaceae of Madagascar. <i>Taxon</i> , 1999, 48, 737-745.	0.7	13
108	Ethnobotany, leaf anatomy, essential oil composition and antibacterial activity of <i>Pteronia onobromoides</i> (Asteraceae). <i>South African Journal of Botany</i> , 2010, 76, 43-48.	2.5	13

#	ARTICLE	IF	CITATIONS
109	Wood anatomy of the tribe Podalyrieae (Fabaceae, Papilionoideae): Diversity and evolutionary trends. <i>South African Journal of Botany</i> , 2013, 89, 244-256.	2.5	13
110	The taxonomic significance of cyanogenesis in <i>Lotononis</i> and related genera. <i>Biochemical Systematics and Ecology</i> , 1989, 17, 297-303.	1.3	12
111	Taxonomic significance of major alkaloids in the genus <i>Priestleya</i> . <i>Biochemical Systematics and Ecology</i> , 1991, 19, 595-598.	1.3	12
112	Morphological variation and phylogenetic relationships in the genus <i>Anginon</i> (Apiaceae). <i>Nordic Journal of Botany</i> , 1997, 17, 511-526.	0.5	12
113	Doing an Ethnobotanical Survey in the Life Sciences Classroom. <i>American Biology Teacher</i> , 2011, 73, 90-97.	0.2	12
114	Bark anatomy of <i>Adansonia digitata</i> L. (Malvaceae). <i>Adansonia</i> , 2017, 39, 31-40.	0.2	12
115	The Botanical, Chemical and Ethnobotanical Diversity of Southern African Lamiaceae. <i>Molecules</i> , 2021, 26, 3712.	3.8	12
116	Co-occurrence of hydroxylated lupanines and their corresponding angelate esters in <i>Pearsonia</i> species. <i>Phytochemistry</i> , 1991, 30, 3631-3634.	2.9	11
117	A chemotaxonomic and biochemical evaluation of the identity of <i>Aloe candelabrum</i> (Aloaceae). <i>Taxon</i> , 1996, 45, 461-471.	0.7	11
118	A revision of <i>Lebeckia</i> sect. <i>Lebeckia</i> : The <i>L. sepiaria</i> group. <i>South African Journal of Botany</i> , 2007, 73, 118-130.	2.5	11
119	<i>Ezosciadium</i> (Apiaceae): a taxonomic revision of yet another early diverging South African apioid genus. <i>Plant Systematics and Evolution</i> , 2008, 276, 167-175.	0.9	11
120	Systematic and phylogenetic value of wood anatomy in <i>Heteromorphaeae</i> (Apiaceae, Apioideae). <i>Botanical Journal of the Linnean Society</i> , 2008, 158, 569-583.	1.6	11
121	A Taxonomic Revision of the Woody South African Genus <i>Notobubon</i> (Apiaceae: Apioideae). <i>Systematic Botany</i> , 2009, 34, 220-242.	0.5	11
122	Producing a plant diversity portal for South Africa. <i>Taxon</i> , 2017, 66, 421-431.	0.7	11
123	The diversity and multiple uses of southern African legumes. <i>Australian Systematic Botany</i> , 2019, 32, 519-546.	0.9	11
124	New Labdanes with Antimicrobial and Acaricidal Activity: Terpenes of <i>Callitris</i> and <i>Widdringtonia</i> (Cupressaceae). <i>Antibiotics</i> , 2020, 9, 173.	3.7	11
125	A review of the ethnobotany, contemporary uses, chemistry and pharmacology of the genus <i>Thesium</i> (Santalaceae). <i>Journal of Ethnopharmacology</i> , 2020, 256, 112745.	4.1	11
126	The Ethnobotany and Chemistry of South African Meliaceae: A Review. <i>Plants</i> , 2021, 10, 1796.	3.5	11

#	ARTICLE	IF	CITATIONS
127	Pyrrrolizidine alkaloids from seeds of <i>Crotalaria capensis</i> . <i>Phytochemistry</i> , 1992, 31, 369-371.	2.9	10
128	Genetic polymorphism in wild and cultivated <i>Siphonochilus aethiopicus</i> (Zingiberaceae). <i>Biochemical Systematics and Ecology</i> , 1997, 25, 343-351.	1.3	10
129	Vegetative morphology and anatomy of <i>Cissampelos</i> in South Africa. <i>South African Journal of Botany</i> , 2002, 68, 181-190.	2.5	10
130	A Taxonomic Revision Of the South African Endemic Genus <i>Arctopus</i> (Apiaceae, Saniculoideae)1. <i>Annals of the Missouri Botanical Garden</i> , 2008, 95, 471-486.	1.3	10
131	False paracarpy in <i>Seemannaralia</i> (Araliaceae): from bilocular ovary to unilocular fruit. <i>Annals of Botany</i> , 2010, 106, 29-36.	2.9	10
132	Leaf and stem anatomy of honeybush tea (<i>Cyclopia</i> species, Fabaceae). <i>South African Journal of Botany</i> , 2012, 82, 123-128.	2.5	10
133	The phylogenetic significance of the carpophore in Apiaceae. <i>Annals of Botany</i> , 2012, 110, 1531-1543.	2.9	10
134	Sceletium for Managing Anxiety, Depression and Cognitive Impairment: A Traditional Herbal Medicine in Modern-Day Regulatory Systems. <i>Current Neuropharmacology</i> , 2021, 19, 1384-1400.	2.9	10
135	Oxypterine, a chlorinated alkaloid from <i>Lotononis</i> subsection <i>Rostrata</i> . <i>Phytochemistry</i> , 1992, 31, 1029-1032.	2.9	9
136	<i>Stirtonia</i> , a new genus of the tribe Podalyrieae (Leguminosae) from South Africa. <i>Nordic Journal of Botany</i> , 1994, 14, 319-325.	0.5	9
137	Alkaloid variation in the <i>Lupinus pusillus</i> group (Fabaceae: tribe Genisteae). <i>Biochemical Systematics and Ecology</i> , 1995, 23, 533-537.	1.3	9
138	A chemotaxonomic survey of kaurene derivatives in the genus <i>Alepidea</i> (Apiaceae). <i>Biochemical Systematics and Ecology</i> , 1995, 23, 799-803.	1.3	9
139	A chemotaxonomic and morphological appraisal of <i>Aloe</i> series <i>Purpurascentes</i> , <i>Aloe</i> section <i>Anguialoe</i> and their hybrid, <i>Aloe broomii</i> . <i>Biochemical Systematics and Ecology</i> , 2001, 29, 621-631.	1.3	9
140	A revision of the genus <i>Marlothiella</i> (Apiaceae). <i>South African Journal of Botany</i> , 2007, 73, 208-213.	2.5	9
141	A taxonomic revision of the genus <i>Nanobubon</i> (Apiaceae: Apioideae). <i>South African Journal of Botany</i> , 2008, 74, 713-719.	2.5	9
142	<i>Billburttia</i> , a new genus of Apiaceae (tribe Apieae) endemic to Madagascar. <i>Plant Systematics and Evolution</i> , 2009, 283, 237-245.	0.9	9
143	Taxonomy of <i>Wiborgiella</i> (Crotalariaeae, Fabaceae), a Genus Endemic to the Greater Cape Region of South Africa. <i>Systematic Botany</i> , 2010, 35, 325-340.	0.5	9
144	The taxonomic significance of fruit morphology and anatomy in the genus <i>Alepidea</i> Delaroché (Apiaceae, subfamily Saniculoideae). <i>Plant Diversity and Evolution</i> , 2010, 128, 369-385.	1.1	9

#	ARTICLE	IF	CITATIONS
145	A taxonomic revision of the South African endemic genus <i>Dasispermum</i> (Apiaceae, Apioideae). <i>South African Journal of Botany</i> , 2010, 76, 308-323.	2.5	9
146	Wood and bark anatomy of <i>Steganotaenia</i> and <i>Polemanniopsis</i> (tribe <i>Steganotaenieae</i> , Apiaceae) with notes on phylogenetic implications. <i>Botanical Journal of the Linnean Society</i> , 2010, 163, 55-69.	1.6	9
147	The taxonomic significance of leaf anatomical characters in <i>Cussonia</i> and related genera (Araliaceae). <i>Botanical Journal of the Linnean Society</i> , 2010, 164, 246-263.	1.6	9
148	<i>Pteronia divaricata</i> (Asteraceae): A newly recorded Cape herbal medicine. <i>South African Journal of Botany</i> , 2011, 77, 66-74.	2.5	9
149	The reinstatement of the genus <i>Xiphotheca</i> (Fabaceae). <i>Taxon</i> , 1993, 42, 43-49.	0.7	8
150	Optical rotation of quinolizidine alkaloids: An important variable in chemosystematic studies of Fabaceae. <i>Plant Systematics and Evolution</i> , 1995, 198, 267-274.	0.9	8
151	The taxonomy of <i>Aloinella</i> , <i>Guillauminia</i> and <i>Lemeea</i> (Aloaceae). <i>Taxon</i> , 1995, 44, 513-517.	0.7	8
152	The major flower anthocyanins of <i>Lobostemon</i> (Boraginaceae). <i>Biochemical Systematics and Ecology</i> , 1997, 25, 39-42.	1.3	8
153	A revision of the genus <i>Melolobium</i> (Genisteae, Fabaceae). <i>South African Journal of Botany</i> , 2006, 72, 51-98.	2.5	8
154	Antiplasmodial activity and cytotoxicity of <i>Albertisia delagoensis</i> . <i>Antiparasitology</i> , 2007, 78, 420-422.	2.2	8
155	Irregular vittae and druse crystals in <i>Steganotaenia</i> fruits support a taxonomic affinity with the subfamily <i>Saniculoideae</i> (Apiaceae). <i>South African Journal of Botany</i> , 2007, 73, 252-255.	2.5	8
156	A revision of the genus <i>Choritaenia</i> (Apiaceae). <i>South African Journal of Botany</i> , 2007, 73, 184-189.	2.5	8
157	A taxonomic revision of the genus <i>Rothia</i> (Crotalariaeae, Fabaceae). <i>Australian Systematic Botany</i> , 2008, 21, 422.	0.9	8
158	A taxonomic revision of <i>Capnophyllum</i> (Apiaceae: Apioideae). <i>South African Journal of Botany</i> , 2009, 75, 283-291.	2.5	8
159	A revision of the genus <i>Bolusia</i> (Fabaceae, Crotalariaeae). <i>South African Journal of Botany</i> , 2010, 76, 86-94.	2.5	8
160	The systematic significance of bark structure in southern African genera of tribe <i>Heteromorpheae</i> (Apiaceae). <i>Botanical Journal of the Linnean Society</i> , 2012, 169, 677-691.	1.6	8
161	Anatomy of the leaf and bark of <i>Warburgia salutaris</i> (Canellaceae), an important medicinal plant from South Africa. <i>South African Journal of Botany</i> , 2014, 94, 177-181.	2.5	8
162	Taxonomic notes on the genus <i>Stephania</i> (Menispermaceae) in southern Africa. <i>South African Journal of Botany</i> , 2014, 95, 146-151.	2.5	8

#	ARTICLE	IF	CITATIONS
163	Essential oil composition of <i>Pentzia incana</i> (Asteraceae), an important natural pasture plant in the Karoo region of South Africa. <i>African Journal of Range and Forage Science</i> , 2018, 35, 137-145.	1.4	8
164	Patterns of Variation and Chemosystematic Significance of Phenolic Compounds in the Genus <i>Cyclopia</i> (Fabaceae, Podalyrieae). <i>Molecules</i> , 2019, 24, 2352.	3.8	8
165	<i>Thesium ovatifolium</i> (Santalaceae), a new species with ovate leaves from KwaZulu-Natal, South Africa. <i>Phytotaxa</i> , 2019, 405, 263-268.	0.3	8
166	Chromosome Numbers in <i>Lotononis</i> and <i>Buchenroedera</i> (Fabaceae-Crotalarieae). <i>Annals of the Missouri Botanical Garden</i> , 1988, 75, 1603.	1.3	7
167	10-Hydroxyaloin B 6-O-Acetate, an Oxanthrone from <i>Aloe claviflora</i> . <i>Journal of Natural Products</i> , 1998, 61, 256-257.	3.0	7
168	Phylogenetic relationships in the genus <i>Lichtensteinia</i> (Apiaceae) based on morphological, anatomical and DNA sequence data. <i>South African Journal of Botany</i> , 2009, 75, 64-82.	2.5	7
169	A revision of <i>Lebeckia</i> sect. <i>Lebeckia</i> : The <i>L. pauciflora</i> and <i>L. wrightii</i> groups (Fabaceae, Crotalarieae). <i>South African Journal of Botany</i> , 2009, 75, 83-96.	2.5	7
170	A revision of the African genus <i>Robynsiophyton</i> (Crotalarieae, Fabaceae). <i>South African Journal of Botany</i> , 2009, 75, 367-370.	2.5	7
171	A Taxonomic Revision of <i>Podalyria</i> (Fabaceae). <i>Systematic Botany</i> , 2011, 36, 631-660.	0.5	7
172	A Taxonomic Revision of the <i>Annesorhiza triternata</i> Group (Apiaceae, Apioideae): the Transfer of <i>Peucedanum triternatum</i> and <i>P. filicaule</i> and the Description of Five New Species. <i>Systematic Botany</i> , 2011, 36, 508-519.	0.5	7
173	The major diterpenoids of the genus <i>Arctopus</i> (Apiaceae) with notes on their chemotaxonomic and medicinal significance. <i>South African Journal of Botany</i> , 2013, 85, 94-98.	2.5	7
174	The major phenolic compound of the roots and leaves of <i>Rafnia amplexicaulis</i> (Fabaceae), a liquorice substitute and traditional tea used in Cape Herbal Medicine. <i>South African Journal of Botany</i> , 2015, 100, 75-79.	2.5	7
175	Chemataxonomic value of anthocyanins in the tribe Liparieae (Fabaceae). <i>Biochemical Systematics and Ecology</i> , 1995, 23, 295-297.	1.3	6
176	Genetic variation within and geographical relationships between four natural populations of <i>Virgilia oroboides</i> (Tribe Podalyrieae: Fabaceae). <i>Biochemical Systematics and Ecology</i> , 1996, 24, 135-143.	1.3	6
177	SU3, an oxocycloartane diglucoside from <i>Sutherlandia humilis</i> . <i>Phytochemistry Letters</i> , 2009, 2, 123-125.	1.2	6
178	Wood and bark anatomy of <i>Centella</i> : scalariform perforation plates support an affinity with the subfamily Mackinlayoideae (Apiaceae). <i>Plant Systematics and Evolution</i> , 2010, 289, 127-135.	0.9	6
179	The systematic position of <i>Sophora inhambanensis</i> (Fabaceae: Sophoreae). <i>South African Journal of Botany</i> , 2011, 77, 249-250.	2.5	6
180	Taxonomic notes on the genus <i>Cocculus</i> (Menispermaceae) in southern Africa. <i>South African Journal of Botany</i> , 2015, 96, 99-104.	2.5	6

#	ARTICLE	IF	CITATIONS
181	South Africa's Best BARK Medicines Prescribed at the Johannesburg Muthi Markets for Skin, Gut, and Lung Infections: MICs and Brine Shrimp Lethality. <i>Antibiotics</i> , 2021, 10, 681.	3.7	6
182	Indigenous knowledge in the life sciences classroom: Science, pseudo-science or a missing link?. <i>South African Journal of Science and Technology</i> , 2012, 31, .	0.1	6
183	Chemotaxonomic significance of alkaloids in the genus <i>Robynsiophyton</i> . <i>Biochemical Systematics and Ecology</i> , 1991, 19, 681-683.	1.3	5
184	<i>Stirtonanthus</i> , a new name for <i>Stirtonia</i> (Leguminosae, tribe Podalyrieae). <i>Nordic Journal of Botany</i> , 1995, 15, 67-67.	0.5	5
185	A revision of <i>Centella</i> series <i>Capenses</i> (Apiaceae). <i>Nordic Journal of Botany</i> , 1997, 17, 301-314.	0.5	5
186	A revision of the genus <i>Bolusafr</i> a (tribe Phaseoleae, Fabaceae). <i>South African Journal of Botany</i> , 2006, 72, 604-608.	2.5	5
187	A new species of <i>Alepidea</i> (Apiaceae, subfam. Saniculoideae). <i>South African Journal of Botany</i> , 2008, 74, 740-745.	2.5	5
188	A revision of <i>Lebeckia</i> sect. <i>Lebeckia</i> : The <i>L. plukenetiana</i> group (Fabaceae, Crotalarieae). <i>South African Journal of Botany</i> , 2008, 74, 660-676.	2.5	5
189	A revision of the genus <i>Dolichos</i> (Fabaceae, Papilionoideae, Phaseoleae), including Lesotho and Swaziland. <i>South African Journal of Botany</i> , 2012, 78, 178-194.	2.5	5
190	Notes on the taxonomic and ecological significance of bark structure in the genus <i>Virgilia</i> (Fabaceae, Tj ETQq0 0 0 rBT /Overlock 10 TF	2.5	5
191	A survey of wood anatomical characters in the tribe Crotalarieae (Fabaceae). <i>South African Journal of Botany</i> , 2014, 94, 155-165.	2.5	5
192	The rediscovery of <i>Billburttia vaginoides</i> , with notes on the morphology, anatomy, traditional uses and conservation status of the genus <i>Billburttia</i> (Apiaceae, Apiaceae). <i>Phytotaxa</i> , 2017, 321, 265.	0.3	5
193	Spatial patterns, availability and cultural preferences for edible plants in southern Africa. <i>Journal of Biogeography</i> , 2020, 47, 584-599.	3.0	5
194	Fatal pyrrolizidine alkaloid poisoning of infants caused by adulterated <i>Senecio coronatus</i> . <i>Forensic Science International</i> , 2021, 320, 110680.	2.2	5
195	The homology of red flower colour in <i>Crassula</i> , cotyledon and Tylecodon (Crassulaceae). <i>Biochemical Systematics and Ecology</i> , 1995, 23, 291-293.	1.3	4
196	The chemotaxonomic value of the diglucoside anthrone homonataloside B in the genus <i>Aloe</i> . <i>Biochemical Systematics and Ecology</i> , 2002, 30, 35-43.	1.3	4
197	A synopsis of the Middle-eastern and Asian species of <i>Argyrolobium</i> (Genisteeae Fabaceae). <i>South African Journal of Botany</i> , 2008, 74, 10-24.	2.5	4
198	A taxonomic revision of the genus <i>Cynorhiza</i> (Apiaceae: Apioideae). <i>South African Journal of Botany</i> , 2008, 74, 726-734.	2.5	4

#	ARTICLE	IF	CITATIONS
199	The pharmacognostic value of leaf and stem anatomy in rooibos tea (<i>Aspalathus linearis</i>). South African Journal of Botany, 2012, 82, 129-133.	2.5	4
200	Wood and bark anatomy of <i>Hypocalyptus</i> support its isolated taxonomic position in Leguminosae. South African Journal of Botany, 2013, 89, 234-239.	2.5	4
201	A Taxonomic Revision of <i>Amphitrichae</i> , a New Section of <i>Crotalaria</i> (Fabaceae). Systematic Botany, 2013, 38, 638-652.	0.5	4
202	San and Nama indigenous knowledge: The case of <i>Phoradendron</i> (<i>Pteronia camphorata</i>) and its medicinal use. South African Journal of Science, 2016, 112, 9.	0.7	4
203	Taxonomic notes on the genera <i>Tiliacora</i> and <i>Tinospora</i> (Menispermaceae) in southern Africa. South African Journal of Botany, 2016, 103, 283-294.	2.5	4
204	“Hair” bark in <i>Lannea schweinfurthii</i> (Anacardiaceae): hyperhydric-like tissue formed under arid conditions. IAWA Journal, 2018, 39, 221-233.	2.7	4
205	A taxonomic revision of the <i>Thesium scirpioides</i> species complex (Subgenus <i>Frisea</i> , Santalaceae) near endemic to South Africa. South African Journal of Botany, 2021, 138, 193-208.	2.5	4
206	The identity of <i>Lebeckia lotononoides</i> (Crotalariaeae, Fabaceae). South African Journal of Botany, 2007, 73, 664-666.	2.5	3
207	<i>Annesorhiza asparagoides</i> (Apiaceae), a new species from the Cederberg Mountains, Western Cape Province, South Africa. South African Journal of Botany, 2011, 77, 244-248.	2.5	3
208	Special issue on economic botany. South African Journal of Botany, 2011, 77, 809-811.	2.5	3
209	Wood anatomy of <i>Cussonia</i> and <i>Seemannaralia</i> (Araliaceae) with systematic and ecological implications. IAWA Journal, 2012, 33, 163-186.	2.7	3
210	Advances in legume systematics 12. South African Journal of Botany, 2013, 89, 1-2.	2.5	3
211	The Phylogenetic Significance of Fruit and Trichome Structures in Apiaceae Subfamily Mackinlayoideae. Systematic Botany, 2016, 41, 685-699.	0.5	3
212	Taxonomy of the Genus <i>Phymaspermum</i> (Asteraceae, Anthemideae). Systematic Botany, 2016, 41, 430-456.	0.5	3
213	Bark and wood structure of <i>Prunus africana</i> (Rosaceae), an important African medicinal plant. South African Journal of Botany, 2016, 106, 89-95.	2.5	3
214	The decolonisation of the curriculum project: The affordances of indigenous knowledge for self-directed learning. NWU Self-directed Learning Series, 2019, , .	0.1	3
215	A taxonomic study of the <i>Centella rupestris</i> group. Nordic Journal of Botany, 1995, 15, 263-268.	0.5	2
216	Three new species of <i>Centella</i> series <i>Glabratae</i> (Apiaceae). Nordic Journal of Botany, 1998, 18, 461-469.	0.5	2

#	ARTICLE	IF	CITATIONS
217	Three new species of <i>Centella</i> series <i>Montanae</i> . <i>Nordic Journal of Botany</i> , 1999, 19, 427-434.	0.5	2
218	A new species of <i>Polemanniopsis</i> (Apiaceae) from Namibia. <i>South African Journal of Botany</i> , 2010, 76, 153-157.	2.5	2
219	A revision of the genus <i>Glia</i> (Apiaceae, tribe <i>Heteromorphae</i>). <i>South African Journal of Botany</i> , 2010, 76, 259-271.	2.5	2
220	Crystal types and their distribution in the bark of African genistoid legumes (Fabaceae tribes) Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50 627 178, 620-632.	1.6	2
221	Bark and wood anatomy of <i>Leucosidea</i> and <i>Cliffortia</i> (Sanguisorbeae, Rosaceae). <i>IAWA Journal</i> , 2017, 38, 13-28.	2.7	2
222	The ethnobotany, leaf anatomy and major essential oil compounds of <i>Leysera gnaphalodes</i> (Asteraceae), a poorly known aromatic herbal tea endemic to southern Africa. <i>South African Journal of Botany</i> , 2019, 127, 12-18.	2.5	2
223	Colour of floral styles in the <i>Banksia spinulosa</i> Sm complex (Proteaceae) relates to the anthocyanin and flavonol profile, not soil pH. <i>Phytochemistry</i> , 2021, 192, 112931.	2.9	2
224	Two new species of <i>Centella</i> (Umbelliferae) with notes on the infrageneric taxonomy. <i>Nordic Journal of Botany</i> , 1995, 15, 167-171.	0.5	1
225	(1439) Proposal to conserve the name <i>Spartium capense</i> (Leguminosae) with a conserved type. <i>Taxon</i> , 1999, 48, 833-834.	0.7	1
226	(1729) Proposal to conserve the name <i>Arctopus echinatus</i> with a conserved type (<i>Apiaceae</i>). <i>Taxon</i> , 2006, 55, 541-541.	0.7	1
227	A new species of <i>Lotononis</i> section <i>Oxydium</i> (Fabaceae, Crotalariaeae). <i>South African Journal of Botany</i> , 2008, 74, 750-752.	2.5	1
228	A new species of <i>Lichtensteinia</i> (Apiaceae). <i>South African Journal of Botany</i> , 2008, 74, 757-760.	2.5	1
229	Taxonomic notes on the genus <i>Otoptera</i> (Phaseoleae, Fabaceae) in southern Africa. <i>South African Journal of Botany</i> , 2011, 77, 492-496.	2.5	1
230	Chromosome numbers of South African Umbelliferae (Apiaceae). <i>South African Journal of Botany</i> , 2011, 77, 497-502.	2.5	1
231	Taxonomic notes on the genus <i>Albertisia</i> (Menispermaceae) in South Africa and Mozambique. <i>South African Journal of Botany</i> , 2013, 84, 1-5.	2.5	1
232	A refined circumscription of <i>Notobubon striatum</i> and the resurrection of <i>Dregea collina</i> Ecklon & Zeyher (Apiaceae, Apioideae). <i>Phytotaxa</i> , 2016, 266, 27.	0.3	1
233	Clarification of the concept of <i>Aframmi</i> (Heteromorphae, Apiaceae) and a new monotypic genus, <i>Normantha</i> . <i>Phytotaxa</i> , 2017, 298, 71.	0.3	1
234	A taxonomic revision of the <i>Alepidea setifera</i> group (Apiaceae, Apioideae), the description of a new species, <i>A. inflexa</i> , and the reinstatement of <i>A. jenkinsii</i> . <i>South African Journal of Botany</i> , 2017, 111, 1-11.	2.5	1

#	ARTICLE	IF	CITATIONS
235	Divergence Time Estimation of Aloes and Allies (Xanthorrhoeaceae) Based on Three Marker Genes. Diversity, 2018, 10, 60.	1.7	1
236	Electronic identification keys for species with cryptic morphological characters: a feasibility study using some Thesium species. PhytoKeys, 2021, 172, 97-119.	1.0	1
237	Observations on the Association between Some Buprestid and Cerambycid Beetles and Black Frankincense Resin Inducement. Diversity, 2022, 14, 58.	1.7	1
238	Determination of atractyloside in Callilepis laureola using solid-phase extraction and liquid chromatography-atmospheric pressure ionisation mass spectrometry. Journal of Chromatography A, 2004, 1058, 153-62.	3.7	1
239	A new species of Rafnia (Crotalariaeae, Fabaceae). South African Journal of Botany, 2007, 73, 471-473.	2.5	0
240	The Identity of Lessertia rigida (Thunb.) DC. (Galegeae, Fabaceae) and a New Species From the Greater Cape Region of South Africa. Systematic Botany, 2011, 36, 371-375.	0.5	0
241	Unusual carpological characters in Marlothiella gummifera (Apiaceae). South African Journal of Botany, 2012, 83, 19-22.	2.5	0
242	(2134) Proposal to conserve the name <I>Phymaspermum</I> (<I>Asteraceae</I>) with a conserved type. Taxon, 2013, 62, 407-408.	0.7	0
243	A Revision of the South African Genus <I>Hermas</I> (Apiaceae). Systematic Botany, 2015, 40, 352-365.	0.5	0
244	A new species of Lessertia (Galegeae, Leguminosae) from Gauteng Province, South Africa. Phytotaxa, 2016, 286, 123.	0.3	0
245	Essential oil composition and leaf trichomes of Pegolettia baccharidifolia and Pegolettia retrofracta (Asteraceae). South African Journal of Botany, 2017, 111, 275-282.	2.5	0
246	Volatile constituents of Notobubon and Nanobubon (Apiaceae, tribe Tordylieae). Journal of Essential Oil Research, 2017, 29, 289-298.	2.7	0
247	Arguing for the inclusion of indigenous knowledge in the STEM curriculum: Possibilities and challenges. NWU Self-directed Learning Series, 2019, , 117-142.	0.1	0