

Merete Glenne Åie

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7328119/publications.pdf>

Version: 2024-02-01

37
papers

828
citations

471509

17
h-index

526287

27
g-index

37
all docs

37
docs citations

37
times ranked

1075
citing authors

#	ARTICLE	IF	CITATIONS
1	Disease Mechanisms and Clonidine Treatment in Adolescent Chronic Fatigue Syndrome. <i>JAMA Pediatrics</i> , 2014, 168, 351.	6.2	62
2	Symptoms of ADHD in Children with High-Functioning Autism Are Related to Impaired Verbal Working Memory and Verbal Delayed Recall. <i>PLoS ONE</i> , 2013, 8, e64842.	2.5	59
3	Predictors of chronic fatigue in adolescents six months after acute Epstein-Barr virus infection: A prospective cohort study. <i>Brain, Behavior, and Immunity</i> , 2019, 75, 94-100.	4.1	58
4	Neurocognition and functional outcome in early-onset schizophrenia and attention-deficit/hyperactivity disorder: A 13-year follow-up.. <i>Neuropsychology</i> , 2011, 25, 25-35.	1.3	51
5	Associations Among Symptoms of Autism, Symptoms of Depression and Executive Functions in Children with High-Functioning Autism: A 2-Year Follow-Up Study. <i>Journal of Autism and Developmental Disorders</i> , 2015, 45, 2497-2507.	2.7	51
6	Few differences in hot and cold executive functions in children and adolescents with combined and inattentive subtypes of ADHD. <i>Child Neuropsychology</i> , 2014, 20, 162-181.	1.3	46
7	Anomalous self-experiences contribute independently to social dysfunction in the early phases of schizophrenia and psychotic bipolar disorder. <i>Comprehensive Psychiatry</i> , 2014, 55, 475-482.	3.1	45
8	Anomalous self-experience and childhood trauma in first-episode schizophrenia. <i>Comprehensive Psychiatry</i> , 2015, 56, 35-41.	3.1	43
9	Development of Hot and Cold Executive Function in Boys and Girls With ADHD. <i>Journal of Attention Disorders</i> , 2017, 21, 305-315.	2.6	43
10	Aberrant Resting-State Functional Connectivity in the Salience Network of Adolescent Chronic Fatigue Syndrome. <i>PLoS ONE</i> , 2016, 11, e0159351.	2.5	34
11	Cognitive dysfunction in adolescents with chronic fatigue: a cross-sectional study. <i>Archives of Disease in Childhood</i> , 2015, 100, 838-844.	1.9	28
12	Parental reflective functioning and executive functioning in mothers with substance use disorder. <i>Attachment and Human Development</i> , 2018, 20, 181-207.	2.1	28
13	Working memory arrest in children with high-functioning autism compared to children with attention-deficit/hyperactivity disorder: Results from a 2-year longitudinal study. <i>Autism</i> , 2015, 19, 443-450.	4.1	27
14	Autism spectrum disorder polygenic scores are associated with every day executive function in children admitted for clinical assessment. <i>Autism Research</i> , 2020, 13, 207-220.	3.8	25
15	Adverse and adaptive childhood experiences are associated with parental reflective functioning in mothers with substance use disorder. <i>Child Abuse and Neglect</i> , 2018, 81, 259-273.	2.6	24
16	Relative stability of neurocognitive deficits in early onset schizophrenia spectrum patients. <i>Schizophrenia Research</i> , 2014, 156, 241-247.	2.0	22
17	Environmental factors during adolescence associated with later development of psychotic disorders – A nested case-control study. <i>Psychiatry Research</i> , 2014, 215, 579-585.	3.3	20
18	High degree of uncertain reflective functioning in mothers with substance use disorder. <i>Addictive Behaviors Reports</i> , 2019, 10, 100193.	1.9	17

#	ARTICLE	IF	CITATIONS
19	Development of executive functioning from childhood to young adulthood in autism spectrum disorder and attention-deficit/hyperactivity disorder: A 10-year longitudinal study.. <i>Neuropsychology</i> , 2021, 35, 809-821.	1.3	17
20	Cognition, Emotion and Behavior in Children with Touretteâ€™s Syndrome and Children with ADHD-Combined Subtypeâ€™ A Two-Year Follow-Up Study. <i>PLoS ONE</i> , 2015, 10, e0144874.	2.5	15
21	Trauma in childhood and adolescence and impaired executive functions are associated with uncertain reflective functioning in mothers with substance use disorder. <i>Addictive Behaviors Reports</i> , 2020, 11, 100245.	1.9	14
22	The association between executive functioning and parental stress and psychological distress is mediated by parental reflective functioning in mothers with substance use disorder. <i>Stress and Health</i> , 2019, 35, 407-420.	2.6	13
23	Declining Trajectories of Co-occurring Psychopathology Symptoms in Attention-Deficit/Hyperactivity Disorder and Autism Spectrum Disorder: A 10-Year Longitudinal Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 724759.	2.6	13
24	Altered right anterior insular connectivity and loss of associated functions in adolescent chronic fatigue syndrome. <i>PLoS ONE</i> , 2017, 12, e0184325.	2.5	12
25	Dissociable Response Inhibition in Children With Touretteâ€™s Syndrome Compared With Children With ADHD. <i>Journal of Attention Disorders</i> , 2016, 20, 825-835.	2.6	10
26	A systematic review of premorbid cognitive functioning and its timing of onset in schizophrenia spectrum disorders. <i>Schizophrenia Research: Cognition</i> , 2022, 28, 100246.	1.3	10
27	Gender Differences in the Relationship Between Changes in ADHD Symptoms, Executive Functions, and Self- and Parent-Report Depression Symptoms in Boys and Girls With ADHD: A 2-Year Follow-Up Study. <i>Journal of Attention Disorders</i> , 2018, 22, 446-459.	2.6	8
28	Similar impairments shown on a neuropsychological test battery in adolescents with high-functioning autism and early onset schizophrenia: a two-year follow-up study. <i>Cognitive Neuropsychiatry</i> , 2020, 25, 163-178.	1.3	7
29	Associations between cognition and internalizing problems in young adults with early-onset schizophrenia: A 13-year follow-up study. <i>Psychiatry Research</i> , 2018, 265, 161-166.	3.3	6
30	Keeping Mind in Mind: Mentalizing and Executive Functioning in Substance-Abusing Infant Mothers: Effect on Dyadic Relationship and Infant Outcome. <i>Substance Abuse: Research and Treatment</i> , 2015, 9s2, SART.S23502.	0.9	5
31	Basic self-disturbances are associated with Sense of Coherence in patients with psychotic disorders. <i>PLoS ONE</i> , 2020, 15, e0230956.	2.5	4
32	Emotional conflict processing in adolescent chronic fatigue syndrome: A pilot study using functional magnetic resonance imaging. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2017, 39, 355-368.	1.3	3
33	Lifestyle factors during acute Epsteinâ€™Barr virus infection in adolescents predict physical activity six months later. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019, 108, 1521-1526.	1.5	2
34	High levels of the openness trait are associated with better parental reflective functioning in mothers with substance use disorders. <i>Addictive Behaviors Reports</i> , 2020, 12, 100318.	1.9	2
35	Decision-making and Risky Behavior in Individuals with Attention-Deficit/Hyperactivity Disorder: A 10-year Longitudinal Study. <i>Developmental Neuropsychology</i> , 2022, 47, 193-209.	1.4	2
36	Executive Functioning in Everyday Life in Youth with Attention-Deficit/Hyperactivity Disorder and Autism Spectrum Disorders: A Two-Year Longitudinal Study. <i>International Journal of Disability Development and Education</i> , 0, , 1-16.	1.1	2

#	ARTICLE	IF	CITATIONS
37	Risk of attention-deficit/hyperactivity disorder and autism spectrum disorder in children associated with gestational levels of toxic metals and essential elements. ISEE Conference Abstracts, 2021, 2021, .	0.0	0