Merete Glenne Ã~ie

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7328119/publications.pdf

Version: 2024-02-01

471509 526287 37 828 17 27 citations h-index g-index papers 37 37 37 1075 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	A systematic review of premorbid cognitive functioning and its timing of onset in schizophrenia spectrum disorders. Schizophrenia Research: Cognition, 2022, 28, 100246.	1.3	10
2	Decision-making and Risky Behavior in Individuals with Attention-Deficit/Hyperactivity Disorder: A 10-year Longitudinal Study. Developmental Neuropsychology, 2022, 47, 193-209.	1.4	2
3	Risk of attention-deficit/hyperactivity disorder and autism spectrum disorder in children associated with gestational levels of toxic metals and essential elements. ISEE Conference Abstracts, 2021, 2021, .	0.0	O
4	Development of executive functioning from childhood to young adulthood in autism spectrum disorder and attention-deficit/hyperactivity disorder: A 10-year longitudinal study Neuropsychology, 2021, 35, 809-821.	1.3	17
5	Declining Trajectories of Co-occurring Psychopathology Symptoms in Attention-Deficit/Hyperactivity Disorder and Autism Spectrum Disorder: A 10-Year Longitudinal Study. Frontiers in Psychiatry, 2021, 12, 724759.	2.6	13
6	Autism spectrum disorder polygenic scores are associated with every day executive function in children admitted for clinical assessment. Autism Research, 2020, 13, 207-220.	3.8	25
7	High levels of the openness trait are associated with better parental reflective functioning in mothers with substance use disorders. Addictive Behaviors Reports, 2020, 12, 100318.	1.9	2
8	Similar impairments shown on a neuropsychological test battery in adolescents with high-functioning autism and early onset schizophrenia: a two-year follow-up study. Cognitive Neuropsychiatry, 2020, 25, 163-178.	1.3	7
9	Trauma in childhood and adolescence and impaired executive functions are associated with uncertain reflective functioning in mothers with substance use disorder. Addictive Behaviors Reports, 2020, 11, 100245.	1.9	14
10	Basic self-disturbances are associated with Sense of Coherence in patients with psychotic disorders. PLoS ONE, 2020, 15, e0230956.	2.5	4
11	High degree of uncertain reflective functioning in mothers with substance use disorder. Addictive Behaviors Reports, 2019, 10, 100193.	1.9	17
12	Lifestyle factors during acute Epstein–Barr virus infection in adolescents predict physical activity six months later. Acta Paediatrica, International Journal of Paediatrics, 2019, 108, 1521-1526.	1.5	2
13	The association between executive functioning and parental stress and psychological distress is mediated by parental reflective functioning in mothers with substance use disorder. Stress and Health, 2019, 35, 407-420.	2.6	13
14	Predictors of chronic fatigue in adolescents six months after acute Epstein-Barr virus infection: A prospective cohort study. Brain, Behavior, and Immunity, 2019, 75, 94-100.	4.1	58
15	Associations between cognition and internalizing problems in young adults with early-onset schizophrenia: A 13-year follow-up study. Psychiatry Research, 2018, 265, 161-166.	3.3	6
16	Gender Differences in the Relationship Between Changes in ADHD Symptoms, Executive Functions, and Self- and Parent-Report Depression Symptoms in Boys and Girls With ADHD: A 2-Year Follow-Up Study. Journal of Attention Disorders, 2018, 22, 446-459.	2.6	8
17	Parental reflective functioning and executive functioning in mothers with substance use disorder. Attachment and Human Development, 2018, 20, 181-207.	2.1	28
18	Adverse and adaptive childhood experiences are associated with parental reflective functioning in mothers with substance use disorder. Child Abuse and Neglect, 2018, 81, 259-273.	2.6	24

#	Article	IF	CITATIONS
19	Emotional conflict processing in adolescent chronic fatigue syndrome: A pilot study using functional magnetic resonance imaging. Journal of Clinical and Experimental Neuropsychology, 2017, 39, 355-368.	1.3	3
20	Development of Hot and Cold Executive Function in Boys and Girls With ADHD. Journal of Attention Disorders, 2017, 21, 305-315.	2.6	43
21	Altered right anterior insular connectivity and loss of associated functions in adolescent chronic fatigue syndrome. PLoS ONE, 2017, 12, e0184325.	2.5	12
22	Dissociable Response Inhibition in Children With Tourette's Syndrome Compared With Children With ADHD. Journal of Attention Disorders, 2016, 20, 825-835.	2.6	10
23	Aberrant Resting-State Functional Connectivity in the Salience Network of Adolescent Chronic Fatigue Syndrome. PLoS ONE, 2016, 11, e0159351.	2.5	34
24	Keeping Mind in Mind: Mentalizing and Executive Functioning in Substance-Abusing Infant Mothers: Effect on Dyadic Relationship and Infant Outcome. Substance Abuse: Research and Treatment, 2015, 9s2, SART.S23502.	0.9	5
25	Working memory arrest in children with high-functioning autism compared to children with attention-deficit/hyperactivity disorder: Results from a 2-year longitudinal study. Autism, 2015, 19, 443-450.	4.1	27
26	Cognitive dysfunction in adolescents with chronic fatigue: a cross-sectional study. Archives of Disease in Childhood, 2015, 100, 838-844.	1.9	28
27	Associations Among Symptoms of Autism, Symptoms of Depression and Executive Functions in Children with High-Functioning Autism: A 2ÂYear Follow-Up Study. Journal of Autism and Developmental Disorders, 2015, 45, 2497-2507.	2.7	51
28	Anomalous self-experience and childhood trauma in first-episode schizophrenia. Comprehensive Psychiatry, 2015, 56, 35-41.	3.1	43
29	Cognition, Emotion and Behavior in Children with Tourette's Syndrome and Children with ADHD-Combined Subtype—A Two-Year Follow-Up Study. PLoS ONE, 2015, 10, e0144874.	2.5	15
30	Disease Mechanisms and Clonidine Treatment in Adolescent Chronic Fatigue Syndrome. JAMA Pediatrics, 2014, 168, 351.	6.2	62
31	Environmental factors during adolescence associated with later development of psychotic disorders – A nested case-control study. Psychiatry Research, 2014, 215, 579-585.	3.3	20
32	Anomalous self-experiences contribute independently to social dysfunction in the early phases of schizophrenia and psychotic bipolar disorder. Comprehensive Psychiatry, 2014, 55, 475-482.	3.1	45
33	Relative stability of neurocognitive deficits in early onset schizophrenia spectrum patients. Schizophrenia Research, 2014, 156, 241-247.	2.0	22
34	Few differences in hot and cold executive functions in children and adolescents with combined and inattentive subtypes of ADHD. Child Neuropsychology, 2014, 20, 162-181.	1.3	46
35	Symptoms of ADHD in Children with High-Functioning Autism Are Related to Impaired Verbal Working Memory and Verbal Delayed Recall. PLoS ONE, 2013, 8, e64842.	2.5	59
36	Neurocognition and functional outcome in early-onset schizophrenia and attention-deficit/hyperactivity disorder: A 13-year follow-up Neuropsychology, 2011, 25, 25-35.	1.3	51

Merete Glenne Ã~ie

#	Article	IF	CITATIONS
37	Executive Functioning in Everyday Life in Youth with Attention-Deficit/Hyperactivity Disorder and Autism Spectrum Disorders: A Two-Year Longitudinal Study. International Journal of Disability Development and Education, 0, , 1 -16.	1.1	2