

Douglas E Padgett

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7328689/publications.pdf>

Version: 2024-02-01

93
papers

3,897
citations

126708

33
h-index

128067

60
g-index

94
all docs

94
docs citations

94
times ranked

3223
citing authors

#	ARTICLE	IF	CITATIONS
1	A Postmortem Analysis of Polyethylene Damage and Periprosthetic Tissue in Rotating Platform and Fixed Bearing Tibial Inserts. <i>Journal of Arthroplasty</i> , 2022, 37, 1203-1209.	1.5	1
2	Effect of Duloxetine on Opioid Use and Pain After Total Knee Arthroplasty: A Triple-Blinded Randomized Controlled Trial. <i>Journal of Arthroplasty</i> , 2022, 37, S147-S154.	1.5	18
3	Reply to the Letter to the Editor: Adverse Local Tissue Reactions are Common in Asymptomatic Individuals After Hip Resurfacing Arthroplasty: Interim Report from a Prospective Longitudinal Study. <i>Clinical Orthopaedics and Related Research</i> , 2022, Publish Ahead of Print, .	0.7	0
4	Adjuvant antibiotic-loaded bone cement: Concerns with current use and research to make it work. <i>Journal of Orthopaedic Research</i> , 2021, 39, 227-239.	1.2	63
5	The Hip-Spine Relationship: The Importance of Femoral Version. <i>Journal of Arthroplasty</i> , 2021, 36, S99-S103.	1.5	3
6	Is There an Association Between Negative Patient-Experience Comments and Perioperative Outcomes After Primary Total Hip Arthroplasty?. <i>Journal of Arthroplasty</i> , 2021, 36, 2016-2023.	1.5	4
7	Sequencing of Circulating Microbial Cell-Free DNA Can Identify Pathogens in Periprosthetic Joint Infections. <i>Journal of Bone and Joint Surgery - Series A</i> , 2021, 103, 1705-1712.	1.4	17
8	Adverse Local Tissue Reactions are Common in Asymptomatic Individuals After Hip Resurfacing Arthroplasty: Interim Report from a Prospective Longitudinal Study. <i>Clinical Orthopaedics and Related Research</i> , 2021, 479, 2633-2650.	0.7	15
9	Changes in opioid discharge prescriptions after primary total hip and total knee arthroplasty affect opioid refill rates and morphine milligram equivalents. <i>Bone and Joint Journal</i> , 2021, 103-B, 103-110.	1.9	15
10	Fretting and corrosion of metal liners from modular dual mobility constructs. <i>Bone and Joint Journal</i> , 2021, 103-B, 1238-1246.	1.9	19
11	Reduction of Opioid Quantities at Discharge After TKA Did Not Increase the Risk of Manipulation Under Anesthesia: An Institutional Experience. <i>Journal of Arthroplasty</i> , 2021, 36, 2307-2312.	1.5	8
12	Retrieval Analysis of Polyethylene Components in Rotating Hinge Knee Arthroplasty Implants. <i>Journal of Arthroplasty</i> , 2021, 36, 2998-3003.	1.5	7
13	Independent Risk Factors for Transfusion in Contemporary Revision Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2021, 36, 2921-2926.	1.5	8
14	The Clinical, Operational, and Financial Components of a Successful Bundled Payment Program for Lower Extremity Total Joint Replacement. <i>NEJM Catalyst</i> , 2021, 2, .	0.4	2
15	Biplanar Low-Dose Radiography Is Accurate for Measuring Combined Anteversion After Total Hip Arthroplasty. <i>HSS Journal</i> , 2020, 16, 23-29.	0.7	10
16	Taper Design, Head Material, and Manufacturer Affect the Onset of Fretting Under Simulated Corrosion Conditions. <i>Journal of Arthroplasty</i> , 2020, 35, 1117-1122.	1.5	5
17	Validation of the Hip Disability and Osteoarthritis Outcome Score and Knee Injury and Osteoarthritis Outcome Score Pain and Function Subscales for Use in Total Hip Replacement and Total Knee Replacement Clinical Trials. <i>Journal of Arthroplasty</i> , 2020, 35, 1200-1207.e4.	1.5	27
18	Timeline and Procedures on Restarting Non-Emergent Arthroplasty Care in the US Epicenter of the COVID-19 Pandemic. <i>HSS Journal</i> , 2020, 16, 146-152.	0.7	7

#	ARTICLE	IF	CITATIONS
19	Response to Letter to the Editor on "Assessment of a Satisfaction Measure for Use After Primary Total Joint Arthroplasty". <i>Journal of Arthroplasty</i> , 2020, 35, 3418-3419.	1.5	0
20	Clinical Experience with COVID-19 at a Specialty Orthopedic Hospital Converted to a Pandemic Overflow Field Hospital. <i>HSS Journal</i> , 2020, 16, 3-9.	0.7	5
21	The Optimal Dosing Regimen for Tranexamic Acid in Revision Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020, 102, 1883-1890.	1.4	14
22	Aseptic Loosening at the Tibia in Total Knee Arthroplasty: A Function of Cement Mantle Quality?. <i>Journal of Arthroplasty</i> , 2020, 35, S190-S196.	1.5	40
23	2020 Otto Aufranc Award: Malseating of modular dual mobility liners. <i>Bone and Joint Journal</i> , 2020, 102-B, 20-26.	1.9	42
24	Reply to the Letter to the Editor: Can Machine Learning Algorithms Predict Which Patients Will Achieve Minimally Clinically Important Differences From Total Joint Arthroplasty?. <i>Clinical Orthopaedics and Related Research</i> , 2020, 478, 1376-1377.	0.7	0
25	How Useful Is Magnetic Resonance Imaging in Evaluating Adverse Local Tissue Reaction?. <i>Journal of Arthroplasty</i> , 2020, 35, S63-S67.	1.5	4
26	Assessment of a Satisfaction Measure for Use After Primary Total Joint Arthroplasty. <i>Journal of Arthroplasty</i> , 2020, 35, 1792-1799.e4.	1.5	39
27	Porous Coatings in Retrieved Acetabular Components. <i>Journal of Arthroplasty</i> , 2020, 35, 2254-2258.	1.5	8
28	Have large femoral heads reduced prosthetic impingement in total hip arthroplasty?. <i>HIP International</i> , 2019, 29, 83-88.	0.9	17
29	Zirconia Phase Transformation in Zirconia-Toughened Alumina Ceramic Femoral Heads: An Implant Retrieval Analysis. <i>Journal of Arthroplasty</i> , 2019, 34, 3094-3098.	1.5	8
30	Simplifying the Hip-Spine Relationship for Total Hip Arthroplasty: What Do I Need to Do Differently Intraoperatively?. <i>Journal of Arthroplasty</i> , 2019, 34, S71-S73.	1.5	6
31	Patient-Reported Outcome Measures of Total Knee Arthroplasties for Post-Traumatic Arthritis versus Osteoarthritis: A Short-Term (5- to 10-year) Retrospective Matched Cohort Study. <i>Journal of Arthroplasty</i> , 2019, 34, 872-876.e1.	1.5	14
32	Intravenous vs Oral Acetaminophen as a Component of Multimodal Analgesia After Total Hip Arthroplasty: A Randomized, Blinded Trial. <i>Journal of Arthroplasty</i> , 2019, 34, S215-S220.	1.5	38
33	Distribution of Bone Ongrowth in Metaphyseal Sleeves for Revision Total Knee Arthroplasty: A Retrieval Analysis. <i>Journal of Arthroplasty</i> , 2019, 34, 760-765.	1.5	11
34	Addition of Adductor Canal Block to Periarticular Injection for Total Knee Replacement. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 812-820.	1.4	34
35	MRI of THA Correlates With Implant Wear and Tissue Reactions: A Cross-sectional Study. <i>Clinical Orthopaedics and Related Research</i> , 2019, 477, 159-174.	0.7	37
36	Preoperative Valgus Alignment Does Not Predict Inferior Outcome of Total Knee Arthroplasty. <i>HSS Journal</i> , 2018, 14, 50-54.	0.7	6

#	ARTICLE	IF	CITATIONS
37	Alternative Payment Models Should Risk-Adjust for Conversion Total Hip Arthroplasty: A Propensity Score-Matched Study. <i>Journal of Arthroplasty</i> , 2018, 33, 2025-2030.	1.5	20
38	Discharge to Inpatient Rehab Does Not Result in Improved Functional Outcomes Following Primary Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2018, 33, 1663-1667.	1.5	22
39	The onset of fretting at the headâ€stem connection in hip arthroplasty is affected by head material and trunnion design under simulated corrosion conditions. <i>Journal of Orthopaedic Research</i> , 2018, 36, 1630-1636.	1.2	17
40	Failure After Modern Total Knee Arthroplasty: A Prospective Study of 18,065 Knees. <i>Journal of Arthroplasty</i> , 2018, 33, 407-414.	1.5	161
41	Total Hip Arthroplasty Patients With Fixed Spinopelvic Alignment Are at Higher Risk of Hip Dislocation. <i>Journal of Arthroplasty</i> , 2018, 33, 1449-1454.	1.5	170
42	Do Well-functioning THAs Retrieved at Autopsy Exhibit Evidence of Fretting and Corrosion?. <i>Clinical Orthopaedics and Related Research</i> , 2018, 476, 2017-2024.	0.7	8
43	The American Association of Hip and Knee Surgeons, Hip Society, Knee Society, and American Academy of Orthopaedic Surgeons Position Statement on Outpatient Joint Replacement. <i>Journal of Arthroplasty</i> , 2018, 33, 3599-3601.	1.5	46
44	Patient Satisfaction After Total Knee Replacement: A Systematic Review. <i>HSS Journal</i> , 2018, 14, 192-201.	0.7	269
45	Less Midterm Damage and Oxidation Are Seen in Retrieved Highly Crosslinked Ultrahigh-Molecular-Weight Polyethylene Tibial Inserts than in Direct Compression Molded Polyethylene Inserts. <i>HSS Journal</i> , 2018, 14, 159-165.	0.7	1
46	MRI as a Biomarker for Clinical Problems in Total Joint Arthroplasty: The Role of Retrieval Analysis. , 2018, , 245-260.		1
47	The Frank Stinchfield Award. <i>Clinical Orthopaedics and Related Research</i> , 2017, 475, 353-360.	0.7	73
48	What Are Normal Metal Ion Levels After Total Hip Arthroplasty? AÂ€Serologic Analysis of Four Bearing Surfaces. <i>Journal of Arthroplasty</i> , 2017, 32, 1535-1542.	1.5	27
49	MRI, Retrieval Analysis, and Histologic Evaluation of Adverse Local Tissue Reaction in Metal-on-Polyethylene Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, 1647-1653.	1.5	28
50	Continued Inpatient Care After Primary Total Knee Arthroplasty Increases 30-Day Post-Discharge Complications: A Propensity Score-Adjusted Analysis. <i>Journal of Arthroplasty</i> , 2017, 32, S113-S118.	1.5	44
51	Discharge to Inpatient Facilities After Total Hip Arthroplasty Is Associated With Increased Postdischarge Morbidity. <i>Journal of Arthroplasty</i> , 2017, 32, S144-S149.e1.	1.5	57
52	Hypoalbuminemia Is a Better Predictor than Obesity of Complications After Total Knee Arthroplasty: a Propensity Score-Adjusted Observational Analysis. <i>HSS Journal</i> , 2017, 13, 66-74.	0.7	52
53	Polyethylene Damage Increases With Varus Implant Alignment in Posterior-stabilized and Constrained Condylar Knee Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2017, 475, 2981-2991.	0.7	25
54	Ceramic Bearings with Titanium Adapter Sleeves Implanted During Revision Hip Arthroplasty Show Minimal Fretting or Corrosion: a Retrieval Analysis. <i>HSS Journal</i> , 2017, 13, 241-247.	0.7	22

#	ARTICLE	IF	CITATIONS
55	Fronlike Synovitis on MRI and Correlation With Polyethylene Surface Damage of Total Knee Arthroplasty. <i>American Journal of Roentgenology</i> , 2017, 209, W231-W237.	1.0	14
56	A Crosswalk Between UCLA and Lower Extremity Activity Scales. <i>Clinical Orthopaedics and Related Research</i> , 2017, 475, 542-548.	0.7	24
57	Patients and surgeons provide endorsement of core domains for total joint replacement clinical trials. <i>Arthritis Research and Therapy</i> , 2017, 19, 267.	1.6	16
58	Does Degenerative Lumbar Spine Disease Influence Femoroacetabular Flexion in Patients Undergoing Total Hip Arthroplasty?. <i>Clinical Orthopaedics and Related Research</i> , 2016, 474, 1788-1797.	0.7	175
59	Perioperative Complications in Patients With Inflammatory Arthropathy Undergoing Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2016, 31, 2286-2290.	1.5	54
60	Validation of the KOOS, JR: A Short-form Knee Arthroplasty Outcomes Survey. <i>Clinical Orthopaedics and Related Research</i> , 2016, 474, 1461-1471.	0.7	272
61	Malnutrition Increases With Obesity and Is a Stronger Independent Risk Factor for Postoperative Complications: A Propensity-Adjusted Analysis of Total Hip Arthroplasty Patients. <i>Journal of Arthroplasty</i> , 2016, 31, 2415-2421.	1.5	69
62	Reply to the Letter to the Editor: Does Degenerative Lumbar Spine Disease Influence Femoroacetabular Flexion in Patients Undergoing Total Hip Arthroplasty?. <i>Clinical Orthopaedics and Related Research</i> , 2016, 474, 1881-1881.	0.7	2
63	The Cemented Unipolar Prosthesis for the Management of Displaced Femoral Neck Fractures in the Dependent Osteopenic Elderly. <i>Journal of Arthroplasty</i> , 2016, 31, 1040-1046.	1.5	25
64	MRI of Polyethylene Tibial Inserts in Total Knee Arthroplasty: Normal and Abnormal Appearances. <i>American Journal of Roentgenology</i> , 2016, 206, 1264-1271.	1.0	11
65	The Effect of Perioperative Corticosteroids in Total Hip Arthroplasty: A Prospective Double-Blind Placebo Controlled Pilot Study. <i>Journal of Arthroplasty</i> , 2016, 31, 1208-1212.	1.5	29
66	Validation of the HOOS, JR: A Short-form Hip Replacement Survey. <i>Clinical Orthopaedics and Related Research</i> , 2016, 474, 1472-1482.	0.7	191
67	In reply. <i>Journal of Arthroplasty</i> , 2016, 31, 549.	1.5	0
68	Otto Aufranc Award: Large Heads Do Not Increase Damage at the Head-neck Taper of Metal-on-polyethylene Total Hip Arthroplasties. <i>Clinical Orthopaedics and Related Research</i> , 2016, 474, 330-338.	0.7	85
69	Precision of Acetabular Cup Placement in Robotic Integrated Total Hip Arthroplasty. <i>HIP International</i> , 2015, 25, 531-536.	0.9	54
70	Patient-Controlled Epidural Analgesia or Multimodal Pain Regimen with Periarticular Injection After Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2015, 97, 789-798.	1.4	45
71	Risk for Complication after Total Joint Arthroplasty at a Center of Excellence: The Impact of Patient Travel Distance. <i>Journal of Arthroplasty</i> , 2015, 30, 1058-1061.	1.5	26
72	Current Status of Cost Utility Analyses in Total Joint Arthroplasty: A Systematic Review. <i>Clinical Orthopaedics and Related Research</i> , 2015, 473, 1815-1827.	0.7	94

#	ARTICLE	IF	CITATIONS
73	Pelvic Tilt in Patients Undergoing Total Hip Arthroplasty: When Does it Matter?. Journal of Arthroplasty, 2015, 30, 387-391.	1.5	169
74	Hip Dislocation Increases Roughness of Oxidized Zirconium Femoral Heads in Total Hip Arthroplasty: An Analysis of 59 Retrievals. Journal of Arthroplasty, 2015, 30, 713-717.	1.5	20
75	Perioperative Complications in Patients with Inflammatory Arthropathy Undergoing Total Knee Arthroplasty. Journal of Arthroplasty, 2015, 30, 76-80.	1.5	21
76	Cup Position Alone Does Not Predict Risk of Dislocation After Hip Arthroplasty. Journal of Arthroplasty, 2015, 30, 109-113.	1.5	201
77	Clinical and Radiographic Outcomes with a Hydroxyapatite and Porous Coated Cup Design. Advances in Orthopedic Surgery, 2014, 2014, 1-5.	0.5	6
78	Ceramic Liner Fractures Presenting as Squeaking After Primary Total Hip Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2014, 96, 27-31.	1.4	51
79	A Mobile Compression Device for Thrombosis Prevention in Hip and Knee Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2014, 96, 177-183.	1.4	61
80	Risk Factors for Revision Within 10 Years of Total Knee Arthroplasty. Clinical Orthopaedics and Related Research, 2014, 472, 1198-1207.	0.7	93
81	Zirconia Phase Transformation, Metal Transfer, and Surface Roughness in Retrieved Ceramic Composite Femoral Heads in Total Hip Arthroplasty. Journal of Arthroplasty, 2014, 29, 2219-2223.	1.5	27
82	Is Changing Hospitals for Revision Total Joint Arthroplasty Associated With More Complications?. Clinical Orthopaedics and Related Research, 2014, 472, 2006-2015.	0.7	25
83	Rotating-platform Has No Surface Damage Advantage Over Fixed-bearing TKA. Clinical Orthopaedics and Related Research, 2013, 471, 76-85.	0.7	24
84	Haptically guided robotic technology in total hip arthroplasty: A cadaveric investigation. Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine, 2013, 227, 302-309.	1.0	82
85	Retrieval Analysis of Nonmodular Constrained Tibial Inserts After Primary Total Knee Replacement. Orthopedic Clinics of North America, 2012, 43, e39-e43.	0.5	11
86	Wear Damage in Mobile-bearing TKA is as Severe as That in Fixed-bearing TKA. Clinical Orthopaedics and Related Research, 2011, 469, 123-130.	0.7	47
87	Ceramic-on-Ceramic Total Hip Arthroplasty: Incidence of Instability and Noise. Clinical Orthopaedics and Related Research, 2011, 469, 437-442.	0.7	58
88	Cancellous Impaction Grafting in Femoral Revision THA. Orthopedics, 2011, 34, e482-4.	0.5	5
89	Thrombosis Prevention After Total Hip Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2010, 92, 527-535.	1.4	117
90	Surgical Technique for Revision Total Hip Replacement. Journal of Bone and Joint Surgery - Series A, 2009, 91, 23-24.	1.4	3

#	ARTICLE	IF	CITATIONS
91	Revision Total Knee Arthroplasty: The Preoperative Evaluation. Journal of Bone and Joint Surgery - Series A, 2009, 91, 64-64.	1.4	16
92	Influence of Total Hip Design on Dislocation. Clinical Orthopaedics and Related Research, 2006, 447, 48-52.	0.7	57
93	Effectiveness of an Acetabular Positioning Device in Primary Total Hip Arthroplasty. HSS Journal, 2005, 1, 64-67.	0.7	22