

Michael W Y Chan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7331026/michael-w-y-chan-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89
papers

4,734
citations

35
h-index

68
g-index

96
ext. papers

5,173
ext. citations

7.3
avg, IF

4.7
L-index

#	Paper	IF	Citations
89	PCDHB15 as a potential tumor suppressor and epigenetic biomarker for breast cancer.. <i>Oncology Letters</i> , 2022 , 23, 117	2.6	2
88	Reinforcement of Environmental DNA Based Methods () in Biodiversity Monitoring and Conservation: A Review.. <i>Biology</i> , 2021 , 10,	4.9	1
87	Cyproheptadine, an epigenetic modifier, exhibits anti-tumor activity by reversing the epigenetic silencing of IRF6 in urothelial carcinoma. <i>Cancer Cell International</i> , 2021 , 21, 226	6.4	2
86	Methylomic analysis identifies C11orf87 as a novel epigenetic biomarker for GI cancers. <i>PLoS ONE</i> , 2021 , 16, e0250499	3.7	1
85	IRAK2, an IL1R/TLR Immune Mediator, Enhances Radiosensitivity Modulating Caspase 8/3-Mediated Apoptosis in Oral Squamous Cell Carcinoma. <i>Frontiers in Oncology</i> , 2021 , 11, 647175	5.3	5
84	CCRK-a hub for liver metastasis and cancer. <i>Cellular and Molecular Immunology</i> , 2021 , 18, 1341-1342	15.4	1
83	Gold nanorods conjugated upconversion nanoparticles nanocomposites for simultaneous bioimaging, local temperature sensing and photothermal therapy of OML-1 oral cancer cells. <i>International Journal of Smart and Nano Materials</i> , 2021 , 12, 49-71	3.6	7
82	Epigenetic Silencing of STAT3-Targeted miR-193a, by Constitutive Activation of JAK/STAT Signaling, Leads to Tumor Progression Through Overexpression of YWHAZ in Gastric Cancer. <i>Frontiers in Oncology</i> , 2021 , 11, 575667	5.3	4
81	Environmental Factor-Mediated Transgenerational Inheritance of Hypomethylation and Pulmonary Allergic Response Targeting Dendritic Cells. <i>Frontiers in Immunology</i> , 2020 , 11, 603831	8.4	5
80	Review on the Role of Epigenetic Modifications in Doxorubicin-Induced Cardiotoxicity. <i>Frontiers in Cardiovascular Medicine</i> , 2020 , 7, 56	5.4	11
79	Combinatorial Epigenetic and Immunotherapy in Breast Cancer Management: A Literature Review.. <i>Epigenomes</i> , 2020 , 4,	2.3	2
78	Prokineticin Receptor-1 Signaling Inhibits Dose- and Time-Dependent Anthracycline-Induced Cardiovascular Toxicity Via Myocardial and Vascular Protection. <i>JACC: CardioOncology</i> , 2019 , 1, 84-102	3.8	5
77	ZNF671 DNA methylation as a molecular predictor for the early recurrence of serous ovarian cancer. <i>Cancer Science</i> , 2019 , 110, 1105-1116	6.9	19
76	E2F6 functions as a competing endogenous RNA, and transcriptional repressor, to promote ovarian cancer stemness. <i>Cancer Science</i> , 2019 , 110, 1085-1095	6.9	22
75	Methylomics analysis identifies a putative STAT3 target, SPG20, as a noninvasive epigenetic biomarker for early detection of gastric cancer. <i>PLoS ONE</i> , 2019 , 14, e0218338	3.7	7
74	Paired Box-1 (PAX1) Activates Multiple Phosphatases and Inhibits Kinase Cascades in Cervical Cancer. <i>Scientific Reports</i> , 2019 , 9, 9195	4.9	16
73	SH2B1 modulates chromatin state and MyoD occupancy to enhance expressions of myogenic genes. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2017 , 1860, 270-281	6	3

72	DNA Methylation as a Noninvasive Epigenetic Biomarker for the Detection of Cancer. <i>Disease Markers</i> , 2017 , 2017, 3726595	3.2	75
71	Hard clam extracts induce atypical apoptosis in human gastric cancer cells. <i>Experimental and Therapeutic Medicine</i> , 2017 , 14, 1409-1418	2.1	4
70	Epigenetic silencing of GDF1 disrupts SMAD signaling to reinforce gastric cancer development. <i>Oncogene</i> , 2016 , 35, 2133-44	9.2	17
69	Epigenetic silencing of the NR4A3 tumor suppressor, by aberrant JAK/STAT signaling, predicts prognosis in gastric cancer. <i>Scientific Reports</i> , 2016 , 6, 31690	4.9	32
68	Cyproheptadine exhibits antitumor activity in urothelial carcinoma cells by targeting GSK3 β to suppress mTOR and β -catenin signaling pathways. <i>Cancer Letters</i> , 2016 , 370, 56-65	9.9	20
67	Dysregulated Lysine Acetyltransferase 2B Promotes Inflammatory Bowel Disease Pathogenesis Through Transcriptional Repression of Interleukin-10. <i>Journal of Crohn's and Colitis</i> , 2016 , 10, 726-34	1.5	17
66	Aberrant JAK/STAT Signaling Suppresses TFF1 and TFF2 through Epigenetic Silencing of GATA6 in Gastric Cancer. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	22
65	Guizhi Fuling Wan as a Novel Agent for Intravesical Treatment for Bladder Cancer in a Mouse Model. <i>Molecular Medicine</i> , 2016 , 22, 64-73	6.2	6
64	Hemolytic E. coli Promotes Colonic Tumorigenesis in Females. <i>Cancer Research</i> , 2016 , 76, 2891-900	10.1	12
63	Hypermethylation of the TGF- β target, ABCA1 is associated with poor prognosis in ovarian cancer patients. <i>Clinical Epigenetics</i> , 2015 , 7, 1	7.7	79
62	NKCC1 mediates traumatic brain injury-induced hippocampal neurogenesis through CREB phosphorylation and HIF-1 α expression. <i>Pflugers Archiv European Journal of Physiology</i> , 2015 , 467, 1651-61	4.6	29
61	Global profiling of histone modifications in the polyomavirus BK virion minichromosome. <i>Virology</i> , 2015 , 483, 1-12	3.6	9
60	DNA methylation profiles and biomarkers of oral squamous cell carcinoma. <i>Epigenetics</i> , 2015 , 10, 229-36	5.7	44
59	DNA methylome analysis identifies epigenetic silencing of FHIT as a determining factor for radiosensitivity in oral cancer: an outcome-predicting and treatment-implicating study. <i>Oncotarget</i> , 2015 , 6, 915-34	3.3	20
58	Methylomics analysis identifies ZNF671 as an epigenetically repressed novel tumor suppressor and a potential non-invasive biomarker for the detection of urothelial carcinoma. <i>Oncotarget</i> , 2015 , 6, 29555-72	3.2	27
57	Oncogene-tumor suppressor gene feedback interactions and their control. <i>Mathematical Biosciences and Engineering</i> , 2015 , 12, 1277-88	2.1	1
56	Long-term low-dose exposure of human urothelial cells to sodium arsenite activates lipocalin-2 via promoter hypomethylation. <i>Archives of Toxicology</i> , 2014 , 88, 1549-59	5.8	16
55	Association between cytokines and methylation of SOCS-1 in serum of patients with ankylosing spondylitis. <i>Molecular Biology Reports</i> , 2014 , 41, 3773-80	2.8	36

54	Hypomethylation signature of tumor-initiating cells predicts poor prognosis of ovarian cancer patients. <i>Human Molecular Genetics</i> , 2014 , 23, 1894-906	5.6	45
53	Epigenetic silencing of ARNTL, a circadian gene and potential tumor suppressor in ovarian cancer. <i>International Journal of Oncology</i> , 2014 , 45, 2101-7	4.4	44
52	A mathematical model of bimodal epigenetic control of miR-193a in ovarian cancer stem cells. <i>PLoS ONE</i> , 2014 , 9, e116050	3.7	9
51	FT-IR microspectrometry reveals the variation of membrane polarizability due to epigenomic effect on epithelial ovarian cancer. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 17963-73	6.3	7
50	Low-dose 5-aza-2-deoxycytidine pretreatment inhibits experimental autoimmune encephalomyelitis by induction of regulatory T cells. <i>Molecular Medicine</i> , 2014 , 20, 248-56	6.2	38
49	SOCS-1 promoter methylation and treatment response in chronic hepatitis C patients receiving pegylated-interferon/ribavirin. <i>Journal of Clinical Immunology</i> , 2013 , 33, 1110-6	5.7	7
48	Unexpected close surgical margin in resected buccal cancer: very close margin and DAPK promoter hypermethylation predict poor clinical outcomes. <i>Oral Oncology</i> , 2013 , 49, 336-44	4.4	10
47	The investigation of a traditional Chinese medicine, Guizhi Fuling Wan (GFW) as an intravesical therapeutic agent for urothelial carcinoma of the bladder. <i>BMC Complementary and Alternative Medicine</i> , 2013 , 13, 44	4.7	10
46	Epigenetic silencing of PTPRR activates MAPK signaling, promotes metastasis and serves as a biomarker of invasive cervical cancer. <i>Oncogene</i> , 2013 , 32, 15-26	9.2	54
45	Growth inhibition of ovarian tumor-initiating cells by niclosamide. <i>Molecular Cancer Therapeutics</i> , 2012 , 11, 1703-12	6.1	94
44	Dichotomy effects of Akt signaling in breast cancer. <i>Molecular Cancer</i> , 2012 , 11, 61	42.1	6
43	Analysis of DNA methylation in human BK virus. <i>Virus Genes</i> , 2011 , 43, 201-7	2.3	5
42	Distinct DNA methylation epigenotypes in bladder cancer from different Chinese sub-populations and its implication in cancer detection using voided urine. <i>BMC Medical Genomics</i> , 2011 , 4, 45	3.7	34
41	The high incidence of JC virus infection in urothelial carcinoma tissue in Taiwan. <i>Journal of Medical Virology</i> , 2011 , 83, 2191-9	19.7	14
40	Aberrant TGF β /SMAD4 signaling contributes to epigenetic silencing of a putative tumor suppressor, RunX1T1 in ovarian cancer. <i>Epigenetics</i> , 2011 , 6, 727-39	5.7	28
39	ChIP-seq defined genome-wide map of TGF β /SMAD4 targets: implications with clinical outcome of ovarian cancer. <i>PLoS ONE</i> , 2011 , 6, e22606	3.7	24
38	Promoter hypermethylation of FBXO32, a novel TGF-beta/SMAD4 target gene and tumor suppressor, is associated with poor prognosis in human ovarian cancer. <i>Laboratory Investigation</i> , 2010 , 90, 414-25	5.9	97
37	TGF- β friend or foe? The role of TGF- β /SMAD signaling in epigenetic silencing of ovarian cancer and its implication in epigenetic therapy. <i>Expert Opinion on Therapeutic Targets</i> , 2010 , 14, 1213-23	6.4	30

36	High Dickkopf-1 expression is associated with poor prognosis in patients with advanced urothelial carcinoma. <i>Experimental and Therapeutic Medicine</i> , 2010 , 1, 893-898	2.1	8
35	An integrative ChIP-chip and gene expression profiling to model SMAD regulatory modules. <i>BMC Systems Biology</i> , 2009 , 3, 73	3.5	54
34	Progressive increase of genetic alteration in urinary bladder cancer by combined allelotyping analysis and comparative genomic hybridization. <i>International Journal of Oncology</i> , 2009 , 34, 963-70	1	11
33	Identification of candidate epigenetic biomarkers for ovarian cancer detection. <i>Oncology Reports</i> , 2009 , 22, 853-61	3.5	23
32	Aberrant transforming growth factor beta1 signaling and SMAD4 nuclear translocation confer epigenetic repression of ADAM19 in ovarian cancer. <i>Neoplasia</i> , 2008 , 10, 908-19	6.4	52
31	Identification and characterization of ovarian cancer-initiating cells from primary human tumors. <i>Cancer Research</i> , 2008 , 68, 4311-20	10.1	1014
30	Fibroblasts isolated from common sites of breast cancer metastasis enhance cancer cell growth rates and invasiveness in an interleukin-6-dependent manner. <i>Cancer Research</i> , 2008 , 68, 9087-95	10.1	192
29	Epithelial progeny of estrogen-exposed breast progenitor cells display a cancer-like methylome. <i>Cancer Research</i> , 2008 , 68, 1786-96	10.1	120
28	Identification of novel DNA methylation markers in cervical cancer. <i>International Journal of Cancer</i> , 2008 , 123, 161-7	7.5	155
27	Detection of hypermethylated DNA or cyclooxygenase-2 messenger RNA in fecal samples of patients with colorectal cancer or polyps. <i>American Journal of Gastroenterology</i> , 2007 , 102, 1070-6	0.7	92
26	FOXP3 is an X-linked breast cancer suppressor gene and an important repressor of the HER-2/ErbB2 oncogene. <i>Cell</i> , 2007 , 129, 1275-86	56.2	312
25	Targeted inhibition of COX-2 expression by RNA interference suppresses tumor growth and potentiates chemosensitivity to cisplatin in human gastric cancer cells. <i>Oncology Reports</i> , 2007 , 18, 1557-62	3.5	26
24	Combinatorial analysis of transcription factor partners reveals recruitment of c-MYC to estrogen receptor-alpha responsive promoters. <i>Molecular Cell</i> , 2006 , 21, 393-404	17.6	154
23	Potential diagnostic and prognostic values of detecting promoter hypermethylation in the serum of patients with gastric cancer. <i>British Journal of Cancer</i> , 2005 , 92, 2190-4	8.7	86
22	Anti-sense trefoil factor family-3 (intestinal trefoil factor) inhibits cell growth and induces chemosensitivity to adriamycin in human gastric cancer cells. <i>Life Sciences</i> , 2005 , 76, 2581-92	6.8	22
21	Intestinal trefoil factor promotes invasion in non-tumorigenic Rat-2 fibroblast cell. <i>Regulatory Peptides</i> , 2005 , 127, 87-94		28
20	Hypermethylation of 18S and 28S ribosomal DNAs predicts progression-free survival in patients with ovarian cancer. <i>Clinical Cancer Research</i> , 2005 , 11, 7376-83	12.9	62
19	Quantitative detection of promoter hypermethylation in multiple genes in the serum of patients with colorectal cancer. <i>American Journal of Gastroenterology</i> , 2005 , 100, 2274-9	0.7	123

18	Effect of peroxisome proliferator activated receptor gamma ligands on growth and gene expression profiles of gastric cancer cells. <i>Gut</i> , 2004 , 53, 331-8	19.2	56
17	Detection of epigenetic changes in fecal DNA as a molecular screening test for colorectal cancer: a feasibility study. <i>Clinical Chemistry</i> , 2004 , 50, 2179-82	5.5	44
16	Constitutional activation of IL-6-mediated JAK/STAT pathway through hypermethylation of SOCS-1 in human gastric cancer cell line. <i>British Journal of Cancer</i> , 2004 , 91, 1335-41	8.7	73
15	Quantitative detection of methylated SOCS-1, a tumor suppressor gene, by a modified protocol of quantitative real time methylation-specific PCR using SYBR green and its use in early gastric cancer detection. <i>Biotechnology Letters</i> , 2004 , 26, 1289-93	3	36
14	Promoter hypermethylation of tumor-related genes in the progression of colorectal neoplasia. <i>International Journal of Cancer</i> , 2004 , 112, 846-53	7.5	72
13	Frequent hypermethylation of promoter region of RASSF1A in tumor tissues and voided urine of urinary bladder cancer patients. <i>International Journal of Cancer</i> , 2003 , 104, 611-6	7.5	87
12	Hypermethylation of the tumor suppressor gene RASSF1A and frequent concomitant loss of heterozygosity at 3p21 in cervical cancers. <i>International Journal of Cancer</i> , 2003 , 105, 204-9	7.5	58
11	Inactivation of helicase-like transcription factor by promoter hypermethylation in human gastric cancer. <i>Molecular Carcinogenesis</i> , 2003 , 37, 91-7	5	20
10	Absence of cyclin D2 expression is associated with promoter hypermethylation in gastric cancer. <i>British Journal of Cancer</i> , 2003 , 88, 1560-5	8.7	35
9	Promoter hypermethylation of tumor-related genes in gastric intestinal metaplasia of patients with and without gastric cancer. <i>International Journal of Cancer</i> , 2002 , 102, 623-8	7.5	120
8	Expression of trefoil peptides (TFF1, TFF2, and TFF3) in gastric carcinomas, intestinal metaplasia, and non-neoplastic gastric tissues. <i>Journal of Pathology</i> , 2002 , 197, 582-8	9.4	90
7	Hypermethylation of multiple genes in tumor tissues and voided urine in urinary bladder cancer patients. <i>Clinical Cancer Research</i> , 2002 , 8, 464-70	12.9	197
6	Detection of gene promoter hypermethylation in the tumor and serum of patients with gastric carcinoma. <i>Clinical Cancer Research</i> , 2002 , 8, 1761-6	12.9	117
5	Alterations of frizzled (FzE3) and secreted frizzled related protein (hsFRP) expression in gastric cancer. <i>Life Sciences</i> , 2001 , 70, 483-9	6.8	45
4	Determination of tumour vascularity using selective hepatic angiography as compared with intrahepatic-arterial technetium-99m macroaggregated albumin scan in hepatocellular carcinoma. <i>Cancer Chemotherapy and Pharmacology</i> , 1994 , 33 Suppl, S33-6	3.5	11
3	Epigenetics in Cancer Stem Cell Development 197-215		
2	Methods of Global Epigenomic Profiling 427-443		
1	Plant-animal interactions in the era of environmental DNA (eDNA) A review. <i>Environmental DNA</i> ,	7.6	0

