

AylÄ°n FÄ°dan Korcum

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7333127/publications.pdf>

Version: 2024-02-01

20
papers

177
citations

1307594

7
h-index

1125743

13
g-index

20
all docs

20
docs citations

20
times ranked

276
citing authors

#	ARTICLE	IF	CITATIONS
1	High TRAIL Death Receptor 4 and Decoy Receptor 2 Expression Correlates With Significant Cell Death in Pancreatic Ductal Adenocarcinoma Patients. <i>Pancreas</i> , 2009, 38, 154-160.	1.1	30
2	Primary follicular lymphoma of the cervix uteri: a review. <i>Annals of Hematology</i> , 2007, 86, 623-630.	1.8	28
3	High Levels of Endogenous Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand Expression Correlate With Increased Cell Death in Human Pancreas. <i>Pancreas</i> , 2008, 36, 385-393.	1.1	27
4	Stage I small cell carcinoma of the endometrium: survival and management options. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2008, 87, 122-126.	2.8	17
5	Effect of complementary and alternative medicine during radiotherapy on radiation toxicity. <i>Supportive Care in Cancer</i> , 2008, 16, 415-419.	2.2	16
6	Radiotherapy-induced decreases in substance P levels may potentiate melanoma growth. <i>Molecular Medicine Reports</i> , 2009, 2, 319-26.	2.4	9
7	Small cell carcinoma of the cervix: a case report. <i>Archives of Gynecology and Obstetrics</i> , 2008, 277, 367-370.	1.7	7
8	Endostatin and irradiation modifies the activity of ADAM10 and neprilysin in breast cancer cells. <i>Molecular Medicine Reports</i> , 2016, 14, 2343-2351.	2.4	7
9	Treatment outcomes of prostate cancer patients with Gleason score 8-10 treated with definitive radiotherapy. <i>Strahlentherapie Und Onkologie</i> , 2019, 195, 882-893.	2.0	6
10	Clinical prognostic factors of adjuvant radiation therapy for low-grade gliomas: results of 10 years survival. <i>International Journal of Clinical and Experimental Medicine</i> , 2014, 7, 1336-43.	1.3	6
11	Endostatin enhances radioresponse in breast cancer cells via alteration of substance P levels. <i>Oncology Letters</i> , 2011, 2, 879-886.	1.8	5
12	The results of adjuvant radiotherapy in endometrial carcinoma. <i>Gynecological Endocrinology</i> , 2010, 26, 240-245.	1.7	4
13	Thalidomide and irradiation combination therapy increases substance P levels in vitro. <i>Experimental and Therapeutic Medicine</i> , 2011, 2, 529-535.	1.8	4
14	Symptomatic Vertebral Hemangioma: Results of Radiotherapy. <i>Journal of Musculoskeletal Pain</i> , 2008, 16, 318-325.	0.3	3
15	The results of adjuvant radiotherapy in endometrial carcinoma. <i>Gynecological Endocrinology</i> , 2010, 26, 1-6.	1.7	3
16	Thalidomide combined with irradiation alters the activity of two proteases. <i>Molecular Medicine Reports</i> , 2015, 11, 1535-1541.	2.4	2
17	Radiotherapy for vertebral hemangioma: the single-center experience of 80 patients. <i>Strahlentherapie Und Onkologie</i> , 2022, 198, 648-653.	2.0	2
18	Commentary on "Late bone and soft tissue sequelae of childhood radiotherapy". <i>Strahlentherapie Und Onkologie</i> , 2014, 190, 962-962.	2.0	1

#	ARTICLE	IF	CITATIONS
19	Effects of radiotherapy and substance P on MIP-2 (macrophage inflammatory protein-2) levels in metastatic breast carcinoma cell lines.. Journal of Clinical Oncology, 2012, 30, e21130-e21130.	1.6	0
20	Evaluation of The Effectiveness and Side Effects of Radiotherapy in Patients With Primary Nervous System Lymphoma. A Single Center Experience. Integrative Journal of Medical Sciences, 0, 7, .	0.0	0