

Kazuhiko Yamasaki

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7334324/kazuhiko-yamasaki-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70
papers

2,600
citations

25
h-index

50
g-index

74
ext. papers

2,966
ext. citations

5.9
avg, IF

4.25
L-index

#	Paper	IF	Citations
70	A novel mode of DNA recognition by a beta-sheet revealed by the solution structure of the GCC-box binding domain in complex with DNA. <i>EMBO Journal</i> , 1998 , 17, 5484-96	13	363
69	10 residue folded peptide designed by segment statistics. <i>Structure</i> , 2004 , 12, 1507-18	5.2	230
68	A novel zinc-binding motif revealed by solution structures of DNA-binding domains of Arabidopsis SBP-family transcription factors. <i>Journal of Molecular Biology</i> , 2004 , 337, 49-63	6.5	178
67	DNA-binding domains of plant-specific transcription factors: structure, function, and evolution. <i>Trends in Plant Science</i> , 2013 , 18, 267-76	13.1	167
66	Regional polyserism in the GTP-bound form of the human c-Ha-Ras protein. <i>Biochemistry</i> , 1997 , 36, 9109-19	150	
65	Solution structure of an Arabidopsis WRKY DNA binding domain. <i>Plant Cell</i> , 2005 , 17, 944-56	11.6	143
64	Solution structure of the B3 DNA binding domain of the Arabidopsis cold-responsive transcription factor RAV1. <i>Plant Cell</i> , 2004 , 16, 3448-59	11.6	91
63	Determinants in the sequence specific binding of two plant transcription factors, CBF1 and NtERF2, to the DRE and GCC motifs. <i>Biochemistry</i> , 2002 , 41, 4202-8	3.2	82
62	Mortalin sensitizes human cancer cells to MKT-077-induced senescence. <i>Cancer Letters</i> , 2007 , 252, 259-69	9	72
61	Solution structure of the major DNA-binding domain of Arabidopsis thaliana ethylene-insensitive3-like3. <i>Journal of Molecular Biology</i> , 2005 , 348, 253-64	6.5	68
60	Folding pathway of Escherichia coli ribonuclease HI: a circular dichroism, fluorescence, and NMR study. <i>Biochemistry</i> , 1995 , 34, 16552-62	3.2	65
59	Structural basis for sequence-specific DNA recognition by an Arabidopsis WRKY transcription factor. <i>Journal of Biological Chemistry</i> , 2012 , 287, 7683-91	5.4	62
58	Characterization of the internal motions of Escherichia coli ribonuclease HI by a combination of 15N-NMR relaxation analysis and molecular dynamics simulation: examination of dynamic models. <i>Biochemistry</i> , 1995 , 34, 6587-601	3.2	59
57	Structures and evolutionary origins of plant-specific transcription factor DNA-binding domains. <i>Plant Physiology and Biochemistry</i> , 2008 , 46, 394-401	5.4	58
56	Mutations that abolish the ability of Ha-Ras to associate with Raf-1. <i>Oncogene</i> , 1994 , 9, 2153-7	9.2	53
55	Identification of the metal ion binding site on an RNA motif from hammerhead ribozymes using (15)N NMR spectroscopy. <i>Journal of the American Chemical Society</i> , 2002 , 124, 4595-601	16.4	48
54	Structural basis for recognition of the matrix attachment region of DNA by transcription factor SATB1. <i>Nucleic Acids Research</i> , 2007 , 35, 5073-84	20.1	35

53	Conformation change of effector-region residues in antiparallel beta-sheet of human c-Ha-ras protein on GDP→GTP gamma S exchange: a two-dimensional NMR study. <i>Biochemical and Biophysical Research Communications</i> , 1989 , 162, 1054-62	3.4	34
52	Cell-free synthesis of zinc-binding proteins. <i>Journal of Structural and Functional Genomics</i> , 2006 , 7, 93-100		31
51	Target identification reveals lanosterol synthase as a vulnerability in glioma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 7957-7962	11.5	30
50	Solution structure of an extracellular domain containing the WSxWS motif of the granulocyte colony-stimulating factor receptor and its interaction with ligand. <i>Nature Structural Biology</i> , 1997 , 4, 498-504		30
49	Site-directed mutagenesis, fluorescence, and two-dimensional NMR studies on microenvironments of effector region aromatic residues of human c-Ha-Ras protein. <i>Biochemistry</i> , 1994 , 33, 65-73	3.2	30
48	Structural and sequence comparisons arising from the solution structure of the transcription elongation factor NusG from <i>Thermus thermophilus</i> . <i>Proteins: Structure, Function and Bioinformatics</i> , 2004 , 56, 40-51	4.2	29
47	Nature of the chemical bond formed with the structural metal ion at the A9/G10.1 motif derived from hammerhead ribozymes. <i>Journal of the American Chemical Society</i> , 2004 , 126, 744-52	16.4	27
46	Molecular structure and novel DNA binding sites located in loops of flap endonuclease-1 from <i>Pyrococcus horikoshii</i> . <i>Journal of Biological Chemistry</i> , 2002 , 277, 37840-7	5.4	27
45	DNA recognition by beta-sheets. <i>Biopolymers</i> , 1997 , 44, 335-59	2.2	25
44	An Arabidopsis SBP-domain fragment with a disrupted C-terminal zinc-binding site retains its tertiary structure. <i>FEBS Letters</i> , 2006 , 580, 2109-16	3.8	25
43	Effect of glycosylation on cis/trans isomerization of prolines in IgA1-hinge peptide. <i>Journal of the American Chemical Society</i> , 2010 , 132, 5548-9	16.4	24
42	Sequence-specific ¹ H and ¹⁵ N resonance assignments and secondary structure of GDP-bound human c-Ha-Ras protein in solution. <i>Journal of Biomolecular NMR</i> , 1993 , 3, 165-84	3	24
41	Solution structure and DNA-binding mode of the matrix attachment region-binding domain of the transcription factor SATB1 that regulates the T-cell maturation. <i>Journal of Biological Chemistry</i> , 2006 , 281, 5319-27	5.4	23
40	Development of new fusion proteins for visualizing amyloid-β oligomers in vivo. <i>Scientific Reports</i> , 2016 , 6, 22712	4.9	22
39	Stress chaperones, mortalin, and pex19p mediate 5-aza-2Tdeoxycytidine-induced senescence of cancer cells by DNA methylation-independent pathway. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007 , 62, 246-55	6.4	19
38	A ¹ H- ¹⁵ N NMR study of human c-Ha-ras protein: biosynthetic incorporation of ¹⁵ N-labeled amino acids. <i>Journal of Biomolecular NMR</i> , 1992 , 2, 71-82	3	18
37	A modified sensor chip for surface plasmon resonance enables a rapid determination of sequence specificity of DNA-binding proteins. <i>FEBS Letters</i> , 2003 , 536, 151-6	3.8	17
36	Spectral densities of nitrogen nuclei in <i>Escherichia coli</i> ribonuclease HI obtained by ¹⁵ N NMR relaxation and molecular dynamics. <i>Journal of Biomolecular NMR</i> , 1995 , 6, 217-20	3	17

35	Ligand binding characteristics of the carboxyl-terminal domain of the cytokine receptor homologous region of the granulocyte colony-stimulating factor receptor. <i>Journal of Biological Chemistry</i> , 1995 , 270, 27845-51	5.4	16
34	Pressure-denatured state of Escherichia coli ribonuclease HI as monitored by Fourier transform infrared and NMR spectroscopy. <i>Biochemistry</i> , 1998 , 37, 18001-9	3.2	15
33	Structural stability and internal motions of Escherichia coli ribonuclease HI: 15N relaxation and hydrogen-deuterium exchange analyses. <i>Journal of Molecular Biology</i> , 1998 , 277, 707-22	6.5	14
32	Tracing primordial protein evolution through structurally guided stepwise segment elongation. <i>Journal of Biological Chemistry</i> , 2014 , 289, 3394-404	5.4	12
31	Glycerol stimulates innate chaperoning, proteasomal and stress-resistance functions: implications for geronto-manipulation. <i>Biogerontology</i> , 2008 , 9, 269-82	4.5	12
30	Spin-labeling proton NMR study on aromatic amino acid residues in the guanine nucleotide binding site of human c-Ha-ras(1-171) protein. <i>Biochemistry</i> , 1989 , 28, 9550-6	3.2	12
29	Solution structure of the N-terminal domain of the archaeal D-family DNA polymerase small subunit reveals evolutionary relationship to eukaryotic B-family polymerases. <i>FEBS Letters</i> , 2010 , 584, 3370-5	3.8	11
28	Geroprotection by glycerol: insights to its mechanisms and clinical potentials. <i>Annals of the New York Academy of Sciences</i> , 2006 , 1067, 488-92	6.5	10
27	NMR structure of ribonuclease HI from Escherichia coli. <i>Biological and Pharmaceutical Bulletin</i> , 2000 , 23, 1147-52	2.3	10
26	Analysis of ATP and AMP binding to a DNA aptamer and its imidazole-tethered derivatives by surface plasmon resonance. <i>Analyst, The</i> , 2015 , 140, 5881-4	5	9
25	Structural and functional differences between mouse mot-1 and mot-2 proteins that differ in two amino acids. <i>Annals of the New York Academy of Sciences</i> , 2006 , 1067, 220-3	6.5	9
24	Guanine-nucleotide binding activity, interaction with GTPase-activating protein and solution conformation of the human c-Ha-Ras protein catalytic domain are retained upon deletion of C-terminal 18 amino acid residues. <i>The Protein Journal</i> , 1992 , 11, 731-9		8
23	Biochemical and structural features of extracellular vesicle-binding RNA aptamers. <i>Biomedical Reports</i> , 2017 , 6, 615-626	1.8	7
22	An NMR Biochemical Assay for Fragment-Based Drug Discovery: Evaluation of an Inhibitor Activity on Spermidine Synthase of Trypanosoma cruzi. <i>Journal of Medicinal Chemistry</i> , 2016 , 59, 2261-6	8.3	7
21	Real-time NMR monitoring of protein-folding kinetics by a recycle flow system for temperature jump. <i>Analytical Chemistry</i> , 2013 , 85, 9439-43	7.8	7
20	Overcoming the blood-brain barrier by Annexin A1-binding peptide to target brain tumours. <i>British Journal of Cancer</i> , 2020 , 123, 1633-1643	8.7	7
19	Application of the quasi-spectral density function of (15)N nuclei to the selection of a motional model for model-free analysis. <i>Journal of Biomolecular NMR</i> , 1995 , 6, 423-6	3	6
18	Comprehensive analysis of PPAR α agonist activities of stereo-, regio-, and enantio-isomers of hydroxyoctadecadienoic acids. <i>Bioscience Reports</i> , 2020 , 40,	4.1	6

17	The combination of sequence-specific and nonspecific DNA-binding modes of transcription factor SATB1. <i>Biochemical Journal</i> , 2016 , 473, 3321-39	3.8	6
16	The trimeric solution structure and fucose-binding mechanism of the core fucosylation-specific lectin PhoSL. <i>Scientific Reports</i> , 2018 , 8, 7740	4.9	6
15	Enhanced affinity of racemic phosphorothioate DNA with transcription factor SATB1 arising from diastereomer-specific hydrogen bonds and hydrophobic contacts. <i>Nucleic Acids Research</i> , 2020 , 48, 4551-4561	20.1	5
14	Acid-induced denaturation of Escherichia coli ribonuclease HI analyzed by CD and NMR spectroscopies. <i>Biopolymers</i> , 2003 , 69, 176-88	2.2	5
13	Structural basis for specific recognition of core fucosylation in N-glycans by Pholiota squarrosa lectin (PhoSL). <i>Glycobiology</i> , 2019 , 29, 576-587	5.8	4
12	Crystal structures of FMN-bound and FMN-free forms of dihydroorotate dehydrogenase from. <i>FEBS Open Bio</i> , 2018 , 8, 680-691	2.7	4
11	NMR Biochemical Assay for Oxidosqualene Cyclase: Evaluation of Inhibitor Activities on Trypanosoma cruzi and Human Enzymes. <i>Journal of Medicinal Chemistry</i> , 2018 , 61, 5047-5053	8.3	4
10	Is it possible for short peptide composed of positively- and negatively-charged "hydrophilic" amino acid residue-clusters to form metastable "hydrophobic" packing?. <i>Physical Chemistry Chemical Physics</i> , 2019 , 21, 9683-9693	3.6	3
9	Domain structures and inter-domain interactions defining the holoenzyme architecture of archaeal d-family DNA polymerase. <i>Life</i> , 2013 , 3, 375-85	3	3
8	Methylation of adenine bases at the N6H2 groups decreases the melting temperature of the DNA duplex independently of the nucleotide sequence. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 1998 , 74, 210-215	4	3
7	Structures, Functions, and Evolutionary Histories of DNA-Binding Domains of Plant-Specific Transcription Factors 2016 , 57-72		1
6	A mixing microfluidic chip for real-time NMR monitoring of macromolecular reactions. <i>Journal of Biochemistry</i> , 2021 , 170, 363-368	3.1	1
5	DNA recognition by β -sheets 1997 , 44, 335		1
4	Development of an orally-administrable tumor vasculature-targeting therapeutic using annexin A1-binding D-peptides. <i>PLoS ONE</i> , 2021 , 16, e0241157	3.7	0
3	Specific Coordination Mode and Electrostatic Ion Atmosphere Effects of Divalent Cations Regulating Spatially Crossing Configurations of DNA Duplexes. <i>Journal of the Physical Society of Japan</i> , 2019 , 88, 044801	1.5	
2	Simulated Annealing-Extended Sampling for Multicomponent Decomposition of Spectral Data of DNA Complexed with Peptide. <i>Journal of the Physical Society of Japan</i> , 2017 , 86, 014802	1.5	
1	Zinc finger proteins of the archaeobacterial origin. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 1998 , 74, 227-232	4	