

Danesh Moazed

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7334637/publications.pdf>

Version: 2024-02-01

79
papers

13,299
citations

44444

50
h-index

75989

78
g-index

93
all docs

93
docs citations

93
times ranked

11620
citing authors

#	ARTICLE	IF	CITATIONS
1	Real-Time Quantitative PCR and Fluorescence In Situ Hybridization for Subcellular Localization of miRNAs in Neurons. <i>Methods in Molecular Biology</i> , 2022, 2417, 1-17.	0.4	1
2	Rixosomal RNA degradation contributes to silencing of Polycomb target genes. <i>Nature</i> , 2022, 604, 167-174.	13.7	18
3	A composite DNA element that functions as a maintainer required for epigenetic inheritance of heterochromatin. <i>Molecular Cell</i> , 2021, 81, 3979-3991.e4.	4.5	18
4	Native Chromatin Proteomics Reveals a Role for Specific Nucleoporins in Heterochromatin Organization and Maintenance. <i>Molecular Cell</i> , 2020, 77, 51-66.e8.	4.5	75
5	A conserved RNA degradation complex required for spreading and epigenetic inheritance of heterochromatin. <i>ELife</i> , 2020, 9, .	2.8	31
6	Automethylation-induced conformational switch in Clr4 (Suv39h) maintains epigenetic stability. <i>Nature</i> , 2018, 560, 504-508.	13.7	59
7	Epigenetic inheritance mediated by coupling of RNAi and histone H3K9 methylation. <i>Nature</i> , 2018, 558, 615-619.	13.7	91
8	Clr4 specificity and catalytic activity beyond H3K9 methylation. <i>Biochimie</i> , 2017, 135, 83-88.	1.3	9
9	Unique roles for histone H3K9me states in RNAi and heritable silencing of transcription. <i>Nature</i> , 2017, 547, 463-467.	13.7	96
10	DNA sequence-dependent epigenetic inheritance of gene silencing and histone H3K9 methylation. <i>Science</i> , 2017, 356, 88-91.	6.0	107
11	Evolving Models of Heterochromatin: From Foci to Liquid Droplets. <i>Molecular Cell</i> , 2017, 67, 725-727.	4.5	23
12	Evaluation of the Nucleolar Localization of the RENT Complex to Ribosomal DNA by Chromatin Immunoprecipitation Assays. <i>Methods in Molecular Biology</i> , 2017, 1505, 195-213.	0.4	3
13	Silencing repetitive DNA. <i>ELife</i> , 2017, 6, .	2.8	15
14	Distinct Functions of Argonaute Slicer in siRNA Maturation and Heterochromatin Formation. <i>Molecular Cell</i> , 2016, 63, 191-205.	4.5	15
15	CSR-1 Slices a Balance. <i>Cell</i> , 2016, 165, 267-269.	13.5	2
16	Heterochromatin assembly by interrupted Sir3 bridges across neighboring nucleosomes. <i>ELife</i> , 2016, 5, .	2.8	30
17	A microRNA negative feedback loop downregulates vesicle transport and inhibits fear memory. <i>ELife</i> , 2016, 5, .	2.8	29
18	RNA-mediated epigenetic regulation of gene expression. <i>Nature Reviews Genetics</i> , 2015, 16, 71-84.	7.7	832

#	ARTICLE	IF	CITATIONS
19	RNAi and Heterochromatin Assembly. <i>Cold Spring Harbor Perspectives in Biology</i> , 2015, 7, a019323.	2.3	236
20	Affinity Pull-Down of Proteins Using Anti-FLAG M2 Agarose Beads. <i>Methods in Enzymology</i> , 2015, 559, 99-110.	0.4	32
21	Affinity Purification of Protein Complexes Using TAP Tags. <i>Methods in Enzymology</i> , 2015, 559, 37-52.	0.4	21
22	Small-RNA loading licenses Argonaute for assembly into a transcriptional silencing complex. <i>Nature Structural and Molecular Biology</i> , 2015, 22, 328-335.	3.6	34
23	Epigenetic inheritance uncoupled from sequence-specific recruitment. <i>Science</i> , 2015, 348, 1258699.	6.0	256
24	Post-transcriptional regulation of meiotic genes by a nuclear RNA silencing complex. <i>Rna</i> , 2014, 20, 867-881.	1.6	90
25	Determinants of Heterochromatic siRNA Biogenesis and Function. <i>Molecular Cell</i> , 2014, 53, 262-276.	4.5	56
26	Coimmunoprecipitation of Proteins from Yeast. <i>Methods in Enzymology</i> , 2014, 541, 13-26.	0.4	19
27	Chromatin: A Tail of Repression. <i>Current Biology</i> , 2013, 23, R456-R459.	1.8	1
28	Heterochromatic Gene Silencing by Activator Interference and a Transcription Elongation Barrier*. <i>Journal of Biological Chemistry</i> , 2013, 288, 28771-28782.	1.6	26
29	Heterochromatin protein Sir3 induces contacts between the amino terminus of histone H4 and nucleosomal DNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 8495-8500.	3.3	57
30	A piRNA to Remember. <i>Cell</i> , 2012, 149, 512-514.	13.5	4
31	Chromatin affinity-precipitation using a small metabolic molecule: its application to analysis of O-acetyl-ADP-ribose. <i>Cellular and Molecular Life Sciences</i> , 2012, 69, 641-650.	2.4	11
32	Mechanisms for the Inheritance of Chromatin States. <i>Cell</i> , 2011, 146, 510-518.	13.5	207
33	The nuclear envelope in genome organization, expression and stability. <i>Nature Reviews Molecular Cell Biology</i> , 2010, 11, 317-328.	16.1	248
34	The Methyltransferase Activity of Clr4Suv39h Triggers RNAi Independently of Histone H3K9 Methylation. <i>Molecular Cell</i> , 2010, 39, 360-372.	4.5	63
35	Dicer-Independent Primal RNAs Trigger RNAi and Heterochromatin Formation. <i>Cell</i> , 2010, 140, 504-516.	13.5	156
36	Rejoice—RNAi for Yeast. <i>Science</i> , 2009, 326, 533-534.	6.0	24

#	ARTICLE	IF	CITATIONS
37	Small RNAs in transcriptional gene silencing and genome defence. <i>Nature</i> , 2009, 457, 413-420.	13.7	773
38	Recombinational Repair within Heterochromatin Requires ATP-Dependent Chromatin Remodeling. <i>Cell</i> , 2009, 138, 1109-1121.	13.5	73
39	An Alpha Motif at Tas3 C Terminus Mediates RITS cis Spreading and Promotes Heterochromatic Gene Silencing. <i>Molecular Cell</i> , 2009, 34, 155-167.	4.5	31
40	Reconstitution of Heterochromatin-Dependent Transcriptional Gene Silencing. <i>Molecular Cell</i> , 2009, 35, 769-781.	4.5	77
41	Role for perinuclear chromosome tethering in maintenance of genome stability. <i>Nature</i> , 2008, 456, 667-670.	13.7	215
42	TRAMP-mediated RNA surveillance prevents spurious entry of RNAs into the <i>Schizosaccharomyces pombe</i> siRNA pathway. <i>Nature Structural and Molecular Biology</i> , 2008, 15, 1015-1023.	3.6	173
43	siRNA-Mediated Heterochromatin Establishment Requires HP1 and Is Associated with Antisense Transcription. <i>Molecular Cell</i> , 2008, 31, 178-189.	4.5	98
44	HP1 Proteins Form Distinct Complexes and Mediate Heterochromatic Gene Silencing by Nonoverlapping Mechanisms. <i>Molecular Cell</i> , 2008, 32, 778-790.	4.5	195
45	Sir3-Nucleosome Interactions in Spreading of Silent Chromatin in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 2008, 28, 6903-6918.	1.1	54
46	A Model for Step-Wise Assembly of Heterochromatin in Yeast. <i>Novartis Foundation Symposium</i> , 2008, , 48-62.	1.2	35
47	Role of Non-coding RNAs in Heterochromatin Formation. <i>FASEB Journal</i> , 2008, 22, 534.1.	0.2	0
48	Centromere Assembly and Propagation. <i>Cell</i> , 2007, 128, 647-650.	13.5	59
49	RNAi-Dependent and -Independent RNA Turnover Mechanisms Contribute to Heterochromatic Gene Silencing. <i>Cell</i> , 2007, 129, 707-721.	13.5	226
50	Coupling of Double-Stranded RNA Synthesis and siRNA Generation in Fission Yeast RNAi. <i>Molecular Cell</i> , 2007, 27, 449-461.	4.5	134
51	Role of the Conserved Sir3-BAH Domain in Nucleosome Binding and Silent Chromatin Assembly. <i>Molecular Cell</i> , 2007, 28, 1015-1028.	4.5	145
52	Two different Argonaute complexes are required for siRNA generation and heterochromatin assembly in fission yeast. <i>Nature Structural and Molecular Biology</i> , 2007, 14, 200-207.	3.6	105
53	Transcription and RNAi in heterochromatic gene silencing. <i>Nature Structural and Molecular Biology</i> , 2007, 14, 1041-1048.	3.6	211
54	Tethering RITS to a Nascent Transcript Initiates RNAi- and Heterochromatin-Dependent Gene Silencing. <i>Cell</i> , 2006, 125, 873-886.	13.5	355

#	ARTICLE	IF	CITATIONS
55	New Alleles of SIR2 Define Cell-Cycle-Specific Silencing Functions. <i>Genetics</i> , 2006, 173, 1939-1950.	1.2	16
56	Inhibition of homologous recombination by a cohesin-associated clamp complex recruited to the rDNA recombination enhancer. <i>Genes and Development</i> , 2006, 20, 2887-2901.	2.7	144
57	A Cullin E3 Ubiquitin Ligase Complex Associates with Rik1 and the Clr4 Histone H3-K9 Methyltransferase and is Required for RNAi-Mediated Heterochromatin Formation. <i>RNA Biology</i> , 2005, 2, 106-111.	1.5	149
58	From The Cover: RNA-dependent RNA polymerase is an essential component of a self-enforcing loop coupling heterochromatin assembly to siRNA production. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 152-157.	3.3	263
59	A Nonhistone Protein-Protein Interaction Required for Assembly of the SIR Complex and Silent Chromatin. <i>Molecular and Cellular Biology</i> , 2005, 25, 4514-4528.	1.1	85
60	Assembly of the SIR Complex and Its Regulation by O ⁶ -Acetyl-ADP-Ribose, a Product of NAD-Dependent Histone Deacetylation. <i>Cell</i> , 2005, 121, 515-527.	13.5	242
61	RNAi-directed assembly of heterochromatin in fission yeast. <i>FEBS Letters</i> , 2005, 579, 5872-5878.	1.3	124
62	Budding Yeast Silencing Complexes and Regulation of Sir2 Activity by Protein-Protein Interactions. <i>Molecular and Cellular Biology</i> , 2004, 24, 6931-6946.	1.1	73
63	RITS acts in cis to promote RNA interference-mediated transcriptional and post-transcriptional silencing. <i>Nature Genetics</i> , 2004, 36, 1174-1180.	9.4	375
64	RNAi-Mediated Targeting of Heterochromatin by the RITS Complex. <i>Science</i> , 2004, 303, 672-676.	6.0	1,110
65	Two RNAi Complexes, RITS and RDRC, Physically Interact and Localize to Noncoding Centromeric RNAs. <i>Cell</i> , 2004, 119, 789-802.	13.5	506
66	A model for step-wise assembly of heterochromatin in yeast. <i>Novartis Foundation Symposium</i> , 2004, 259, 48-56; discussion 56-62, 163-9.	1.2	26
67	Heterochromatin and Epigenetic Control of Gene Expression. <i>Science</i> , 2003, 301, 798-802.	6.0	926
68	Sir2 Regulates Histone H3 Lysine 9 Methylation and Heterochromatin Assembly in Fission Yeast. <i>Current Biology</i> , 2003, 13, 1240-1246.	1.8	185
69	Structure of the Coiled-Coil Dimerization Motif of Sir4 and Its Interaction with Sir3. <i>Structure</i> , 2003, 11, 637-649.	1.6	60
70	Association of the RENT complex with nontranscribed and coding regions of rDNA and a regional requirement for the replication fork block protein Fob1 in rDNA silencing. <i>Genes and Development</i> , 2003, 17, 2162-2176.	2.7	203
71	Steps in Assembly of Silent Chromatin in Yeast: Sir3-Independent Binding of a Sir2/Sir4 Complex to Silencers and Role for Sir2-Dependent Deacetylation. <i>Molecular and Cellular Biology</i> , 2002, 22, 4167-4180.	1.1	275
72	Recognition of Acetylated Proteins. <i>Structure</i> , 2002, 10, 1290-1292.	1.6	5

#	ARTICLE	IF	CITATIONS
73	Common Themes in Mechanisms of Gene Silencing. <i>Molecular Cell</i> , 2001, 8, 489-498.	4.5	252
74	Identification of a Class of Small Molecule Inhibitors of the Sirtuin Family of NAD-dependent Deacetylases by Phenotypic Screening. <i>Journal of Biological Chemistry</i> , 2001, 276, 38837-38843.	1.6	482
75	Enzymatic activities of Sir2 and chromatin silencing. <i>Current Opinion in Cell Biology</i> , 2001, 13, 232-238.	2.6	159
76	Exit from Mitosis Is Triggered by Tem1-Dependent Release of the Protein Phosphatase Cdc14 from Nucleolar RENT Complex. <i>Cell</i> , 1999, 97, 233-244.	13.5	684
77	Net1, a Sir2-Associated Nucleolar Protein Required for rDNA Silencing and Nucleolar Integrity. <i>Cell</i> , 1999, 97, 245-256.	13.5	366
78	An Enzymatic Activity in the Yeast Sir2 Protein that Is Essential for Gene Silencing. <i>Cell</i> , 1999, 99, 735-745.	13.5	384
79	A Deubiquitinating Enzyme Interacts with SIR4 and Regulates Silencing in <i>S. cerevisiae</i> . <i>Cell</i> , 1996, 86, 667-677.	13.5	244