

Gaigai Duan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7335275/gaigai-duan-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86

papers

9,239

citations

38

h-index

88

g-index

88

ext. papers

11,098

ext. citations

8.1

avg, IF

6.93

L-index

#	Paper	IF	Citations
86	Fabrication of Functional Polycatechol Nanoparticles.. <i>ACS Macro Letters</i> , 2022 , 11, 251-256	6.6	10
85	Excellent fluoride removal performance by electrospun LaMn bimetal oxide nanofibers. <i>New Journal of Chemistry</i> , 2022 , 46, 490-497	3.6	8
84	Size Regulation of Polydopamine Nanoparticles by Boronic Acid and Lewis Base.. <i>Macromolecular Rapid Communications</i> , 2022 , e2100916	4.8	9
83	An Electrospinning Anisotropic Hydrogel with Remotely-Controlled Photo-Responsive Deformation and Long-Range Navigation for Synergist Actuation. <i>Chemical Engineering Journal</i> , 2022 , 433, 134258	14.7	7
82	One-step fabrication of eco-friendly superhydrophobic fabrics for high-efficiency oil/water separation and oil spill cleanup.. <i>Nanoscale</i> , 2022 ,	7.7	18
81	Anisotropic cellulose nanofibril composite sponges for electromagnetic interference shielding with low reflection loss. <i>Carbohydrate Polymers</i> , 2022 , 276, 118799	10.3	17
80	Recent advances in dynamic covalent bond-based shape memory polymers. <i>E-Polymers</i> , 2022 , 22, 285-300.	0.7	2
79	Lightweight and anisotropic cellulose nanofibril/rectorite composite sponges for efficient dye adsorption and selective separation.. <i>International Journal of Biological Macromolecules</i> , 2022 , 207, 130-139	7.9	5
78	A poly(amidoxime)-modified MOF macroporous membrane for high-efficient uranium extraction from seawater. <i>E-Polymers</i> , 2022 , 22, 399-410	2.7	10
77	A wood-mimetic porous MXene/gelatin hydrogel for electric field/sunlight bi-enhanced uranium adsorption. <i>E-Polymers</i> , 2022 , 22, 468-477	2.7	3
76	Wood-Derived High-Mass-Loading MnO Composite Carbon Electrode Enabling High Energy Density and High-Rate Supercapacitor.. <i>Small</i> , 2022 , e2201307	11	2
75	Electrospun magnetic La ₂ O ₃ /CeO ₂ /Fe ₃ O ₄ composite nanofibers for removal of fluoride from aqueous solution. <i>Composites Communications</i> , 2022 , 33, 101194	6.7	2
74	Self-Assembly of Poly(Janus particle)s into Unimolecular and Oligomeric Spherical Micelles.. <i>ACS Macro Letters</i> , 2021 , 10, 1563-1569	6.6	1
73	Synthetic melanin facilitates MnO supercapacitors with high specific capacitance and wide operation potential window. <i>Polymer</i> , 2021 , 235, 124276	3.9	6
72	Boosting solar steam generation by photothermal enhanced polydopamine/wood composites. <i>Polymer</i> , 2021 , 217, 123464	3.9	46
71	Hydrothermal Synthesis of Ce-doped ZnO Heterojunction Supported on Carbon Nanofibers with High Visible Light Photocatalytic Activity. <i>Chemical Research in Chinese Universities</i> , 2021 , 37, 565-570	2.2	12
70	Emergence of melanin-inspired supercapacitors. <i>Nano Today</i> , 2021 , 37, 101075	17.9	41

69	Rambutan-like Nb ₂ O ₅ @SHCs microspheres for improved microwave absorption performance. <i>Composites Communications</i> , 2021 , 24, 100643	6.7	15
68	Metal-phenolic network green flame retardants. <i>Polymer</i> , 2021 , 221, 123627	3.9	13
67	Antibiofouling Ultrathin Poly(amidoxime) Membrane for Enhanced U(VI) Recovery from Wastewater and Seawater. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 21272-21285	9.5	16
66	Flexible Polydopamine Bioelectronics. <i>Advanced Functional Materials</i> , 2021 , 31, 2103391	15.6	29
65	Pyrolysis of Enzymolysis-Treated Wood: Hierarchically Assembled Porous Carbon Electrode for Advanced Energy Storage Devices. <i>Advanced Functional Materials</i> , 2021 , 31, 2101077	15.6	26
64	Porous aerogel and sponge composites: Assisted by novel nanomaterials for electromagnetic interference shielding. <i>Nano Today</i> , 2021 , 38, 101204	17.9	33
63	Core effect on mechanical properties of one dimensional electrospun core-sheath composite fibers. <i>Composites Communications</i> , 2021 , 25, 100773	6.7	8
62	Magnetically separable and recyclable Fe ₃ O ₄ @PDA covalent grafted by l-cysteine core-shell nanoparticles toward efficient removal of Pb ²⁺ . <i>Vacuum</i> , 2021 , 189, 110229	3.7	15
61	Wood-Derived, Conductivity and Hierarchical Pore Integrated Thick Electrode Enabling High Areal/Volumetric Energy Density for Hybrid Capacitors. <i>Small</i> , 2021 , 17, e2102532	11	15
60	Facile preparation of CNTs microspheres as improved carbon absorbers for high-efficiency electromagnetic wave absorption. <i>Ceramics International</i> , 2021 , 47, 10013-10018	5.1	19
59	Recent progress in carbon-based materials for supercapacitor electrodes: a review. <i>Journal of Materials Science</i> , 2021 , 56, 173-200	4.3	150
58	A Mussel-Inspired Polydopamine-Filled Cellulose Aerogel for Solar-Enabled Water Remediation. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 7617-7624	9.5	60
57	Adsorption of volatile benzene series compounds by surface-modified glass fibers: kinetics, thermodynamic adsorption efficiencies, and mechanisms. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 30898-30907	5.1	5
56	Recent Progress on Nanocellulose Aerogels: Preparation, Modification, Composite Fabrication, Applications. <i>Advanced Materials</i> , 2021 , 33, e2005569	24	101
55	Green Nanoparticle Scavengers against Oxidative Stress. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 39126-39134	9.5	9
54	Liquid Transport and Real-Time Dye Purification Lotus Petiole-Inspired Long-Range-Ordered Anisotropic Cellulose Nanofibril Aerogels. <i>ACS Nano</i> , 2021 ,	16.7	15
53	Giving Penetrable Remote-Control Ability to Thermoresponsive Fibrous Composite Actuator with Fast Response Induced by Alternative Magnetic Field.. <i>Nanomaterials</i> , 2021 , 12,	5.4	1
52	Electrospinning of ABS nanofibers and their high filtration performance. <i>Advanced Fiber Materials</i> , 2020 , 2, 34-43	10.9	19

51	High-density Fibrous Polyimide Sponges with Superior Mechanical and Thermal Properties. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 19006-19014	9.5	66
50	Fatsia Japonica-Derived Hierarchical Porous Carbon for Supercapacitors With High Energy Density and Long Cycle Life. <i>Frontiers in Chemistry</i> , 2020 , 8, 89	5	14
49	Electrospun Functional Materials toward Food Packaging Applications: A Review. <i>Nanomaterials</i> , 2020 , 10,	5.4	94
48	Dense and thin coating of gel polymer electrolyte on sulfur cathode toward high performance Li-sulfur battery. <i>Composites Communications</i> , 2020 , 19, 239-245	6.7	22
47	Structural design toward functional materials by electrospinning: A review. <i>E-Polymers</i> , 2020 , 20, 682-712.	7	48
46	Electrospun polyimide nonwovens with enhanced mechanical and thermal properties by addition of trace plasticizer. <i>Journal of Materials Science</i> , 2020 , 55, 5667-5679	4.3	34
45	Design and fabrication of conductive polymer hydrogels and their applications in flexible supercapacitors. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 23059-23095	13	54
44	A review of smart electrospun fibers toward textiles. <i>Composites Communications</i> , 2020 , 22, 100506	6.7	50
43	Wood-Inspired Anisotropic Cellulose Nanofibril Composite Sponges for Multifunctional Applications. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 35513-35522	9.5	77
42	Fluorescent and Colorimetric Sensors Based on the Oxidation of -Phenylenediamine. <i>ACS Omega</i> , 2020 , 5, 20698-20706	3.9	12
41	Mechanical and thermal properties of electrospun polyimide/rGO composite nanofibers via in-situ polymerization and in-situ thermal conversion. <i>European Polymer Journal</i> , 2020 , 141, 110083	5.2	19
40	High-performance polyamide-imide films and electrospun aligned nanofibers from an amide-containing diamine. <i>Journal of Materials Science</i> , 2019 , 54, 6719-6727	4.3	60
39	Mesostructured Nonwovens with Penguin Downy Feather-Like Morphology Top-Down Combined with Bottom-Up. <i>Advanced Functional Materials</i> , 2019 , 29, 1903166	15.6	13
38	Anisotropic nanocellulose aerogels with ordered structures fabricated by directional freeze-drying for fast liquid transport. <i>Cellulose</i> , 2019 , 26, 6653-6667	5.5	66
37	Investigating the draw ratio and velocity of an electrically charged liquid jet during electrospinning. <i>RSC Advances</i> , 2019 , 9, 13608-13613	3.7	23
36	Air-Blowing-Assisted Coaxial Electrospinning toward High Productivity of Core/Sheath and Hollow Fibers. <i>Macromolecular Materials and Engineering</i> , 2019 , 304, 1800669	3.9	66
35	Robust strong electrospun polyimide composite nanofibers from a ternary polyamic acid blend. <i>Composites Communications</i> , 2019 , 15, 92-95	6.7	39
34	High strength in combination with high toughness in robust and sustainable polymeric materials. <i>Science</i> , 2019 , 366, 1376-1379	33.3	89

33	Low Density, Thermally Stable, and Intrinsic Flame Retardant Poly(bis(benzimidazo)Benzophenanthroline-dione) Sponge. <i>Macromolecular Materials and Engineering</i> , 2018 , 303, 1700615	3.9	35
32	Electrospun nanofiber reinforced composites: a review. <i>Polymer Chemistry</i> , 2018 , 9, 2685-2720	4.9	336
31	Polymer nanofibre composite nonwovens with metal-like electrical conductivity. <i>Npj Flexible Electronics</i> , 2018 , 2,	10.7	23
30	Nanofibers with diameter below one nanometer from electrospinning.. <i>RSC Advances</i> , 2018 , 8, 4794-4803	3.7	87
29	Low-Density Self-Assembled Poly(N-Isopropyl Acrylamide) Sponges with Ultrahigh and Extremely Fast Water Uptake and Release. <i>Macromolecular Rapid Communications</i> , 2018 , 39, e1700838	4.8	44
28	Temperature-induced molecular orientation and mechanical properties of single electrospun polyimide nanofiber. <i>Materials Letters</i> , 2018 , 216, 81-83	3.3	70
27	Molecular orientation in aligned electrospun polyimide nanofibers by polarized FT-IR spectroscopy. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018 , 200, 339-344	4.4	44
26	β-Cyclodextrin toughened polyimide composites toward all-organic dielectric materials. <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 1182-1188	2.1	8
25	Microstructures and mechanical properties of aligned electrospun carbon nanofibers from binary composites of polyacrylonitrile and polyamic acid. <i>Journal of Materials Science</i> , 2018 , 53, 15096-15106	4.3	107
24	Synthesis of polyacrylonitrile and mechanical properties of its electrospun nanofibers. <i>E-Polymers</i> , 2018 , 18, 569-573	2.7	42
23	Spongy Gels by a Top-Down Approach from Polymer Fibrous Sponges. <i>Angewandte Chemie</i> , 2017 , 129, 3333-3336	3.6	16
22	Low-Density Open Cellular Sponges as Functional Materials. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 15520-15538	16.4	136
21	Ultralight, Thermally Insulating, Compressible Polyimide Fiber Assembled Sponges. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 32308-32315	9.5	147
20	Exploration of Macroporous Polymeric Sponges As Drug Carriers. <i>Biomacromolecules</i> , 2017 , 18, 3215-3221	3.9	50
19	Highly Efficient Reusable Sponge-Type Catalyst Carriers Based on Short Electrospun Fibers. <i>Macromolecular Rapid Communications</i> , 2017 , 38, 1600511	4.8	34
18	Ultralight open cell polymer sponges with advanced properties by PPX CVD coating. <i>Polymer Chemistry</i> , 2016 , 7, 2759-2764	4.9	39
17	Polyimide Nanofibers by Green Electrospinning via Aqueous Solution for Filtration Applications. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 4797-4804	8.3	104
16	Thermal, mechanical and thermomechanical properties of tough electrospun poly(imide-co-benzoxazole) nanofiber belts. <i>New Journal of Chemistry</i> , 2015 , 39, 7797-7804	3.6	22

15	Ultralight, Soft Polymer Sponges by Self-Assembly of Short Electrospun Fibers in Colloidal Dispersions. <i>Advanced Functional Materials</i> , 2015 , 25, 2850-2856	15.6	134
14	Mechanical performance of aligned electrospun polyimide nanofiber belt at high temperature. <i>Materials Letters</i> , 2015 , 140, 12-15	3.3	36
13	Highly flexible and tough concentric triaxial polystyrene fibers. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 5918-23	9.5	86
12	Modification of precursor polymer using co-polymerization: A good way to high performance electrospun carbon nanofiber bundles. <i>Materials Letters</i> , 2014 , 122, 178-181	3.3	29
11	Heat-resistant polybenzoxazole nanofibers made by electrospinning. <i>European Polymer Journal</i> , 2014 , 50, 61-68	5.2	19
10	Short nylon-6 nanofiber reinforced transparent and high modulus thermoplastic polymeric composites. <i>Composites Science and Technology</i> , 2013 , 87, 164-169	8.6	53
9	Short electrospun polymeric nanofibers reinforced polyimide nanocomposites. <i>Composites Science and Technology</i> , 2013 , 88, 57-61	8.6	69
8	Functional materials by electrospinning of polymers. <i>Progress in Polymer Science</i> , 2013 , 38, 963-991	29.6	653
7	Tough and transparent nylon-6 electrospun nanofiber reinforced melamine-formaldehyde composites. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 2597-603	9.5	81
6	Heat and Solvent Resistant Electrospun Polybenzoxazole Nanofibers from Methoxy-Containing Polyamide. <i>Journal of Nanomaterials</i> , 2010 , 2010, 1-5	3.2	12
5	Progress in the field of electrospinning for tissue engineering applications. <i>Advanced Materials</i> , 2009 , 21, 3343-51	24	395
4	Use of electrospinning technique for biomedical applications. <i>Polymer</i> , 2008 , 49, 5603-5621	3.9	1337
3	Electrospun nanofiber belts made from high performance copolyimide. <i>Nanotechnology</i> , 2008 , 19, 015604	9.4	46
2	Electrospinning: a fascinating method for the preparation of ultrathin fibers. <i>Angewandte Chemie - International Edition</i> , 2007 , 46, 5670-703	16.4	3325
1	Molecular engineering of carbonyl organic electrodes for rechargeable metal-ion batteries: fundamentals, recent advances, and challenges. <i>Energy and Environmental Science</i> ,	35.4	24