

Jun-He Lian

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7335476/jun-he-lian-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

88

papers

1,013

citations

18

h-index

27

g-index

97

ext. papers

1,322

ext. citations

3.1

avg. IF

5

L-index

#	Paper	IF	Citations
88	A hybrid approach for modelling of plasticity and failure behaviour of advanced high-strength steel sheets. <i>International Journal of Damage Mechanics</i> , 2013 , 22, 188-218	3	127
87	The second Sandia Fracture Challenge: predictions of ductile failure under quasi-static and moderate-rate dynamic loading. <i>International Journal of Fracture</i> , 2016 , 198, 5-100	2.3	55
86	A method to quantitatively upscale the damage initiation of dual-phase steels under various stress states from microscale to macroscale. <i>Computational Materials Science</i> , 2014 , 94, 245-257	3.2	50
85	An evolving non-associated Hill48 plasticity model accounting for anisotropic hardening and r-value evolution and its application to forming limit prediction. <i>International Journal of Solids and Structures</i> , 2018 , 151, 20-44	3.1	42
84	Evaluation of the cold formability of high-strength low-alloy steel plates with the modified Bai-Wierzbicki damage model. <i>International Journal of Damage Mechanics</i> , 2015 , 24, 383-417	3	40
83	Extension of the modified Bai-Wierzbicki model for predicting ductile fracture under complex loading conditions. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2017 , 40, 2152-2168	3	31
82	The modeling scheme to evaluate the influence of microstructure features on microcrack formation of DP-steel: The artificial microstructure model and its application to predict the strain hardening behavior. <i>Computational Materials Science</i> , 2014 , 94, 198-213	3.2	30
81	Numerical Determination of the Damage Parameters of a Dual-phase Sheet Steel. <i>ISIJ International</i> , 2012 , 52, 743-752	1.7	28
80	A new model for upper shelf impact toughness assessment with a computationally efficient parameter identification algorithm. <i>Engineering Fracture Mechanics</i> , 2015 , 148, 281-303	4.2	27
79	Prediction of shear crack formation of lithium-ion batteries under rod indentation: Comparison of seven failure criteria. <i>Engineering Fracture Mechanics</i> , 2019 , 217, 106520	4.2	26
78	Effects of the isotropic and anisotropic hardening within each grain on the evolution of the flow stress, the r-value and the deformation texture of tensile tests for AA6016 sheets. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 721, 154-164	5.3	26
77	Design of damage tolerance in high-strength steels. <i>International Journal of Materials Research</i> , 2012 , 103, 755-764	0.5	26
76	A strategy for synthetic microstructure generation and crystal plasticity parameter calibration of fine-grain-structured dual-phase steel. <i>International Journal of Plasticity</i> , 2020 , 126, 102614	7.6	26
75	Microstructure-based fatigue modelling with residual stresses: Prediction of the microcrack initiation around inclusions. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 751, 133-141	5.3	23
74	Prediction of plasticity and damage initiation behaviour of C45E + N steel by micromechanical modelling. <i>Materials and Design</i> , 2017 , 121, 154-166	8.1	21
73	Prediction of crack formation in the progressive folding of square tubes during dynamic axial crushing. <i>International Journal of Mechanical Sciences</i> , 2020 , 176, 105534	5.5	21
72	Microstructure-based fatigue modelling with residual stresses: Prediction of the fatigue life for various inclusion sizes. <i>International Journal of Fatigue</i> , 2019 , 129, 105158	5	19

71	Crystallographic orientation and spatially resolved damage in a dispersion-hardened Al alloy. <i>Acta Materialia</i> , 2020 , 193, 138-150	8.4	19
70	Damage mechanism analysis of a high-strength dual-phase steel sheet with optimized fracture samples for various stress states and loading rates. <i>Engineering Failure Analysis</i> , 2019 , 106, 104138	3.2	16
69	Numerical Study of the Effect of Inclusions on the Residual Stress Distribution in High-Strength Martensitic Steels During Cooling. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 455	2.6	16
68	The in-depth residual strain heterogeneities due to an indentation and a laser shock peening for Ti-6Al-4V titanium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 714, 140-145	5.3	16
67	Modeling of plasticity and fracture behavior of X65 steels: seam weld and seamless pipes. <i>International Journal of Fracture</i> , 2018 , 213, 17-36	2.3	15
66	Modeling of Damage and Failure of Dual Phase Steel in Nakajima Test. <i>Key Engineering Materials</i> , 2012 , 525-526, 69-72	0.4	15
65	Investigation on micromechanism and stress state effects on cleavage fracture of ferritic-pearlitic steel at 196 °C. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 686, 134-141	5.3	14
64	Quantitative Analysis of Inclusion Engineering on the Fatigue Property Improvement of Bearing Steel. <i>Metals</i> , 2019 , 9, 476	2.3	14
63	Predicting lower bound damage curves for high-strength low-alloy steels. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2013 , 36, 779-794	3	14
62	Forming limit prediction by the Marciniak-Buczynski model coupled with the evolving non-associated Hill48 plasticity model. <i>Journal of Materials Processing Technology</i> , 2021 , 287, 116384	5.3	13
61	The lattice strain ratio in characterizing the grain-to-grain interaction effect and its specific insight on the plastic deformation of polycrystalline materials. <i>Journal of Strain Analysis for Engineering Design</i> , 2018 , 53, 353-363	1.3	13
60	Mechanical Deformation of Lithium-Ion Pouch Cells under In-Plane Loads Part I: Experimental Investigation. <i>Journal of the Electrochemical Society</i> , 2020 , 167, 090533	3.9	12
59	An Experimental Study on the Impact of Deoxidation Methods on the Fatigue Properties of Bearing Steels. <i>Steel Research International</i> , 2018 , 89, 1800129	1.6	12
58	Mechanical Deformation of Lithium-Ion Pouch Cells under in-plane Loads Part II: Computational Modeling. <i>Journal of the Electrochemical Society</i> , 2020 , 167, 090556	3.9	11
57	Investigation on the ductile fracture of high-strength pipeline steels using a partial anisotropic damage mechanics model. <i>Engineering Fracture Mechanics</i> , 2020 , 227, 106900	4.2	11
56	A Modified Lemaitre Damage Model Phenomenologically Accounting for the Lode Angle Effect on Ductile Fracture 2014 , 3, 1841-1847		11
55	An evolving plasticity model considering anisotropy, thermal softening and dynamic strain aging. <i>International Journal of Plasticity</i> , 2020 , 132, 102747	7.6	11
54	Grain Orientation Dependence of the Residual Lattice Strain in a Cold Rolled Interstitial-Free Steel. <i>Steel Research International</i> , 2018 , 89, 1700408	1.6	10

53	A Generalized Damage Model Accounting for Instability and Ductile Fracture for Sheet Metals. <i>Key Engineering Materials</i> , 2014 , 611-612, 106-110	0.4	10
52	Crystal plasticity assisted prediction on the yield locus evolution and forming limit curves 2017 ,		9
51	Revealing the relationship between microstructures, textures, and mechanical behaviors of cold-rolled Al _{0.1} CoCrFeNi high-entropy alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 804, 140752	5.3	8
50	A generalized Orowan model for cleavage fracture. <i>Engineering Fracture Mechanics</i> , 2017 , 186, 105-118	4.2	7
49	A strain-gradient isotropic elastoplastic damage model with J3 dependence. <i>International Journal of Solids and Structures</i> , 2019 , 174-175, 98-127	3.1	6
48	Forming limit prediction by an evolving non-quadratic yield criterion considering the anisotropic hardening and r-value evolution 2018 ,		6
47	Exploiting the Property Profile of High Strength Steels by Damage Mechanics Approaches*. <i>Materialpruefung/Materials Testing</i> , 2012 , 54, 557-563	1.9	6
46	Stress-state dependence of dynamic strain aging: Thermal hardening and blue brittleness. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2021 , 28, 854-866	3.1	6
45	In-depth analysis of the fatigue mechanism induced by inclusions for high-strength bearing steels. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2021 , 28, 826-834	3.1	6
44	Fracture properties of zinc coating layers in a galvanized steel and an electrolytically galvanized steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 732, 320-325	5.3	6
43	Comparative Study on Damage Evolution during Sheet Metal Forming of Steels DP600 and DP1000. <i>Journal of Physics: Conference Series</i> , 2017 , 896, 012074	0.3	5
42	Delayed cracking behavior of a meta-stable austenitic stainless steel under bending condition. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 768, 138470	5.3	5
41	A numerical approach to evaluate roughness effects on localization and damage in sheet materials. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018 , 418, 012038	0.4	5
40	An Experimental and Numerical Investigation of the Anisotropic Plasticity and Fracture Properties of High Strength Steels from Laboratory to Component Scales. <i>Procedia Structural Integrity</i> , 2018 , 13, 1312-1317	1	5
39	Local formability of medium-Mn steel. <i>Journal of Materials Processing Technology</i> , 2022 , 299, 117368	5.3	5
38	Evolution of plastic anisotropy and strain rate sensitivity. <i>Journal of Physics: Conference Series</i> , 2018 , 1063, 012063	0.3	4
37	A comparative study on the forming limit diagram prediction between Marciniak-Kuczynski model and modified maximum force criterion by using the evolving non-associated Hill48 plasticity model 2018 ,		4
36	Modeling of Chip Breakage in Machining of AISI 1045 Steel by Using an Improved Damage Mechanics Model. <i>Steel Research International</i> , 2017 , 88, 1600338	1.6	3

35	Micromechanical modeling of cleavage fracture for a ferritic-pearlitic steel. <i>Engineering Fracture Mechanics</i> , 2019 , 221, 106683	4.2	3
34	Evaluation of the Cold Formability of Multiphase Steels by Damage Mechanics Approaches*. <i>Materialprüfung/Materials Testing</i> , 2013 , 55, 628-635	1.9	3
33	Numerical Evaluation of Surface Roughness Influences on Cold Formability of Dual-Phase Steel. <i>Steel Research International</i> , 2020 , 91, 2000141	1.6	3
32	Large-deformation plasticity and fracture behavior of pure lithium under various stress states. <i>Acta Materialia</i> , 2021 , 208, 116730	8.4	3
31	Surface roughness influences on localization and damage during forming of DP1000 sheet steel. <i>Procedia Manufacturing</i> , 2019 , 29, 504-511	1.5	2
30	Damage and fracture loci for a dual-phase steel and a high-strength low-alloyed steel: Revealing the different plastic localization damage ductile fracture pattern 2016 ,		2
29	The Second Blind Sandia Fracture Challenge: improved MBW model predictions for different strain rates. <i>International Journal of Fracture</i> , 2016 , 198, 149-165	2.3	2
28	Effect of plastic strain and ductile damage on elastic modulus of multiphase steel and its impact on springback prediction 2019 ,		2
27	Anisotropic plasticity model considering the dynamic strain ageing effects 2019 ,		2
26	Modeling the Cold Formability of Dualphase Steels on Different Length Scales 2014 , 3, 1050-1055		2
25	Design of an Experimental Program to Assess the Dynamic Fracture Properties of a Dual Phase Automotive Steel. <i>Procedia Engineering</i> , 2017 , 197, 204-213		2
24	Cold Formability of Automotive Sheet Metals: Anisotropy, Localization, Damage and Ductile Fracture. <i>Key Engineering Materials</i> , 2015 , 639, 353-360	0.4	2
23	Influence of Pore Characteristics on Anisotropic Mechanical Behavior of Laser Powder Bed Fusion Manufactured Metal by Micromechanical Modeling. <i>Advanced Engineering Materials</i> , 2020 , 22, 2000641	3.5	2
22	Prediction of edge fracture during hole-flanging of advanced high-strength steel considering blanking pre-damage. <i>Engineering Fracture Mechanics</i> , 2021 , 248, 107721	4.2	2
21	A microstructure sensitive modeling approach for fatigue life prediction considering the residual stress effect from heat treatment. <i>Procedia Structural Integrity</i> , 2018 , 13, 2048-2052	1	2
20	Forming limit curves determined in high-speed Nakajima tests and predicted by a strain rate sensitive model 2017 ,		1
19	Crystal plasticity modelling of flow behavior under various strain rates 2019 ,		1
18	Micromechanical Modeling of Damage and Failure in Dual Phase Steels. <i>Key Engineering Materials</i> , 2013 , 554-557, 2369-2374	0.4	1

17	Dynamic strain aging in DP1000: Effect of temperature and strain rate. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 832, 142509	5.3	1
16	Strain rate dependent plasticity and fracture of DP1000 steel under proportional and non-proportional loading. <i>European Journal of Mechanics, A/Solids</i> , 2021 , 92, 104446	3.7	1
15	Effect of ausforming on microstructure and hardness characteristics of bainitic steel. <i>Journal of Materials Research and Technology</i> , 2020 , 9, 13365-13374	5.5	1
14	Modelling the surface roughness influence on the hole expansion ratio of multiphase steel. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019 , 651, 012006	0.4	1
13	Plasticity and failure behavior modeling of high-strength steels under various strain rates and temperatures: microstructure to components. <i>Procedia Structural Integrity</i> , 2018 , 13, 1421-1426	1	1
12	Dynamic Fracture Behavior of High Strength Pipeline Steel. <i>Procedia Engineering</i> , 2017 , 197, 214-223		0
11	Microstructure-Based Fatigue Modeling with Residual Stresses: Effect of Inclusion Shape on Very High Cycle Fatigue Life. <i>Crystals</i> , 2022 , 12, 200	2.3	0
10	Microstructural evolution and properties of electromagnetic cast-rolled novel AlTi alloy under different heat treatment procedures. <i>Journal of Materials Research and Technology</i> , 2022 , 16, 864-878	5.5	0
9	Influence of surface roughness on cold formability in bending processes: a multiscale modelling approach with the hybrid damage mechanics model. <i>International Journal of Material Forming</i> , 2021 , 14, 235-248	2	0
8	Self-equilibrated backstresses induce compensation between hardening and softening: Micromechanical and microstructural features. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 843, 143145	5.3	0
7	Plasticity evolution of an aluminum-magnesium alloy under abrupt strain path changes. <i>International Journal of Material Forming</i> , 2022 , 15, 1	2	0
6	Temperature Dependence of Plastic Flow, Anisotropy and Ductile Fracture. <i>Procedia Manufacturing</i> , 2020 , 47, 1308-1313	1.5	
5	Microstructure Effects on the Plastic Anisotropy of a Fine-Structured Dual-Phase Steel. <i>Procedia Manufacturing</i> , 2020 , 47, 1552-1560	1.5	
4	Influence of Microstructural Features on the Propagation of Microstructurally Short Fatigue Cracks in Structural Steels 243-250		
3	Cold formability prediction by the modified maximum force criterion with a non-associated Hill48 model accounting for anisotropic hardening. <i>Journal of Physics: Conference Series</i> , 2016 , 734, 032112	0.3	
2	Dynamic fracture of a dual phase automotive steel. <i>EPJ Web of Conferences</i> , 2018 , 183, 02047	0.3	
1	Prediction of Ductile Fracture in Bainitic Steel with Dependence on Stress States and Loading Orientation. <i>Minerals, Metals and Materials Series</i> , 2022 , 375-387	0.3	