Paul D Prenzler

List of Publications by Citations

Source: https://exaly.com/author-pdf/7335756/paul-d-prenzler-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

107
papers7,114
citations42
h-index83
g-index113
ext. papers7,799
ext. citations5.9
avg, IF5.59
L-index

#	Paper	IF	Citations
107	Phenolic compounds and their role in oxidative processes in fruits. <i>Food Chemistry</i> , 1999 , 66, 401-436	8.5	814
106	Methods for testing antioxidant activity. <i>Analyst, The</i> , 2002 , 127, 183-98	5	716
105	Phenolic content and antioxidant activity of olive extracts. <i>Food Chemistry</i> , 2001 , 73, 73-84	8.5	623
104	Olive oil volatile compounds, flavour development and quality: A critical review. <i>Food Chemistry</i> , 2007 , 100, 273-286	8.5	465
103	Bioactivity and analysis of biophenols recovered from olive mill waste. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 823-37	5.7	338
102	Sample preparation in the determination of phenolic compounds in fruits. <i>Analyst, The</i> , 2000 , 125, 989-	1 9 09	218
101	Analytical chemistry of freshwater humic substances. <i>Analytica Chimica Acta</i> , 2004 , 527, 105-124	6.6	213
100	Biotransformations of phenolic compounds in Olea europaea L Scientia Horticulturae, 2002, 92, 147-17	′6 4.1	165
99	Bioscreening of Australian olive mill waste extracts: biophenol content, antioxidant, antimicrobial and molluscicidal activities. <i>Food and Chemical Toxicology</i> , 2007 , 45, 1238-48	4.7	138
98	Recent and potential developments in the analysis of urine: a review. <i>Analytica Chimica Acta</i> , 2011 , 684, 8-20	6.6	133
97	Investigation of Australian olive mill waste for recovery of biophenols. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 9911-20	5.7	124
96	Chemical screening of olive biophenol extracts by hyphenated liquid chromatography. <i>Analytica Chimica Acta</i> , 2007 , 603, 176-89	6.6	120
95	Measurement of antioxidant activity with the thiobarbituric acid reactive substances assay. <i>Food Chemistry</i> , 2017 , 230, 195-207	8.5	115
94	Endogenous biophenol, fatty acid and volatile profiles of selected oils. Food Chemistry, 2007, 100, 1544	-185551	109
93	Ascorbic acid: a review of its chemistry and reactivity in relation to a wine environment. <i>Critical Reviews in Food Science and Nutrition</i> , 2011 , 51, 479-98	11.5	108
92	Biosynthesis and biotransformations of phenol-conjugated oleosidic secoiridoids from Olea europaea L. <i>Natural Product Reports</i> , 2008 , 25, 1167-79	15.1	101
91	Changes in volatile and phenolic compounds with malaxation time and temperature during virgin olive oil production. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 7641-51	5.7	99

[1999-1989]

90	NMR Study of the reactions of the cis-diamminediaquaplatinum(II) cation with glutathione and amino acids containing a thiol group. <i>Inorganic Chemistry</i> , 1989 , 28, 2030-2037	5.1	98	
89	Identification of phenolic compounds in tissues of the novel olive cultivar hardy's mammoth. <i>Journal of Agricultural and Food Chemistry</i> , 2002 , 50, 6716-24	5.7	93	
88	Quantitative changes in phenolic content during physiological development of the olive (Olea europaea) cultivar Hardy's Mammoth. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 2532-8	5.7	81	
87	LC-MS investigation of oxidation products of phenolic antioxidants. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 962-71	5.7	78	
86	Liquid chromatography with electrospray ionisation mass spectrometric detection of phenolic compounds from Olea europaea. <i>Journal of Chromatography A</i> , 1999 , 855, 529-37	4.5	76	
85	Discrimination of olive oils and fruits into cultivars and maturity stages based on phenolic and volatile compounds. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 8054-62	5.7	70	
84	Antioxidant action of glutathione and the ascorbic acid/glutathione pair in a model white wine. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 3940-9	5.7	68	
83	Gas Chromatography-Combustion-Isotope Ratio Mass Spectrometry for Traceability and Authenticity in Foods and Beverages. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2014 , 13, 814-837	16.4	58	
82	Ascorbic acid-induced browning of (+)-catechin in a model wine system. <i>Journal of Agricultural and Food Chemistry</i> , 2001 , 49, 934-9	5.7	57	
81	Varietal and processing effects on the volatile profile of Australian olive oils. <i>Food Chemistry</i> , 2004 , 84, 341-349	8.5	56	
80	Liquid chromatography-mass spectrometry (LC-MS) investigation of the thiobarbituric acid reactive substances (TBARS) reaction. <i>Journal of Agricultural and Food Chemistry</i> , 2002 , 50, 1720-4	5.7	56	
79	A cross-cultural study of wine consumers with respect to health benefits of wine. <i>Food Quality and Preference</i> , 2013 , 28, 531-538	5.8	52	
78	The significance of low impact odorants in global odour perception. <i>Trends in Food Science and Technology</i> , 2008 , 19, 383-389	15.3	51	
77	Potent antioxidant biophenols from olive mill waste. Food Chemistry, 2008, 111, 171-178	8.5	51	
76	Defining the ascorbic acid crossover from anti-oxidant to pro-oxidant in a model wine matrix containing (+)-catechin. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 4126-32	5.7	50	
75	Chemistry and bioactivity of olive biophenols in some antioxidant and antiproliferative in vitro bioassays. <i>Chemical Research in Toxicology</i> , 2009 , 22, 227-34	4	48	
74	Novel secoiridoids with antioxidant activity from Australian olive mill waste. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 2848-53	5.7	47	
73	Coupled Electron- and Proton-Transfer Processes in the Reduction of ⟨⟨P(2)W(18)O(62)⟩(6)(-) and ⟨⟨H(2)W(12)O(40)⟩(6)(-) As Revealed by Simulation of Cyclic Voltammograms. <i>Analytical Chemistry</i> , 1999 , 71, 3650-6	7.8	47	

72	High-field NMR spectroelectrochemistry of spinning solutions: simultaneous in situ detection of electrogenerated species in a standard probe under potentiostatic control. <i>Electrochemistry Communications</i> , 2000 , 2, 516-521	5.1	46
71	DNA targeted platinum complexes: synthesis, cytotoxicity and DNA interactions of cis-dichloroplatinum(II) complexes tethered to phenazine-1-carboxamides. <i>Journal of Inorganic Biochemistry</i> , 2000 , 81, 111-7	4.2	46
70	Impact of the condition of storage of tartaric acid solutions on the production and stability of glyoxylic acid. <i>Food Chemistry</i> , 2007 , 102, 905-916	8.5	45
69	A robust method for quantification of volatile compounds within and between vintages using headspace-solid-phase micro-extraction coupled with GC-MSapplication on Semillon wines. <i>Analytica Chimica Acta</i> , 2010 , 660, 149-57	6.6	44
68	Factors influencing the production and stability of xanthylium cation pigments in a model white wine system. <i>Australian Journal of Grape and Wine Research</i> , 2006 , 12, 57-68	2.4	44
67	A rapid method for the simultaneous quantification of the major tocopherols, carotenoids, free and esterified sterols in canola (Brassica napus) oil using normal phase liquid chromatography. <i>Food Chemistry</i> , 2017 , 214, 147-155	8.5	42
66	Pharmacology of Olive Biophenols. Advances in Molecular Toxicology, 2012, 195-242	0.4	42
65	The role of copper(II) in the bridging reactions of (+)-catechin by glyoxylic acid in a model white wine. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 6204-10	5.7	42
64	Applications of mass spectrometry to plant phenols. <i>TrAC - Trends in Analytical Chemistry</i> , 1999 , 18, 362	-3726	42
63	Effect of processing conditions, prestorage treatment, and storage conditions on the phenol content and antioxidant activity of olive mill waste. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 3925-32	5.7	41
62	Reaction of the cis-diamminediaquaplatinum(II) cation with N-acetylglycine. <i>Inorganic Chemistry</i> , 1989 , 28, 815-819	5.1	39
61	Development of a headspace solid phase microextraction-gas chromatography method for monitoring volatile compounds in extended timeflourse experiments of olive oil. <i>Analytica Chimica Acta</i> , 2006 , 556, 407-414	6.6	38
60	Copigmentation and anti-copigmentation in grape extracts studied by spectrophotometry and post-column-reaction HPLC. <i>Food Chemistry</i> , 2012 , 132, 2194-2201	8.5	37
59	Impact of cultivar, harvesting time, and seasonal variation on the content of biophenols in olive mill waste. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 8851-8	5.7	37
58	Should Red Wine Be Considered a Functional Food?. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2010 , 9, 530-551	16.4	36
57	Discrimination of storage conditions and freshness in virgin olive oil. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 7144-51	5.7	36
56	Reactions of the cis-diamminediaquaplatinum(II) cation with glycinamide, N-glycylglycine, and N-(N-glycylglycyl)glycine. Crystal structure of a complex with two diammineplatinum(II) cations bound to glycylglycinate. <i>Inorganic Chemistry</i> , 1990 , 29, 3562-3569	5.1	36
55	Canola (Brassica napus) oil from Australian cultivars shows promising levels of tocopherols and carotenoids, along with good oxidative stability. <i>Journal of Food Composition and Analysis</i> , 2015 , 42, 179	9-4:186	34

54	Recovery of phenolic compounds from Olea europaea. Analytica Chimica Acta, 2001, 445, 67-77	6.6	33	
53	Changes in virgin olive oil quality during low-temperature fruit storage. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 2415-22	5.7	31	
52	The influence of stereochemistry of antioxidants and flavonols on oxidation processes in a model wine system: ascorbic acid, erythorbic acid, +-catechin and (-)-epicatechin. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 1004-11	5.7	27	
51	Oxidation of caffeic acid in a wine-like medium: Production of dihydroxybenzaldehyde and its subsequent reactions with (+)-catechin. <i>Food Chemistry</i> , 2007 , 105, 968-975	8.5	27	
50	Effect of added caffeic acid and tyrosol on the fatty acid and volatile profiles of camellia oil following heating. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 9551-8	5.7	27	
49	Deep-fried oil consumption in rats impairs glycerolipid metabolism, gut histology and microbiota structure. <i>Lipids in Health and Disease</i> , 2016 , 15, 86	4.4	26	
48	Biophenols of mints: Antioxidant, acetylcholinesterase, butyrylcholinesterase and histone deacetylase inhibition activities targeting Alzheimer disease treatment. <i>Journal of Functional Foods</i> , 2017 , 33, 345-362	5.1	25	
47	Total phenolic content, antioxidant activity, and cross-cultural consumer rejection threshold in white and red wines functionally enhanced with catechin-rich extracts. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 388-93	5.7	25	
46	Isomeric influence on the oxidative coloration of phenolic compounds in a model white wine: comparison of (+)-catechin and (-)-epicatechin. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 999	13 ⁵ 8 ⁷	25	
45	Examination of the sulfur dioxidelscorbic acid anti-oxidant system in a model white wine matrix. Journal of the Science of Food and Agriculture, 2004, 84, 318-324	4.3	21	
44	Bioprospecting traditional Pakistani medicinal plants for potent antioxidants. <i>Food Chemistry</i> , 2012 , 132, 222-9	8.5	20	
43	Assessment of some Australian red wines for price, phenolic content, antioxidant activity, and vintage in relation to functional food prospects. <i>Journal of Food Science</i> , 2011 , 76, C1355-64	3.4	20	
42	Zero effect of multiple dosage of olive leaf supplements on urinary biomarkers of oxidative stress in healthy humans. <i>Nutrition</i> , 2009 , 25, 270-80	4.8	20	
41	Formation of pigment precursor (+)-1"-methylene-6"-hydroxy-2H-furan-5"-one-catechin isomers from (+)-catechin and a degradation product of ascorbic acid in a model wine system. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 9539-46	5.7	20	
40	Randomized controlled study of the urinary excretion of biophenols following acute and chronic intake of olive leaf supplements. <i>Food Chemistry</i> , 2012 , 130, 651-659	8.5	18	
39	Adsorption of phenols from olive oil waste waters on layered double hydroxide, hydroxyaluminiumIron-co-precipitate and hydroxyaluminiumIronIhontmorillonite complex. <i>Applied Clay Science</i> , 2013 , 80-81, 154-161	5.2	17	
38	Analytical approaches to the determination of simple biophenols in forest trees such as Acer (maple), Betula (birch), Coniferus, Eucalyptus, Juniperus (cedar), Picea (spruce) and Quercus (oak). <i>Analyst, The</i> , 2005 , 130, 809-23	5	17	
37	The quality and volatile-profile changes of Longwangmo apricot (Prunus armeniaca L.) kernel oil prepared by different oil-producing processes. <i>European Journal of Lipid Science and Technology</i> , 2016, 118, 236-243	3	17	

36	Steric and Electronic Effects in the First Homoleptic Imino Ether Complex: Synthesis and X-ray Crystallographic Determination of [Pt(NHC(OEt)Et)(4)](CF(3)SO(3))(2). <i>Inorganic Chemistry</i> , 1997 , 36, 5845-5849	5.1	16
35	Isolation and seasonal effects on characteristics of fulvic acid isolated from an Australian floodplain river and billabong. <i>Journal of Chromatography A</i> , 2007 , 1153, 203-13	4.5	15
34	Detoxification of olive mill wastewaters by zincelluminium layered double hydroxides. <i>Applied Clay Science</i> , 2011 , 53, 737-744	5.2	14
33	The quality and volatile-profile changes of camellia oil (Camellia oleifera Abel) following bleaching. <i>European Journal of Lipid Science and Technology</i> , 2008 , 110, 768-775	3	13
32	Diplatinum(III) tetrakis(Ediketonato) complexes exemplifying the unsupported PtPt bond. <i>Chemical Communications</i> , 1996 , 2271-2272	5.8	13
31	Flavour quality critical production steps from fruit to extra-virgin olive oil at consumption. <i>Food Research International</i> , 2013 , 54, 2095-2103	7	12
30	Bioavailability of dissolved organic carbon and fulvic acid from an Australian floodplain river and billabong. <i>Marine and Freshwater Research</i> , 2007 , 58, 222	2.2	12
29	Antioxidant Activity of Phenolic Compounds in Bulk Camellia Oil and Corresponding Oil in Water (O/W) Emulsions. <i>Advance Journal of Food Science and Technology</i> , 2013 , 5, 1238-1243	0.1	10
28	Metabolomics as a tool for diagnosis and monitoring in coeliac disease. <i>Metabolomics</i> , 2015 , 11, 980-99	04.7	9
27	Bulk and compound-specific stable isotope ratio analysis for authenticity testing of organically grown tomatoes. <i>Food Chemistry</i> , 2020 , 318, 126426	8.5	9
26	A solid phase microextraction method to fingerprint dissolved organic carbon released from Eucalyptus camaldulensis (Dehnh.) (River Red Gum) leaves. <i>Analytica Chimica Acta</i> , 2005 , 530, 325-333	6.6	9
25	The decay of ascorbic acid in a model wine system at low oxygen concentration. <i>Food Chemistry</i> , 2013 , 141, 3139-46	8.5	8
24	Nutritional methodologies and their use in inter-disciplinary antioxidant research. <i>Food Chemistry</i> , 2008 , 108, 425-38	8.5	8
23	Differentiation of wood-derived vanillin from synthetic vanillin in distillates using gas chromatography/combustion/isotope ratio mass spectrometry for IC analysis. <i>Rapid Communications in Mass Spectrometry</i> , 2018 , 32, 311-318	2.2	8
22	Evaluation of puffing quality of Australian desi chickpeas by different physical attributes. <i>LWT - Food Science and Technology</i> , 2015 , 64, 959-965	5.4	7
21	Dietary Effects on Stable Carbon Isotope Composition of Fatty Acids in Polar and Neutral Fractions of Intramuscular Fat of Lambs. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 9404-9411	5.7	6
20	Sensory profiling and preference mapping of Australian puffed desi chickpeas. <i>LWT - Food Science and Technology</i> , 2018 , 89, 229-236	5.4	6
19	Development of a Method Suitable for High-Throughput Screening to Measure Antioxidant Activity in a Linoleic Acid Emulsion. <i>Antioxidants</i> , 2019 , 8,	7.1	5

(2022-2008)

18	Impact of ascorbic acid on the oxidative colouration and associated reactions of a model wine solution containing (+)Datechin, caffeic acid and iron. <i>Australian Journal of Grape and Wine Research</i> , 2008 , 14, 238	2.4	5
17	Allochthonous DOC in floodplain rivers: identifying sources using solid phase microextraction with gas chromatography. <i>Aquatic Sciences</i> , 2007 , 69, 472-483	2.5	5
16	Discrimination of Olive Oils and Fruits into Cultivars and Maturity Stages Based on Phenolic and Volatile Compounds. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 8390-8390	5.7	5
15	Polycyclic aromatic hydrocarbon contamination in soils and sediments: Sustainable approaches for extraction and remediation. <i>Chemosphere</i> , 2021 , 132981	8.4	5
14	Effects of Storage Temperature and Duration on Bioactive Concentrations in the Seed and Oil of Brassica napus (Canola). <i>European Journal of Lipid Science and Technology</i> , 2018 , 120, 1700335	3	4
13	Substrate and TBARS variability in a multi-phase oxidation system. <i>European Journal of Lipid Science and Technology</i> , 2017 , 119, 1500500	3	4
12	Camellia Oil and Tea Oil 2009 , 313-343		4
11	Neuroprotective Activity of Species on Hydrogen Peroxide-Induced Apoptosis in SH-SY5Y Cells. <i>Nutrients</i> , 2020 , 12,	6.7	3
10	Leaf micromorphology of 19 Mentha taxa. Australian Journal of Botany, 2019 , 67, 463	1.2	3
9	Different Processing Practices and the Frying Life of Refined Canola Oil. <i>Foods</i> , 2019 , 8,	4.9	3
8	A multiphase experiment for the analysis of bioactive compounds in canola oil: Sources of error from field and laboratory. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2017 , 162, 55-64	3.8	2
7	Bis(N,N-cyclo-heptamethylenedithiocarbamato-S,S')platinum(II), a Platinum Dithiocarbamate Containing a Large Carbocyclic Ring. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1996 , 52, 537-539		2
6	Occurrence of fumonisin-producing black aspergilli in Australian wine grapes: effects of temperature and water activity on fumonisin production by A. niger and A. welwitschiae. <i>Mycotoxin Research</i> , 2021 , 37, 327-339	4	2
5	Potential Role of Phenolic Extracts of in Managing Oxidative Stress and Alzheimer's Disease. <i>Antioxidants</i> , 2020 , 9,	7.1	2
4	Construction of local gene network for revealing different liver function of rats fed deep-fried oil with or without resistant starch. <i>Toxicology Letters</i> , 2016 , 258, 168-174	4.4	2
3	Volatile Compounds in Australian Olive Oils 2010 , 201-209		1
2	Complexes of Peptides and Related Molecules with Diammineplatinum (II) as Models for Platinum-Protein Interactions 1991 , 61-72		1
1	Phytosterol, Tocopherol and Carotenoid Retention during Commercial Processing of Brassica napus (Canola) Oil. <i>Processes</i> , 2022 , 10, 580	2.9	O