

Qingfang liu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/733601/qingfang-liu-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

181
papers

2,883
citations

29
h-index

45
g-index

186
ext. papers

3,385
ext. citations

3.4
avg, IF

5.11
L-index

#	Paper	IF	Citations
181	Enhanced microwave absorption of Fe nanoflakes after coating with SiO ₂ nanoshell. <i>Nanotechnology</i> , 2010 , 21, 095708	3.4	213
180	Attractive microwave absorption and the impedance match effect in zinc oxide and carbonyl iron composite. <i>Physica B: Condensed Matter</i> , 2011 , 406, 4620-4624	2.8	125
179	Current-induced magnetic skyrmions oscillator. <i>New Journal of Physics</i> , 2015 , 17, 023061	2.9	115
178	Upfront haploidentical transplant for acquired severe aplastic anemia: registry-based comparison with matched related transplant. <i>Journal of Hematology and Oncology</i> , 2017 , 10, 25	22.4	92
177	High saturation magnetization of Fe ₂ O ₃ nano-particles by a facile one-step synthesis approach. <i>Scientific Reports</i> , 2016 , 6, 32360	4.9	88
176	Dynamics of antiferromagnetic skyrmion driven by the spin Hall effect. <i>Applied Physics Letters</i> , 2016 , 109, 182404	3.4	76
175	Microwave absorption properties of the Ni nanowires composite. <i>Journal Physics D: Applied Physics</i> , 2008 , 41, 235005	3	71
174	Analyses on multiple resonance behaviors and microwave reflection loss in magnetic Co microflowers. <i>Physica Status Solidi (B): Basic Research</i> , 2012 , 249, 575-580	1.3	62
173	Efficient photocatalytic degradation of acid fuchsin in aqueous solution using separate porous tetragonal-CuFe ₂ O ₄ nanotubes. <i>Journal of Hazardous Materials</i> , 2015 , 284, 163-70	12.8	61
172	A New Method to Calculate the Degree of Electromagnetic Impedance Matching in One-Layer Microwave Absorbers. <i>Chinese Physics Letters</i> , 2012 , 29, 038401	1.8	58
171	An induction method to calculate the complex permeability of soft magnetic films without a reference sample. <i>Review of Scientific Instruments</i> , 2014 , 85, 054705	1.7	51
170	Width-controlled M-type hexagonal strontium ferrite (SrFe ₁₂ O ₁₉) nanoribbons with high saturation magnetization and superior coercivity synthesized by electrospinning. <i>Scientific Reports</i> , 2015 , 5, 15089	4.9	48
169	Microwave absorption of electroless NiCoB-coated SiO ₂ powder. <i>Applied Surface Science</i> , 2009 , 255, 6629-6633	6.7	45
168	Magnetic texture in iron nanowire arrays. <i>Nanotechnology</i> , 2004 , 15, 485-489	3.4	44
167	Prophylactic Donor Lymphocyte Infusion (DLI) Followed by Minimal Residual Disease and Graft-versus-Host Disease-Guided Multiple DLIs Could Improve Outcomes after Allogeneic Hematopoietic Stem Cell Transplantation in Patients with Refractory/Relapsed Acute Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2017 , 23, 1211-1218	4.7	43
166	Size effects on magnetic properties in Fe _{0.68} Ni _{0.32} alloy nanowire arrays. <i>Journal of Magnetism and Magnetic Materials</i> , 2003 , 260, 151-155	2.8	41
165	Array of Synchronized Nano-Oscillators Based on Repulsion between Domain Wall and Skyrmion. <i>Physical Review Applied</i> , 2018 , 9,	4.3	40

164	Influence of crystal orientation on magnetic properties of hcp Co nanowire arrays. <i>Journal Physics D: Applied Physics</i> , 2009 , 42, 095005	3	40
163	Improved magnetic properties of SrFe ₁₂ O ₁₉ /FeCo core-shell nanofibers by hard/soft magnetic exchange coupling effect. <i>Materials Letters</i> , 2014 , 120, 9-12	3.3	37
162	Broadband and thin microwave absorber of nickel-zinc ferrite/carbonyl iron composite. <i>Journal of Alloys and Compounds</i> , 2009 , 487, 708-711	5.7	36
161	Hierarchical SrTiO ₃ /NiFe ₂ O ₄ composite nanostructures with excellent light response and magnetic performance synthesized toward enhanced photocatalytic activity. <i>Nanoscale</i> , 2015 , 7, 14738-46	7.7	34
160	A novel method to fabricate CoFe ₂ O ₄ /SrFe ₁₂ O ₁₉ composite ferrite nanofibers with enhanced exchange coupling effect. <i>Nanoscale Research Letters</i> , 2015 , 10, 131	5	34
159	Hydrothermal epitaxial growth and nonvolatile bipolar resistive switching behavior of LaFeO ₃ -PbTiO ₃ films on Nb:SrTiO ₃ (001) substrate. <i>Applied Physics Letters</i> , 2014 , 105, 152904	3.4	31
158	Tunable resonance frequency of FeNi films by oblique sputtering. <i>Journal of Magnetism and Magnetic Materials</i> , 2012 , 324, 2899-2901	2.8	30
157	Effect of heating rate on morphology and structure of CoFe ₂ O ₄ nanofibers. <i>Materials Letters</i> , 2011 , 65, 3269-3271	3.3	30
156	Enhanced microwave absorption properties of Fe ₃ Al/Al ₂ O ₃ fine particle composites. <i>Journal Physics D: Applied Physics</i> , 2010 , 43, 115001	3	30
155	Two-dimensional periodic boundary conditions for demagnetization interactions in micromagnetics. <i>Computational Materials Science</i> , 2010 , 49, 84-87	3.2	30
154	Synthesis and characterization of nanocrystalline BaFe ₁₂ O ₁₉ obtained by using glucose as a fuel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 456, 130-132	5.3	30
153	Microwave absorption properties of the Ni nanofibers fabricated by electrospinning. <i>Applied Physics A: Materials Science and Processing</i> , 2013 , 113, 755-761	2.6	29
152	Enhanced microwave absorption of BaTiO ₃ -based ferroelectric/ferromagnetic nanocomposite. <i>Applied Surface Science</i> , 2012 , 258, 7556-7561	6.7	28
151	Preparation and characterization of amorphous FeOOH nanowire arrays. <i>Journal of Materials Science Letters</i> , 2002 , 21, 1781-1783		28
150	Control and manipulation of antiferromagnetic skyrmions in racetrack. <i>Journal Physics D: Applied Physics</i> , 2017 , 50, 505005	3	27
149	Micromagnetic simulation of the magnetic spectrum of ferromagnetic nanowire. <i>Journal of Applied Physics</i> , 2008 , 103, 013910	2.5	26
148	Skyrmion motion driven by the gradient of voltage-controlled magnetic anisotropy. <i>Journal of Magnetism and Magnetic Materials</i> , 2018 , 458, 57-61	2.8	25
147	Electrospun porous CuFe ₂ O ₄ nanotubes on nickel foam for nonenzymatic voltammetric determination of glucose and hydrogen peroxide. <i>Journal of Alloys and Compounds</i> , 2018 , 739, 764-770	5.7	25

146	Ferromagnetic Fe ₃ O ₄ nanofibers: Electrospinning synthesis and characterization. <i>Journal of Alloys and Compounds</i> , 2013 , 577, 192-194	5.7	25
145	Preparation and characterization of haematite nanowire arrays. <i>Journal of Physics Condensed Matter</i> , 2003 , 15, 1455-1459	1.8	25
144	Top-down control of dynamic anisotropy in permalloy thin films with stripe domains. <i>Journal Physics D: Applied Physics</i> , 2015 , 48, 465001	3	22
143	Electrospun magnetic SrFe ₁₂ O ₁₉ nanofibres with improved hard magnetism. <i>Journal Physics D: Applied Physics</i> , 2013 , 46, 445003	3	22
142	Skyrmion-based multi-channel racetrack. <i>Applied Physics Letters</i> , 2017 , 111, 192413	3.4	21
141	Improved coercivity and considerable saturation magnetization of cobalt ferrite (CoFe ₂ O ₄) nanoribbons synthesized by electrospinning. <i>Journal of Materials Science</i> , 2016 , 51, 885-892	4.3	20
140	Dependence of phase configurations, microstructures and magnetic properties of iron-nickel (Fe-Ni) alloy nanoribbons on deoxidization temperature in hydrogen. <i>Scientific Reports</i> , 2016 , 6, 37701	4.9	20
139	Microstructure and magnetic properties of iron nitride thin films. <i>Journal of Alloys and Compounds</i> , 2014 , 582, 398-402	5.7	20
138	Nonmetal sulfur-doped coral-like cobalt ferrite nanoparticles with enhanced magnetic properties. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 951-957	7.1	19
137	Characterization and magnetic properties of Fe _{1-x} Ni _x nanowire arrays. <i>Physical Review B</i> , 2005 , 72,	3.3	19
136	Investigation on the structure and dynamic magnetic properties of FeCo films with different thicknesses by vector network analyzer and electron spin resonance spectroscopy. <i>Journal of Alloys and Compounds</i> , 2016 , 688, 917-922	5.7	18
135	Effect of Zn substitution on morphology and magnetic properties of CuFe ₂ O ₄ nanofibers. <i>Materials Chemistry and Physics</i> , 2012 , 134, 1097-1101	4.4	18
134	Magnetic properties and microstructure investigation of electrodeposited FeNi/ITO films with different thickness. <i>Journal of Alloys and Compounds</i> , 2013 , 581, 66-70	5.7	18
133	Tailoring coercivity and magnetic anisotropy of Co nanowire arrays by microstructure. <i>Journal of Materials Science</i> , 2011 , 46, 7545-7550	4.3	18
132	Synthesis, microstructure and magnetic performance of FeCo alloy nanoribbons. <i>Materials Letters</i> , 2016 , 162, 176-179	3.3	16
131	Bimagnetic h-Co/h-CoO nanotetrapods: preparation, nanoscale characterization, three-dimensional architecture and their magnetic properties. <i>Nanoscale</i> , 2014 , 6, 13710-8	7.7	16
130	Adjustable magnetic anisotropy and resonance frequency of patterned ferromagnetic films by laser etching. <i>Journal of Alloys and Compounds</i> , 2012 , 543, 197-199	5.7	16
129	The effect of diameter on micro-magnetic properties of Fe _{0.68} Ni _{0.32} nanowire arrays. <i>Journal of Magnetism and Magnetic Materials</i> , 2004 , 278, 323-327	2.8	16

128	Synthesis and characterization of LaFeO ₃ nano particles. <i>Journal of Materials Science Letters</i> , 2002 , 21, 1059-1062		16
127	Annealing influence on the exchange stiffness constant of Permalloy films with stripe domains. <i>Journal Physics D: Applied Physics</i> , 2016 , 49, 265002	3	15
126	Anomalous positive exchange bias in nanostructured FeMn/Co/FeMn networks. <i>Nanotechnology</i> , 2007 , 18, 335703	3.4	15
125	Controllable magnetic and magnetostrictive properties of FeGa films electrodeposited on curvature substrates. <i>Applied Physics A: Materials Science and Processing</i> , 2016 , 122, 1	2.6	15
124	Stabilization and Reversal of Skyrmion Lattice in Ta/CoFeB/MgO Multilayers. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 36556-36563	9.5	15
123	Structural and magnetic properties of electrospun yttrium iron garnet (YIG) nanofibers. <i>Ceramics International</i> , 2017 , 43, 1236-1241	5.1	14
122	Synthesis and characterization of Fe/C core-shell nanoparticles. <i>Materials Letters</i> , 2012 , 88, 61-64	3.3	14
121	Robust SiO ₂ -modified CoFe ₂ O ₄ hollow nanofibers with flexible room temperature magnetic performance. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 12841-8	3.6	13
120	Tuning high frequency magnetic properties and damping of FeGa, FeGaN and FeGaB thin films. <i>AIP Advances</i> , 2017 , 7, 115009	1.5	13
119	Static property and current-driven precession of 2D vortex in nano-disk with Dzyaloshinskii-Moriya interaction. <i>AIP Advances</i> , 2015 , 5, 087137	1.5	13
118	Abnormal coercivity dependence on the diameter of Co nanowires in anodic aluminium oxide templates. <i>Journal Physics D: Applied Physics</i> , 2009 , 42, 105002	3	13
117	Micromagnetic calculation of dynamic susceptibility in ferromagnetic nanorings. <i>Journal of Applied Physics</i> , 2009 , 105, 083908	2.5	13
116	Magnetic properties of permalloy films with different thicknesses deposited onto obliquely sputtered Cu underlayers. <i>Journal of Magnetism and Magnetic Materials</i> , 2015 , 377, 142-146	2.8	12
115	High-frequency spin transfer nano-oscillator based on the motion of skyrmions in an annular groove. <i>New Journal of Physics</i> , 2020 , 22, 033001	2.9	12
114	Synthesis, characterization and magnetic properties of NiFe _{2-x} Ce _x O ₄ nanoribbons by electrospinning. <i>Journal of Magnetism and Magnetic Materials</i> , 2017 , 425, 37-42	2.8	12
113	Influence of saccharides chelating agent on particle size and magnetic properties of Co ₂ Z hexaferrite synthesized by sol-gel method. <i>Journal of Sol-Gel Science and Technology</i> , 2011 , 60, 41-47	2.3	12
112	Structure and magnetic study of Fe _{1-x} Ni _x O. <i>Journal Physics D: Applied Physics</i> , 2001 , 34, 3442-3446	3	12
111	Thickness-dependent on the static magnetic properties and dynamic anisotropy of FeNi films with stripe domain structures. <i>Journal Physics D: Applied Physics</i> , 2018 , 51, 025001	3	12

110	Current-induced motion of twisted skyrmions. <i>Applied Physics Letters</i> , 2019 , 114, 192401	3.4	11
109	Magnetic properties of iron nitride films prepared by oblique sputtering under different nitrogen gas flow ratios (N ₂ /N ₂ +Ar). <i>Journal of Physics and Chemistry of Solids</i> , 2015 , 85, 13-17	3.9	11
108	Effect of Dzyaloshinskii-Moriya interaction on the magnetic vortex oscillator driven by spin-polarized current. <i>Journal of Applied Physics</i> , 2015 , 117, 17B720	2.5	11
107	Phonon Transport Controlled by Ferromagnetic Resonance. <i>Physical Review Applied</i> , 2020 , 13,	4.3	11
106	Effect of substrate roughness on the magnetic properties of CoFeB films. <i>Journal of Magnetism and Magnetic Materials</i> , 2018 , 461, 19-22	2.8	11
105	Field-tuned spin excitation spectrum of k _B skyrmion. <i>New Journal of Physics</i> , 2019 , 21, 083006	2.9	11
104	Microstructure and magnetic properties of iron nitride granular thin films obtained by oblique RF reactive sputtering. <i>Journal of Alloys and Compounds</i> , 2014 , 592, 185-188	5.7	11
103	Static magnetic and microwave absorption properties of FeCo/Al ₂ O ₃ composites synthesized by high-energy ball milling method. <i>Journal Physics D: Applied Physics</i> , 2014 , 47, 065001	3	11
102	Enhanced GMI effect in NiZn-ferrite-modified Fe-based amorphous ribbons. <i>Applied Physics A: Materials Science and Processing</i> , 2015 , 119, 1277-1281	2.6	10
101	Enhanced magnetoimpedance effect of Fe 75.5 Cu 1 Nb 3 Si 13.5 B 7 ribbon covered by in-situ growth vertical graphene sheets. <i>Materials Letters</i> , 2018 , 222, 131-134	3.3	10
100	Calculations of three-dimensional magnetic excitations in permalloy nanostructures with vortex state. <i>Journal of Magnetism and Magnetic Materials</i> , 2010 , 322, 2480-2484	2.8	10
99	Applied magnetic field angle dependence of the static and dynamic magnetic properties in FeCo films during the deposition. <i>Journal of Magnetism and Magnetic Materials</i> , 2016 , 416, 208-212	2.8	10
98	A short-circuited coplanar waveguide to measure the permeability of magnetic thin films: Comparison with short-circuited microstrip line. <i>Review of Scientific Instruments</i> , 2015 , 86, 114705	1.7	9
97	Synthesis, nanostructure and magnetic properties of FeCo-reduced graphene oxide composite films by one-step electrodeposition. <i>Thin Solid Films</i> , 2015 , 597, 1-6	2.2	9
96	Designed synthesis and magnetic properties of Co hierarchical nanostructures. <i>Materials Letters</i> , 2011 , 65, 1312-1315	3.3	9
95	The microstructure and magnetic properties of Ni _{0.4} Zn _{0.6} Fe ₂ O ₄ films prepared by spin-coating method. <i>Journal of Sol-Gel Science and Technology</i> , 2011 , 58, 501-506	2.3	9
94	Tunable magnetic properties of heterogeneous nanobrush: from nanowire to nanofilm. <i>Nanoscale Research Letters</i> , 2010 , 5, 853-8	5	9
93	Dynamics of skyrmion bags driven by the spin-orbit torque. <i>Applied Physics Letters</i> , 2020 , 117, 172404	3.4	8

92	Propagating and reflecting of spin wave in permalloy nanostrip with 360° domain wall. <i>Journal of Applied Physics</i> , 2014 , 115, 013908	2.5	8
91	Topological trajectories of a magnetic skyrmion with an in-plane microwave magnetic field. <i>Journal of Applied Physics</i> , 2017 , 122, 223901	2.5	8
90	Influence of tensile stress on giant magnetoimpedance effect of electroplated Ni ₈₀ Co ₂₀ /Cu composite wires. <i>Journal of Alloys and Compounds</i> , 2014 , 616, 426-429	5.7	8
89	Optimum electrodeposition conditions of FeCoZr films with in-plane uniaxial anisotropy for high frequency application. <i>Materials Chemistry and Physics</i> , 2012 , 137, 499-502	4.4	8
88	Low current density spin-transfer torque effect assisted by in-plane microwave field. <i>Applied Physics Letters</i> , 2011 , 99, 032502	3.4	8
87	Size-tunable skyrmion bubbles in Ta/CoFeB/MgO multilayers. <i>Journal Physics D: Applied Physics</i> , 2018 , 51, 425001	3	8
86	Investigation on the structures and magnetic properties of carbon or nitrogen doped cobalt ferrite nanoparticles. <i>Scientific Reports</i> , 2018 , 8, 7916	4.9	8
85	Tuning the ferromagnetic resonance frequency of soft magnetic film by patterned permalloy micro-strips with stripe-domain. <i>Journal of Magnetism and Magnetic Materials</i> , 2018 , 457, 46-51	2.8	7
84	Investigation into the microstructure and soft magnetic property of co-sputtering FeNi/MgO nanogranular films. <i>Journal of Materials Science</i> , 2019 , 54, 14189-14196	4.3	7
83	Electrodeposition of FeCoCd films with in-plane uniaxial magnetic anisotropy for microwave applications. <i>Journal of Applied Physics</i> , 2014 , 115, 17A307	2.5	7
82	Enhanced magnetoimpedance effect of carbon fiber/Fe-based alloy coaxial composite by tensile stress. <i>Carbon</i> , 2015 , 93, 451-457	10.4	7
81	Enhanced giant magnetoimpedance in heterogeneous nanobrush. <i>Nanoscale Research Letters</i> , 2012 , 7, 506	5	7
80	Electrospun Dy-doped SrFe ₁₂ O ₁₉ nanofibers: microstructure and magnetic properties. <i>Applied Physics A: Materials Science and Processing</i> , 2016 , 122, 1	2.6	7
79	Enhancement of damping in FeNiN film due to two-magnon scattering effect. <i>Applied Physics Letters</i> , 2018 , 113, 232402	3.4	7
78	Microwave-driven dynamic switching of the radial vortex in a nanodot by micromagnetic simulation. <i>Journal Physics D: Applied Physics</i> , 2019 , 52, 195001	3	6
77	Effect of the repeat number and Co layer thickness on the magnetization reversal process in [Pt/Co(x)]N multilayers. <i>Journal Physics D: Applied Physics</i> , 2020 , 53, 215001	3	6
76	Trochoidal antiskyrmion motion with microwave electric fields. <i>Journal Physics D: Applied Physics</i> , 2019 , 52, 435001	3	6
75	Current-induced collective motion of 180° and 360° domain walls in double nanowires system. <i>Journal of Magnetism and Magnetic Materials</i> , 2013 , 347, 124-130	2.8	6

74	Cycle rapid cooling treatment effect on the magnetic properties and giant magnetoimpedance properties of Co-based amorphous alloy ribbons. <i>Journal of Magnetism and Magnetic Materials</i> , 2017 , 444, 198-205	2.8	6
73	Faster 360° domain wall motion in nanostrip induced by spin-polarized current with out-of-plane magnetic field. <i>Physica B: Condensed Matter</i> , 2012 , 407, 4584-4587	2.8	6
72	Magnetic moment distribution study of Fe antidot arrays. <i>Thin Solid Films</i> , 2007 , 515, 6967-6970	2.2	6
71	Micromagnetic simulation for detection of magnetic nanobeads by spin torque oscillator. <i>Journal of Magnetism and Magnetic Materials</i> , 2017 , 432, 387-390	2.8	5
70	Optimization of magnetoimpedance effect in Co-based ribbon by laser patterning for sensor arrays application. <i>Journal Physics D: Applied Physics</i> , 2018 , 51, 045005	3	5
69	GMI field sensitivity near a zero external field in Co-based amorphous alloy ribbons: experiments and model. <i>Journal Physics D: Applied Physics</i> , 2016 , 49, 065006	3	5
68	Current-induced domain wall motion in nanostrip/nanobars system. <i>Japanese Journal of Applied Physics</i> , 2014 , 53, 073001	1.4	5
67	Tunable Static and High-Frequency Magnetic Properties of FeCo Films by an Applied Magnetic Field. <i>Science of Advanced Materials</i> , 2016 , 8, 1061-1065	2.3	5
66	A facile strategy for synthesis of spinel ferrite nano-granules and their potential applications. <i>RSC Advances</i> , 2016 , 6, 66795-66802	3.7	5
65	Rapid creation and reversal of skyrmion in spin-valve nanopillars. <i>Journal of Magnetism and Magnetic Materials</i> , 2019 , 474, 472-476	2.8	5
64	Influence of the phases structure on the acoustic and optical modes ferromagnetic resonance of FeNi stripe domain films. <i>Journal of Magnetism and Magnetic Materials</i> , 2019 , 475, 103-107	2.8	5
63	Static and dynamic magnetic properties of stripe-patterned Fe ₂₀ Ni ₈₀ soft magnetic films. <i>Journal Physics D: Applied Physics</i> , 2018 , 51, 045004	3	5
62	Estimating the In-Plane Magnetic Anisotropy and Saturation Magnetization of Magnetic Films. <i>IEEE Transactions on Magnetics</i> , 2017 , 53, 1-6	2	4
61	Understanding stripe domains in Permalloy films via the angular dependence of permeability spectra. <i>Journal of Magnetism and Magnetic Materials</i> , 2017 , 432, 245-249	2.8	4
60	Phase locking of moving magnetic vortices in bridge-coupled nanodisks. <i>Journal of Applied Physics</i> , 2015 , 117, 173907	2.5	4
59	Fabrication and characterization of FePt magnetic nanofibers via electrospinning technique. <i>Journal of Materials Science</i> , 2015 , 50, 7218-7226	4.3	4
58	Nano-oscillator based on radial vortex by overcoming the switching of core. <i>Journal Physics D: Applied Physics</i> , 2020 , 53, 195004	3	4
57	Preparation and characterization of Ba ₂ Co ₂ Fe ₁₂ O ₂₂ ferrite via glucose sol-gel method. <i>Journal of Sol-Gel Science and Technology</i> , 2012 , 61, 39-43	2.3	4

56	The influence of magnetic heat treatment on morphology, structure, magnetic properties of Fe-Co-P alloy films. <i>Applied Physics A: Materials Science and Processing</i> , 2014 , 115, 359-363	2.6	4
55	In-plane anisotropy formation of Co thin film induced by FeMn covering layer. <i>Journal Physics D: Applied Physics</i> , 2008 , 41, 055002	3	4
54	Metastable magnetic bubble in [Co/Pd] ₄ /Py multilayers. <i>Journal Physics D: Applied Physics</i> , 2019 , 52, 065005	3	4
53	Multiferroic and multilevel resistive switching properties of LaFeO ₃ PbTiO ₃ films grown on Nb:SrTiO ₃ (0 0 1) substrate. <i>Ceramics International</i> , 2015 , 41, S851-S855	5.1	3
52	Current-driven radial vortex switching in a permalloy nanodisk. <i>Journal of Magnetism and Magnetic Materials</i> , 2019 , 491, 165544	2.8	3
51	Enhanced magnetoimpedance effect in stratified graphene paper/FeNi film composited material. <i>Materials Letters</i> , 2014 , 114, 56-59	3.3	3
50	Interface coupling-induced enhancement of magnetoimpedance effect in heterogeneous nanobrush by adjusting textures of Co nanowires. <i>Nanoscale Research Letters</i> , 2013 , 8, 471	5	3
49	Magnetic irreversibility of the Fe antidot arrays film by depositing on the porous alumina templates. <i>Applied Surface Science</i> , 2012 , 258, 3723-3725	6.7	3
48	Enhanced Giant Magnetoimpedance Effect in Rapid Heat-Treated Fe-Based Amorphous Ribbons. <i>Chinese Physics Letters</i> , 2013 , 30, 037501	1.8	3
47	Morphology dependence of electron spin resonance investigation on structure controllable hollow La _{0.7} Sr _{0.3} MnO ₃ nanofibres. <i>Journal Physics D: Applied Physics</i> , 2013 , 46, 105001	3	3
46	Commensurability between Element Symmetry and the Number of Skyrmions Governing Skyrmion Diffusion in Confined Geometries. <i>Advanced Functional Materials</i> , 2021 , 31, 2010739	15.6	3
45	Influence of substrate temperature on static and dynamic magnetic properties of FeNiN films. <i>Journal Physics D: Applied Physics</i> , 2017 , 50, 045002	3	2
44	Magnetic Properties and Microstructure Investigation of FeNi Films With Step-Height by Nano-MOKE. <i>IEEE Transactions on Magnetics</i> , 2015 , 51, 1-4	2	2
43	Dynamic response for Dzyaloshinskii-Moriya interaction on bubble-like magnetic solitons driven by spin-polarized current. <i>Journal Physics D: Applied Physics</i> , 2016 , 49, 195004	3	2
42	High frequency properties of [Co/Pd] _n /Py multilayer films under different temperatures. <i>Journal of Applied Physics</i> , 2019 , 126, 053901	2.5	2
41	Faster motion of double 360° domain walls system induced by spin-polarized current. <i>Journal of Applied Physics</i> , 2014 , 115, 17D504	2.5	2
40	The Influence of Impurities on Electroplated FeCoZr High Frequency Properties through Thiourea Containing Electrolyte. <i>Journal of the Electrochemical Society</i> , 2012 , 159, H842-H845	3.9	2
39	Fast magnetization switching by linear vertical microwave-assisted spin-transfer torque. <i>Journal of Nanoscience and Nanotechnology</i> , 2012 , 12, 7460-3	1.3	2

38	Surface acoustic wave assisted domain wall motion in [Co/Pd] ₂ /Pd(t)/Py multilayers. <i>Journal of Magnetism and Magnetic Materials</i> , 2020 , 502, 166546	2.8	2
37	The unusual double-shifted magnetization curves in an exchange-biased perpendicular Co/IrMn system. <i>Applied Physics Letters</i> , 2021 , 118, 242401	3.4	2
36	Direct Imaging of Resonant Phonon-Magnon Coupling. <i>Physical Review Applied</i> , 2021 , 15,	4.3	2
35	The Temperature-Dependent Microstructure and Magnetic Parameters of FeCo Films. <i>Journal of the Electrochemical Society</i> , 2017 , 164, D154-D158	3.9	1
34	Nonvolatile bipolar resistive switching behavior of epitaxial NdFeO ₃ BbTiO ₃ thin films grown on Nb:SrTiO ₃ (001) substrate. <i>Applied Physics Express</i> , 2015 , 8, 051102	2.4	1
33	Spin current pumped by confined breathing skyrmion. <i>New Journal of Physics</i> , 2020 , 22, 053029	2.9	1
32	Investigation of 2D isolated skyrmion pinning using exchange bias. <i>Journal of Physics Condensed Matter</i> , 2020 , 32, 205801	1.8	1
31	Radio Frequency Mixer Based on Magnetic Skyrmion. <i>Physica Status Solidi - Rapid Research Letters</i> , 2020 , 14, 2000249	2.5	1
30	The formation process and structure of the skyrmion bubble lattice in magnetic multilayers. <i>Journal of Applied Physics</i> , 2020 , 127, 063901	2.5	1
29	Giant Magnetoimpedance Effect Modified by Transverse Shape Anisotropy in Fe-Based Amorphous Ribbon. <i>IEEE Transactions on Magnetics</i> , 2020 , 56, 1-5	2	1
28	Magnetic properties of isolated skyrmion under the in-plane magnetic field and anisotropy gradient. <i>Journal of Applied Physics</i> , 2019 , 126, 063904	2.5	1
27	Phase locking of vortex cores in two coupled magnetic nanopillars. <i>AIP Advances</i> , 2014 , 4, 117130	1.5	1
26	Large-scale preparation of ZnO nanoflowers from nanowires with high length/diameter ratio. <i>Materials Letters</i> , 2012 , 84, 66-68	3.3	1
25	Tuning giant magnetoimpedance response of Fe _{75.5} Si _{13.5} B ₇ Nb ₃ Cu ₁ amorphous ribbon by laser ablation. <i>Journal of Magnetism and Magnetic Materials</i> , 2012 , 324, 3189-3192	2.8	1
24	A novel fabrication method of magnetic Co/Ni _{0.4} Zn _{0.6} Fe ₂ O ₄ coaxial nanocables. <i>Journal of Nanoscience and Nanotechnology</i> , 2012 , 12, 2472-6	1.3	1
23	Spin eigenmodes of skyrmion bags. <i>Journal Physics D: Applied Physics</i> , 2022 , 55, 185001	3	1
22	Magnetic skyrmion shape manipulation by perpendicular magnetic anisotropy excitation within geometrically confined nanostructures. <i>Journal of Magnetism and Magnetic Materials</i> , 2022 , 545, 168775	2.8	1
21	Preparation and influence of pH on the dynamic magnetic property of magnetic FeCoC films. <i>Materials Chemistry and Physics</i> , 2016 , 177, 236-241	4.4	1

20	Influence of Deposition Cycle and Magnetic Annealing on High-Frequency Magnetic Properties of the [Co ₉₀ Fe ₁₀ /Ta] _n Multilayer Thin Films. <i>IEEE Transactions on Magnetics</i> , 2018 , 54, 1-7	2	1
19	Static and Dynamic Properties of Nanowire/Permalloy Composite Films. <i>IEEE Magnetics Letters</i> , 2017 , 8, 1-5	1.6	0
18	Effect of stripe domains on magnetization reversal and domain wall motion-like boundary expansion of the stripe domain region. <i>Journal Physics D: Applied Physics</i> , 2020 , 53, 285001	3	0
17	Influence of magnetic annealing temperature on microstructure and magnetic properties of NiCu alloy film. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2020 , 69, 097401	0.6	0
16	Microwave excitations and hysteretic magnetization dynamics of stripe domain films. <i>Journal of Magnetism and Magnetic Materials</i> , 2022 , 547, 168939	2.8	0
15	Edge-guided heart-shaped skyrmion. <i>Rare Metals</i> , 1	5.5	0
14	Angular dependence of spin wave resonance in FeNiMgO granular film. <i>Applied Physics Letters</i> , 2021 , 118, 212401	3.4	0
13	Static and dynamic magnetic properties of Fe ₂₀ Ni ₈₀ and Co ₂₀ Fe ₆₀ B ₂₀ material-modulated stripe-patterned thin films. <i>Journal of Magnetism and Magnetic Materials</i> , 2020 , 497, 166008	2.8	0
12	Room-temperature zero field and high-density skyrmions in Pd/Co/Pd multilayer films. <i>Journal of Magnetism and Magnetic Materials</i> , 2021 , 521, 167507	2.8	0
11	Bridge-connected microwave detector based on magnetic skyrmion. <i>Journal of Magnetism and Magnetic Materials</i> , 2022 , 541, 168560	2.8	0
10	Dynamics of Dzyaloshinskii Domain Walls Driven by Spin Hall Effect in the Presence of Magnetic Fields. <i>Spin</i> , 2017 , 07, 1740004	1.3	
9	Influence of NiZn-Ferrite Spacers on Giant Magnetoimpedance Effect in FeNi/Cu/FeNi Nano Films. <i>Journal of Nanoscience and Nanotechnology</i> , 2016 , 16, 8142-8145	1.3	
8	Enhanced giant magnetoimpedance effect in patterned FeNi/FeCo nanostructure. <i>Journal of Applied Physics</i> , 2014 , 115, 17C721	2.5	
7	Vortex Dynamics in Magnetic Nanodisks With a Ring of Magnetic Defects. <i>IEEE Transactions on Magnetics</i> , 2015 , 51, 1-4	2	
6	Critical Current Density and Ferromagnetic Resonance Affected by Perpendicular Anisotropy in Spin Valve. <i>IEEE Transactions on Magnetics</i> , 2015 , 51, 1-3	2	
5	Thickness-dependent magnetic properties of Ni ₆₅ Fe ₂₈ Ga ₇ films prepared by magnetron co-sputtering. <i>Applied Physics A: Materials Science and Processing</i> , 2021 , 127, 1	2.6	
4	Multiple spin waves excitation modes observed in the Py film with antidots-like structure. <i>Journal Physics D: Applied Physics</i> , 2019 , 52, 085002	3	
3	Spin Rectification dc Voltage Spectra via Sweeping Frequency. <i>Physica Status Solidi (B): Basic Research</i> , 2019 , 256, 1800401	1.3	

- 2 Dynamics properties of skyrmion based microwave detectors under external field. *Applied Physics Express*, **2020**, 13, 053001 2.4
- 1 Annealing enhanced ferromagnetic resonance of thickness-dependent FeGa films. *Applied Physics Letters*, **2022**, 120, 202402 3.4