
Daniel Piotr Potaczek

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7336211/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Epigenetics and allergy: from basic mechanisms to clinical applications. Epigenomics, 2017, 9, 539-571.	2.1	201
2	Histone modifications and their role in epigenetics of atopy and allergic diseases. Allergy, Asthma and Clinical Immunology, 2018, 14, 39.	2.0	141
3	Current concepts of IgE regulation and impact of genetic determinants. Clinical and Experimental Allergy, 2012, 42, 852-871.	2.9	91
4	Perinatal and Early-Life Nutrition, Epigenetics, and Allergy. Nutrients, 2021, 13, 724.	4.1	82
5	Role of airway epithelial cells in the development of different asthma phenotypes. Cellular Signalling, 2020, 69, 109523.	3.6	57
6	The Impact of Milk and Its Components on Epigenetic Programming of Immune Function in Early Life and Beyond: Implications for Allergy and Asthma. Frontiers in Immunology, 2020, 11, 2141.	4.8	57
7	Antisense molecules: AÂnew class of drugs. Journal of Allergy and Clinical Immunology, 2016, 137, 1334-1346.	2.9	56
8	The role of epigenetics in allergy and asthma development. Current Opinion in Allergy and Clinical Immunology, 2020, 20, 48-55.	2.3	49
9	The role of PKCζ in cord blood T-cell maturation towards Th1 cytokine profile and its epigenetic regulation by fish oil. Bioscience Reports, 2017, 37, .	2.4	48
10	The α-chain of high-affinity receptor for IgE (FcɛRIα) gene polymorphisms and serum IgE levels. Allergy: European Journal of Allergy and Clinical Immunology, 2006, 61, 1230-1233.	5.7	47
11	Two Different Transcription Factors Discriminate the â^'315C>T Polymorphism of the <i>FcεRI</i> α Gene: Binding of Sp1 to â^'315C and of a High Mobility Group-Related Molecule to â^'315T. Journal of Immunology, 2008, 180, 8204-8210.	0.8	45
12	The Hygiene Hypothesis and New Perspectives—Current Challenges Meeting an Old Postulate. Frontiers in Immunology, 2021, 12, 637087.	4.8	45
13	Links between allergy and cardiovascular or hemostatic system. International Journal of Cardiology, 2014, 170, 278-285.	1.7	44
14	An association of <i>TLR2</i> –16934A>T polymorphism and severity/phenotype of atopic dermatitis. Journal of the European Academy of Dermatology and Venereology, 2011, 25, 715-721.	2.4	43
15	Histone Acetylation of Immune Regulatory Genes in Human Placenta in Association with Maternal Intake of Olive Oil and Fish Consumption. International Journal of Molecular Sciences, 2019, 20, 1060.	4.1	41
16	Epigenetic Regulation of Airway Epithelium Immune Functions in Asthma. Frontiers in Immunology, 2020, 11, 1747.	4.8	41
17	Raw Cow's Milk Reduces Allergic Symptoms in a Murine Model for Food Allergy—A Potential Role For Epigenetic Modifications. Nutrients, 2019, 11, 1721.	4.1	40
18	Different <i><scp>FCER</scp>1<scp>A</scp></i> polymorphisms influence <scp>I</scp> g <scp>E</scp> levels in asthmatics and nonâ€esthmatics. Pediatric Allergy and Immunology, 2013, 24, 441-449.	2.6	35

#	Article	IF	CITATIONS
19	Childhood asthma is associated with mutations and gene expression differences of <i><scp>ORMDL</scp></i> genes that can interact. Allergy: European Journal of Allergy and Clinical Immunology, 2015, 70, 1288-1299.	5.7	35
20	The effects of obesity on asthma: immunometabolic links. Polish Archives of Internal Medicine, 2018, 128, 469-477.	0.4	35
21	Extracellular Vesicles and Asthma—More Than Just a Co-Existence. International Journal of Molecular Sciences, 2021, 22, 4984.	4.1	33
22	Epigenetic Regulation in Early Childhood: A Miniaturized and Validated Method to Assess Histone Acetylation. International Archives of Allergy and Immunology, 2015, 168, 173-181.	2.1	31
23	A polymorphism in the <scp>T</scp> _H 2 locus control region is associated with changes in <scp>DNA</scp> methylation and gene expression. Allergy: European Journal of Allergy and Clinical Immunology, 2014, 69, 1171-1180.	5.7	30
24	Recent developments in epigenetics of pediatric asthma. Current Opinion in Pediatrics, 2016, 28, 754-763.	2.0	30
25	Atorvastatin and quinapril inhibit blood coagulation in patients with coronary artery disease following 28 days of therapy. Journal of Thrombosis and Haemostasis, 2006, 4, 2397-2404.	3.8	27
26	Influenza-derived peptides cross-react with allergens and provide asthma protection. Journal of Allergy and Clinical Immunology, 2018, 142, 804-814.	2.9	27
27	PROS1 mutations associated with protein S deficiency in Polish patients with residual vein obstruction on rivaroxaban therapy. Thrombosis Research, 2014, 134, 199-201.	1.7	24
28	Ezetimibe Combined With Simvastatin Compared With Simvastatin Alone Results in a Greater Suppression of Oxidative Stress and Enhanced Fibrinolysis in Patients After Acute Coronary Events. Journal of Cardiovascular Pharmacology, 2011, 58, 167-172.	1.9	23
29	Increased blood levels of cellular fibronectin in asthma: Relation to the asthma severity, inflammation, and prothrombotic blood alterations. Respiratory Medicine, 2018, 141, 64-71.	2.9	23
30	Development and characterization of DNAzyme candidates demonstrating significant efficiency against human rhinoviruses. Journal of Allergy and Clinical Immunology, 2019, 143, 1403-1415.	2.9	23
31	Decreased Histone Acetylation Levels at Th1 and Regulatory Loci after Induction of Food Allergy. Nutrients, 2020, 12, 3193.	4.1	23
32	Genetic characterization of antithrombin, protein C and protein S deficiencies in Polish patients. Polish Archives of Internal Medicine, 2017, 127, 512-523.	0.4	23
33	Fine-mapping of IgE-associated loci 1q23, 5q31, and 12q13 using 1000 Genomes Project data. Allergy: European Journal of Allergy and Clinical Immunology, 2014, 69, 1077-1084.	5.7	22
34	Plasma platelet activation markers in patients with atopic dermatitis and concomitant allergic diseases. Journal of Dermatological Science, 2011, 64, 79-82.	1.9	21
35	FcεRIα gene (<i>FCER1A</i>) promoter polymorphisms and total serum IgE levels in Japanese atopic dermatitis patients. International Journal of Immunogenetics, 2010, 37, 139-141.	1.8	20
36	Interleukin-6 receptor Asp358Ala gene polymorphism is associated with plasma C-reactive protein levels and severity of aortic valve stenosis. Clinical Chemistry and Laboratory Medicine, 2014, 52, 1049-56.	2.3	20

#	Article	IF	CITATIONS
37	Epigenetic Modifications in Placenta are Associated with the Child's Sensitization to Allergens. BioMed Research International, 2019, 2019, 1-11.	1.9	20
38	GENETIC POLYMORPHISMS OF THE NOVEL FCER1A GENE REGION: RELATION TO TOTAL SERUM IgE LEVELS. Annals of Allergy, Asthma and Immunology, 2007, 98, 500-501.	1.0	19
39	A role of <i>FCER1A</i> and <i>FCER2</i> polymorphisms in IgE regulation. Allergy: European Journal of Allergy and Clinical Immunology, 2014, 69, 231-236.	5.7	19
40	Genetic variability of the high-affinity IgE receptor α-subunit (FcεRIα). Immunologic Research, 2009, 45, 75-84.	2.9	18
41	Association between atopic diseases and venous thromboembolism: a case–control study in patients aged 45Âyears or less. Journal of Thrombosis and Haemostasis, 2011, 9, 870-873.	3.8	18
42	Short-Chain Fatty Acids Augment Differentiation and Function of Human Induced Regulatory T Cells. International Journal of Molecular Sciences, 2022, 23, 5740.	4.1	18
43	Additive association between <i>FCER1A</i> and <i>FCER1B</i> genetic polymorphisms and total serum IgE levels. Allergy: European Journal of Allergy and Clinical Immunology, 2007, 62, 1095-1096.	5.7	17
44	Iron deficiency: a novel risk factor of recurrence in patients after unprovoked venous thromboembolism. Polish Archives of Internal Medicine, 2016, 126, 159-165.	0.4	15
45	Assessment of Brain Derived Neurotrophic Factor in hair to study stress responses: A pilot investigation. Psychoneuroendocrinology, 2017, 86, 134-143.	2.7	14
46	Epigenetic Mechanisms in Allergy Development and Prevention. Handbook of Experimental Pharmacology, 2021, 268, 331-357.	1.8	14
47	Tissue factor +5466A>G polymorphism determines thrombin formation following vascular injury and thrombin-lowering effects of simvastatin in patients with ischemic heart disease. Atherosclerosis, 2009, 204, 567-572.	0.8	13
48	Differential Regulation of Interferon Signaling Pathways in CD4+ T Cells of the Low Type-2 Obesity-Associated Asthma Phenotype. International Journal of Molecular Sciences, 2021, 22, 10144.	4.1	13
49	FcεRIα gene –18483A>C polymorphism affects transcriptional activity through YY1 binding. Immunogenetics, 2009, 61, 649-655.	2.4	12
50	Association of the C-Reactive Protein Gene (CRP) rs1205 C>T Polymorphism with Aortic Valve Calcification in Patients with Aortic Stenosis. International Journal of Molecular Sciences, 2015, 16, 23745-23759.	4.1	12
51	The angiotensin-converting enzyme gene insertion/deletion polymorphism and effects of quinapril and atorvastatin on haemostatic parameters in patients with coronary artery disease. Thrombosis and Haemostasis, 2005, 94, 224-225.	3.4	11
52	Antibodies to N-homocysteinylated albumin and haemoglobin in patients with rheumatoid arthritis: a potential new marker of disease severity. Scandinavian Journal of Rheumatology, 2014, 43, 17-21.	1.1	11
53	FCERIA gene promoter polymorphisms: Lack of association with aspirin hypersensitivity inÂwhites. Journal of Allergy and Clinical Immunology, 2007, 119, 1280-1281.	2.9	10
54	IgE Levels to Ascaris and House Dust Mite Allergens Are Associated With Increased Histone Acetylation at Key Type-2 Immune Genes. Frontiers in Immunology, 2020, 11, 756.	4.8	10

#	Article	IF	CITATIONS
55	Genetic Variability of the High-affinity IgE Receptor α Subunit (Fc Îμ RI α) is Related to Total Serum IgE levels in Allergic Subjects. Allergology International, 2007, 56, 397-401.	3.3	9
56	Side-Directed Release of Differential Extracellular Vesicle-associated microRNA Profiles from Bronchial Epithelial Cells of Healthy and Asthmatic Subjects. Biomedicines, 2022, 10, 622.	3.2	9
57	Interaction of functional <i>FCER2</i> promoter polymorphism and phenotypeâ€associated haplotypes. Tissue Antigens, 2009, 74, 534-538.	1.0	8
58	A comparative search for human FcεRlα gene (FCER1A) 3′-UTR polymorphisms in Japanese and Polish populations. Molecular Biology Reports, 2012, 39, 3747-3753.	2.3	8
59	Atorvastatin favorably modulates proinflammatory cytokine profile in patients following deep vein thrombosis. Thrombosis Research, 2013, 132, e31-e35.	1.7	8
60	Increased activity of lipoprotein-associated phospholipase A2 in non-severe asthma. Allergology International, 2019, 68, 450-455.	3.3	8
61	Hepatic gene expression in mouse models of nonâ€alcoholic fatty liver disease after acute exercise. Hepatology Research, 2019, 49, 637-652.	3.4	8
62	Increased Oxidative Stress in Asthma—Relation to Inflammatory Blood and Lung Biomarkers and Airway Remodeling Indices. Biomedicines, 2022, 10, 1499.	3.2	8
63	<i>FCER1A</i> gene exon 1A polymorphisms in Japanese and Polish subjects – a comparative analysis of haplotypes. Allergy: European Journal of Allergy and Clinical Immunology, 2008, 63, 626-627.	5.7	7
64	<i>FCER1A</i> genetic variability and serum IgE levels. Allergy: European Journal of Allergy and Clinical Immunology, 2009, 64, 1383-1383.	5.7	7
65	NOVEL EXON 2A OF THE HIGH-AFFINITY RECEPTOR FOR THE IgE $\hat{I}\pm$ -CHAIN GENE (FCER1A) AND AUTOIMMUNITY IN PATIENTS WITH ASTHMA OR URTICARIA. Annals of Allergy, Asthma and Immunology, 2006, 97, 711-712.	1.0	6
66	Interleukin-6 â^'174 G/C promoter polymorphism and effects of fenofibrate and simvastatin on inflammatory markers in hypercholesterolemic patients. Blood Coagulation and Fibrinolysis, 2006, 17, 35-38.	1.0	6
67	<i>FCER1A</i> gene proximal promoter polymorphisms in Caucasians and East Asians. International Journal of Immunogenetics, 2008, 35, 339-340.	1.8	5
68	Tissue factor +5466A>G polymorphism predicts plasma TF levels in subjects with cryptogenic ischaemic stroke. Thrombosis and Haemostasis, 2009, 102, 173-175.	3.4	5
69	Interaction between functional polymorphisms in FCER1A and TLR2 and the severity of atopic dermatitis. Human Immunology, 2020, 81, 709-713.	2.4	5
70	Plasma Fibrin Clot Properties as Determinants of Bleeding Time in Human Subjects: Association with Histidine-Rich Glycoprotein. Disease Markers, 2020, 2020, 1-11.	1.3	5
71	Heerlen polymorphism associated with type III protein S deficiency and factor V Leiden mutation in a Polish patient with deep vein thrombosis. Blood Coagulation and Fibrinolysis, 2014, 25, 84-85.	1.0	4
72	Detection and a functional characterization of the novel FBN1 intronic mutation underlying Marfan syndrome: case presentation. Clinical Chemistry and Laboratory Medicine, 2018, 56, 87-91.	2.3	4

#	Article	IF	CITATIONS
73	Local and Systemic Production of Pro-Inflammatory Eicosanoids Is Inversely Related to Sensitization to Aeroallergens in Patients with Aspirin-Exacerbated Respiratory Disease. Journal of Personalized Medicine, 2022, 12, 447.	2.5	4
74	Interleukin-6 (IL-6) â^174 G/C polymorphism — lack of association with inflammatory and haemostatic variables in patients with coronary heart disease treated with atorvastatin and quinapril. International Journal of Cardiology, 2006, 112, 123-124.	1.7	3
75	The I Allele of the Angiotensin-Converting Enzyme Gene Polymorphism may Determine an Increase in Homocysteine Levels in Fibrate-Treated Subjects. Cardiovascular Drugs and Therapy, 2006, 20, 229-232.	2.6	3
76	Single-stranded conformation polymorphism (SSCP)-driven indirect sequencing in detection of short deletion. Molecular Biology Reports, 2009, 36, 1545-1547.	2.3	3
77	Naturally occurring FCER1A N222K mutation – Its ethnicity-dependent distribution and a role in atopic dermatitis. Molecular Immunology, 2011, 48, 979-980.	2.2	3
78	Non-severe allergic asthma is associated with elevated plasma protein C and protein S. Thrombosis and Haemostasis, 2012, 107, 1000-1002.	3.4	3
79	A missense mutation G109R in the PROC gene associated with type I protein C deficiency in a young Polish man with acute myocardial infarction. International Journal of Cardiology, 2013, 167, e146-e148.	1.7	3
80	The Relationship between Total Serum IgE Levels and Atopic Sensitization in Subjects with or without Atopic Dermatitis. Allergology International, 2014, 63, 485-486.	3.3	3
81	Genetic causes of resistance to vitamin K antagonists in Polish patients. Blood Coagulation and Fibrinolysis, 2018, 29, 429-434.	1.0	3
82	Novel Splice Site Mutation in the PROS1 Gene in a Polish Patient with Venous Thromboembolism: c.602-2delA, Splice Acceptor Site of Exon 7. Medicina (Lithuania), 2020, 56, 485.	2.0	3
83	Fetomaternal immune cross talk modifies T-cell priming through sustained changes to DC function. Journal of Allergy and Clinical Immunology, 2021, 148, 843-857.e6.	2.9	3
84	A Series of 14 Polish Patients with Thrombotic Events and PC Deficiency-Novel c.401-1G>A PROC Gene Splice Site Mutation in a Patient with Aneurysms. Genes, 2022, 13, 733.	2.4	3
85	Coding region for the high affinity receptor of immunoglobulin E is highly conservative in allergic patients. Clinical and Experimental Allergy, 2007, 37, 1574-1575.	2.9	2
86	Tissue Factor â^1208D>I Polymorphism Is Associated with D-dimer Levels in Patients with Inflammatory Bowel Disease. Inflammatory Bowel Diseases, 2010, 16, 1095-1096.	1.9	2
87	Tissue factor +5466A>G and –1208D>I genetic polymorphisms and severity of rheumatoid arthritis. Clinical Chemistry and Laboratory Medicine, 2010, 48, 423-425.	2.3	2
88	Very rare minor homozygous GG genotype of tissue factor +5466A>G mutation in a patient with two cryptogenic cerebrovascular ischemic events. International Journal of Cardiology, 2011, 147, e13-e15.	1.7	2
89	Protein S deficiency and Heerlen polymorphism in a Polish patient with acute myocardial infarction and previous venous thromboembolism. Thrombosis Research, 2013, 132, 776-777.	1.7	2
90	Allergic burden and the risk of venous thromboembolism. European Respiratory Journal, 2013, 42, 1157-1158.	6.7	2

#	Article	IF	CITATIONS
91	Interleukin-6 is important for the development of Acinetobacter lwoffii-mediated protection against asthma. , 2018, , .		2
92	Genetic associations of variants of the high affinity receptor for immunoglobulin E in Wegener's granulomatosis. Polish Archives of Internal Medicine, 2009, 119, 170-174.	0.4	2
93	First report of the genetic background of Marfan syndrome in Polish patients. Polish Archives of Internal Medicine, 2013, 123, 646-647.	0.4	2
94	The angiotensin-converting enzyme gene insertion/deletion polymorphism and effects of quinapril and atorvastatin on haemostatic parameters in patients with coronary artery disease. Thrombosis and Haemostasis, 2005, 94, 224-5.	3.4	2
95	Tissue factor genetic polymorphisms and haplotypes in Japanese population. Atherosclerosis, 2009, 207, 344-345.	0.8	1
96	An association between functional FcïμRlα polymorphisms and total serum IgE levels in patients with inflammatory bowel disease. Scandinavian Journal of Gastroenterology, 2010, 45, 766-767.	1.5	1
97	Elements of Immunoglobulin E Network Associate with Aortic Valve Area in Patients with Acquired Aortic Stenosis. Biomedicines, 2021, 9, 23.	3.2	1
98	Novel missense mutation C106R in the PROC gene associated with type I protein C deficiency in a young Polish man with highâ€ʻrisk pulmonary embolism. Polish Archives of Internal Medicine, 2014, 124, 75-76.	0.4	1
99	Editorial of Special Issue "Molecular Mechanisms of Allergy and Asthmaâ€: International Journal of Molecular Sciences, 2021, 22, 11580.	4.1	1
100	Development of antirhinoviral DNAzymes for effective prevention of asthma exacerbations. Journal of Allergy and Clinical Immunology, 2019, 143, AB99.	2.9	0
101	Five new mutations in the <i>PROS1</i> gene associated with protein S deficiency in Polish patients screened for thrombophilia: efficacy of direct oral anticoagulant treatment. Polish Archives of Internal Medicine, 2021, 131, 885-888.	0.4	0
102	Internal medicine and biomedicine in Poland: views from the inside and outside. Polish Archives of Internal Medicine, 2016, 126, 821-823.	0.4	0
103	Increased activity of lipoprotein-associated phospholipase A2 in non-severe asthma. , 2019, , .		0