

Gerrit A Meijer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7338790/publications.pdf>

Version: 2024-02-01

20
papers

1,666
citations

687363

13
h-index

794594

19
g-index

20
all docs

20
docs citations

20
times ranked

2775
citing authors

#	ARTICLE	IF	CITATIONS
1	Up-regulation of gene expression by hypoxia is mediated predominantly by hypoxia-inducible factor 1 (HIF-1). <i>Journal of Pathology</i> , 2005, 206, 291-304.	4.5	411
2	Colorectal adenoma to carcinoma progression follows multiple pathways of chromosomal instability. <i>Gastroenterology</i> , 2002, 123, 1109-1119.	1.3	297
3	World Endoscopy Organization Consensus Statements on Post-Colonoscopy and Post-Imaging Colorectal Cancer. <i>Gastroenterology</i> , 2018, 155, 909-925.e3.	1.3	221
4	Microarray-based comparative genomic hybridization and its applications in human genetics. <i>Clinical Genetics</i> , 2004, 66, 488-495.	2.0	165
5	Serrated neoplasia's role in colorectal carcinogenesis and clinical implications. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2015, 12, 401-409.	17.8	149
6	Increased gene copy numbers at chromosome 20q are frequent in both squamous cell carcinomas and adenocarcinomas of the cervix. <i>Journal of Pathology</i> , 2006, 209, 220-230.	4.5	96
7	Chromosomal instability in flat adenomas and carcinomas of the colon. <i>Journal of Pathology</i> , 2005, 205, 514-521.	4.5	58
8	Gastric cancers in young and elderly patients show different genomic profiles. <i>Journal of Pathology</i> , 2007, 211, 45-51.	4.5	58
9	pT4 stage II and III colon cancers carry the worst prognosis in a nationwide survival analysis. Shepherd's local peritoneal involvement revisited. <i>International Journal of Cancer</i> , 2014, 135, 467-478.	5.1	53
10	Prognostic value of <i>BRAF</i> and <i>KRAS</i> mutation status in stage II and III microsatellite instable colon cancers. <i>International Journal of Cancer</i> , 2016, 138, 1139-1145.	5.1	43
11	Double somatic mutations in mismatch repair genes are frequent in colorectal cancer after Hodgkin's lymphoma treatment. <i>Gut</i> , 2018, 67, 447-455.	12.1	27
12	Loss of Chromosome 18q11.2-q12.1 Is Predictive for Survival in Patients With Metastatic Colorectal Cancer Treated With Bevacizumab. <i>Journal of Clinical Oncology</i> , 2018, 36, 2052-2060.	1.6	26
13	High prevalence of advanced colorectal neoplasia and serrated polyposis syndrome in Hodgkin lymphoma survivors. <i>Cancer</i> , 2019, 125, 990-999.	4.1	23
14	<i>RNF43</i> mutation analysis in serrated polyposis, sporadic serrated polyps and Lynch syndrome polyps. <i>Histopathology</i> , 2021, 78, 749-758.	2.9	10
15	<i>KRAS</i> A146 Mutations Are Associated With Distinct Clinical Behavior in Patients With Colorectal Liver Metastases. <i>JCO Precision Oncology</i> , 2021, 5, 1758-1767.	3.0	9
16	Colorectal cancer surveillance in Hodgkin lymphoma survivors at increased risk of therapy-related colorectal cancer: study design. <i>BMC Cancer</i> , 2017, 17, 112.	2.6	8
17	A Panel of High Resolution Melting (HRM) Technology-Based Assays with Direct Sequencing Possibility for Effective Mutation Screening of EGFR and K-ras Genes. <i>Analytical Cellular Pathology</i> , 2009, 31, 329-333.	1.4	6
18	The earliest events in <i>BRAF</i> -mutant colorectal cancer: exome sequencing of sessile serrated lesions with a tiny focus dysplasia or cancer reveals recurring mutations in two distinct progression pathways. <i>Journal of Pathology</i> , 2022, 257, 239-249.	4.5	5

#	ARTICLE	IF	CITATIONS
19	Clinicopathological features and risk factors for developing colorectal neoplasia in Hodgkinâ€™s lymphoma survivors. Digestive Endoscopy, 2022, 34, 163-170.	2.3	1
20	Reply to R. Pham et al. JCO Precision Oncology, 2022, 6, e2200053.	3.0	0