
## Gerrit A Meijer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7338790/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Clinicopathological features and risk factors for developing colorectal neoplasia in Hodgkin's lymphoma survivors. Digestive Endoscopy, 2022, 34, 163-170.	2.3	1
2	The earliest events in <scp><i>BRAF</i></scp> â€mutant colorectal cancer: exome sequencing of sessile serrated lesions with a tiny focus dysplasia or cancer reveals recurring mutations in two distinct progression pathways. Journal of Pathology, 2022, 257, 239-249.	4.5	5
3	Reply to R. Pham et al. JCO Precision Oncology, 2022, 6, e2200053.	3.0	0
4	<i>RNF43</i> mutation analysis in serrated polyposis, sporadic serrated polyps and Lynch syndrome polyps. Histopathology, 2021, 78, 749-758.	2.9	10
5	<i>KRAS</i> A146 Mutations Are Associated With Distinct Clinical Behavior in Patients With Colorectal Liver Metastases. JCO Precision Oncology, 2021, 5, 1758-1767.	3.0	9
6	High prevalence of advanced colorectal neoplasia and serrated polyposis syndrome in Hodgkin lymphoma survivors. Cancer, 2019, 125, 990-999.	4.1	23
7	Double somatic mutations in mismatch repair genes are frequent in colorectal cancer after Hodgkin's lymphoma treatment. Gut, 2018, 67, 447-455.	12.1	27
8	Loss of Chromosome 18q11.2-q12.1 Is Predictive for Survival in Patients With Metastatic Colorectal Cancer Treated With Bevacizumab. Journal of Clinical Oncology, 2018, 36, 2052-2060.	1.6	26
9	World Endoscopy Organization Consensus Statements on Post-Colonoscopy and Post-Imaging Colorectal Cancer. Gastroenterology, 2018, 155, 909-925.e3.	1.3	221
10	Colorectal cancer surveillance in Hodgkin lymphoma survivors at increased risk of therapy-related colorectal cancer: study design. BMC Cancer, 2017, 17, 112.	2.6	8
11	Prognostic value of <i>BRAF</i> and <i>KRAS</i> mutation status in stage II and III microsatellite instable colon cancers. International Journal of Cancer, 2016, 138, 1139-1145.	5.1	43
12	Serrated neoplasia—role in colorectal carcinogenesis and clinical implications. Nature Reviews Gastroenterology and Hepatology, 2015, 12, 401-409.	17.8	149
13	pT4 stage II and III colon cancers carry the worst prognosis in a nationwide survival analysis. Shepherd's local peritoneal involvement revisited. International Journal of Cancer, 2014, 135, 467-478.	5.1	53
14	A Panel of High Resolution Melting (HRM) Technology-Based Assays with Direct Sequencing Possibility for Effective Mutation Screening of EGFR and K-ras Genes. Analytical Cellular Pathology, 2009, 31, 329-333.	1.4	6
15	Gastric cancers in young and elderly patients show different genomic profiles. Journal of Pathology, 2007, 211, 45-51.	4.5	58
16	Increased gene copy numbers at chromosome 20q are frequent in both squamous cell carcinomas and adenocarcinomas of the cervix. Journal of Pathology, 2006, 209, 220-230.	4.5	96
17	Chromosomal instability in flat adenomas and carcinomas of the colon. Journal of Pathology, 2005, 205, 514-521.	4.5	58
18	Upâ€regulation of gene expression by hypoxia is mediated predominantly by hypoxiaâ€inducible factor 1 (HIFâ€1). Journal of Pathology, 2005, 206, 291-304.	4.5	411

#	Article	IF	CITATIONS
19	Microarrayâ€based comparative genomic hybridization and its applications in human genetics. Clinical Genetics, 2004, 66, 488-495.	2.0	165
20	Colorectal adenoma to carcinoma progression follows multiple pathways of chromosomal instability. Gastroenterology, 2002, 123, 1109-1119.	1.3	297