

Carla Torrent

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7341294/carla-torrent-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137
papers

9,119
citations

52
h-index

94
g-index

150
ext. papers

10,613
ext. citations

4.8
avg, IF

5.41
L-index

#	Paper	IF	Citations
137	Cognitive function across manic or hypomanic, depressed, and euthymic states in bipolar disorder. <i>American Journal of Psychiatry</i> , 2004 , 161, 262-70	11.9	820
136	A randomized trial on the efficacy of group psychoeducation in the prophylaxis of recurrences in bipolar patients whose disease is in remission. <i>Archives of General Psychiatry</i> , 2003 , 60, 402-7		523
135	Cognitive impairment in euthymic bipolar patients: implications for clinical and functional outcome. <i>Bipolar Disorders</i> , 2004 , 6, 224-32	3.8	449
134	Validity and reliability of the Functioning Assessment Short Test (FAST) in bipolar disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007 , 3, 5	3.2	442
133	Functional outcome in bipolar disorder: the role of clinical and cognitive factors. <i>Bipolar Disorders</i> , 2007 , 9, 103-13	3.8	397
132	Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 149-62	6.5	373
131	Functioning and disability in bipolar disorder: an extensive review. <i>Psychotherapy and Psychosomatics</i> , 2009 , 78, 285-97	9.4	273
130	Clinical and neurocognitive predictors of functional outcome in bipolar euthymic patients: a long-term, follow-up study. <i>Journal of Affective Disorders</i> , 2010 , 121, 156-60	6.6	226
129	Efficacy of functional remediation in bipolar disorder: a multicenter randomized controlled study. <i>American Journal of Psychiatry</i> , 2013 , 170, 852-9	11.9	211
128	Cognitive impairment in bipolar II disorder. <i>British Journal of Psychiatry</i> , 2006 , 189, 254-9	5.4	198
127	Psychoeducation efficacy in bipolar disorders: beyond compliance enhancement. <i>Journal of Clinical Psychiatry</i> , 2003 , 64, 1101-5	4.6	162
126	Specificity of cognitive deficits in bipolar disorder versus schizophrenia. A systematic review. <i>Psychotherapy and Psychosomatics</i> , 2006 , 75, 72-84	9.4	160
125	Effects of recurrence on the cognitive performance of patients with bipolar I disorder: implications for relapse prevention and treatment adherence. <i>Bipolar Disorders</i> , 2010 , 12, 557-67	3.8	145
124	Impact of caregiver group psychoeducation on the course and outcome of bipolar patients in remission: a randomized controlled trial. <i>Bipolar Disorders</i> , 2008 , 10, 511-9	3.8	138
123	Clinical predictors of functional outcome of bipolar patients in remission. <i>Bipolar Disorders</i> , 2009 , 11, 401-9	3.8	129
122	Subthreshold symptoms in bipolar disorder: impact on neurocognition, quality of life and disability. <i>Journal of Affective Disorders</i> , 2012 , 136, 650-9	6.6	126
121	Persistent cognitive dysfunctions in bipolar I disorder and schizophrenic patients: a 3-year follow-up study. <i>Psychotherapy and Psychosomatics</i> , 2005 , 74, 113-9	9.4	125

120	Neurocognitive impairment in bipolar patients with and without history of psychosis. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 233-9	4.6	125
119	Functional impairment and disability across mood states in bipolar disorder. <i>Value in Health</i> , 2010 , 13, 984-8	3.3	119
118	Weight gain in bipolar disorder: pharmacological treatment as a contributing factor. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 4-18	6.5	118
117	Long-term outcome of cognitive impairment in bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, e899-905	4.6	114
116	Do cognitive complaints in euthymic bipolar patients reflect objective cognitive impairment?. <i>Psychotherapy and Psychosomatics</i> , 2005 , 74, 295-302	9.4	110
115	Impact of a psychoeducational family intervention on caregivers of stabilized bipolar patients. <i>Psychotherapy and Psychosomatics</i> , 2004 , 73, 312-9	9.4	108
114	Cognitive Impairment in Bipolar Disorder: Treatment and Prevention Strategies. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 670-680	5.8	104
113	Treatment nonadherence and neurocognitive impairment in bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1017-23	4.6	95
112	Towards a clinical staging for bipolar disorder: defining patient subtypes based on functional outcome. <i>Journal of Affective Disorders</i> , 2013 , 144, 65-71	6.6	92
111	European Psychiatric Association Guidance on psychotherapy in chronic depression across Europe. <i>European Psychiatry</i> , 2016 , 33, 18-36	6	86
110	What really matters to bipolar patientsTcaregivers: sources of family burden. <i>Journal of Affective Disorders</i> , 2006 , 94, 157-63	6.6	83
109	Validity and reliability of a rating scale on subjective cognitive deficits in bipolar disorder (COBRA). <i>Journal of Affective Disorders</i> , 2013 , 150, 29-36	6.6	80
108	Effects of atypical antipsychotics on neurocognition in euthymic bipolar patients 2010 , 9,		78
107	T27. COGNITIVE RESERVE IN CHILD AND ADOLESCENT OFFSPRING OF PATIENTS DIANOSSED WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2020 , 46, S241-S242	1.3	78
106	F12. INFLAMMATORY BIOMARKERS AND COGNITION IN FIRST EPISODE PSYCHOSIS: GENDER DIFFERENCES. <i>Schizophrenia Bulletin</i> , 2018 , 44, S222-S223	1.3	78
105	Cognitive reserve in bipolar disorder: relation to cognition, psychosocial functioning and quality of life. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 386-98	6.5	77
104	Psychoeducation in bipolar patients with comorbid personality disorders. <i>Bipolar Disorders</i> , 2004 , 6, 294-308	3.8	74
103	Functional remediation in bipolar disorder: 1-year follow-up of neurocognitive and functional outcome. <i>British Journal of Psychiatry</i> , 2016 , 208, 87-93	5.4	71

102	Has number of previous episodes any effect on response to group psychoeducation in bipolar patients? A 5-year follow-up post hoc analysis. <i>Acta Neuropsychiatrica</i> , 2010 , 22, 50-3	3.9	71
101	Cognitive variability in bipolar II disorder: who is cognitively impaired and who is preserved. <i>Bipolar Disorders</i> , 2016 , 18, 288-99	3.8	68
100	The impact of cognitive reserve in the outcome of first-episode psychoses: 2-year follow-up study. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1638-48	1.2	67
99	Effects of atypical antipsychotics on neurocognition in euthymic bipolar patients. <i>Comprehensive Psychiatry</i> , 2011 , 52, 613-22	7.3	66
98	Functional remediation for bipolar disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2011 , 7, 112-6	3.2	66
97	Mania and depression. Mixed, not stirred. <i>Journal of Affective Disorders</i> , 2011 , 133, 105-13	6.6	63
96	Neurocognitive impairment and psychosocial functioning in bipolar II disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 309-17	6.5	62
95	Are bipolar II patients cognitively impaired? A systematic review. <i>Psychological Medicine</i> , 2011 , 41, 1791-803	8.3	62
94	Quetiapine in the treatment of rapid cycling bipolar disorder. <i>Bipolar Disorders</i> , 2002 , 4, 335-40	3.8	59
93	Heterogeneity of functional outcomes in patients with bipolar disorder: a cluster-analytic approach. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 516-527	6.5	56
92	Clinical implications of predominant polarity and the polarity index in bipolar disorder: a naturalistic study. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 366-74	6.5	55
91	Verbal memory as a mediator in the relationship between subthreshold depressive symptoms and functional outcome in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014 , 160, 50-4	6.6	54
90	Neurocognitive impairment across the bipolar spectrum. <i>CNS Neuroscience and Therapeutics</i> , 2012 , 18, 194-200	6.8	54
89	Six-month functional outcome of a bipolar disorder cohort in the context of a specialized-care program. <i>Bipolar Disorders</i> , 2011 , 13, 679-86	3.8	54
88	Lithium treatment effects on the neuropsychological functioning of patients with bipolar I disorder. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1055-60	4.6	54
87	Use of topiramate in treatment-resistant bipolar spectrum disorders. <i>Journal of Clinical Psychopharmacology</i> , 2002 , 22, 431-5	1.7	53
86	Neuropsychological performance in depressed and euthymic bipolar patients. <i>Neuropsychobiology</i> , 2002 , 46 Suppl 1, 16-21	4	52
85	Neurocognitive dysfunctions in euthymic bipolar patients with and without prior history of alcohol use. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1120-7	4.6	50

84	Effects on weight and outcome of long-term olanzapine-topiramate combination treatment in bipolar disorder. <i>Journal of Clinical Psychopharmacology</i> , 2004 , 24, 374-8	1.7	44
83	Cognitive impairment in schizoaffective disorder: a comparison with non-psychotic bipolar and healthy subjects. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 453-60	6.5	43
82	Cognitive reserve as an outcome predictor: first-episode affective versus non-affective psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 441-455	6.5	42
81	Residual depressive symptoms, sleep disturbance and perceived cognitive impairment as determinants of functioning in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2017 , 210, 280-286	6.6	40
80	High cognitive reserve in bipolar disorders as a moderator of neurocognitive impairment. <i>Journal of Affective Disorders</i> , 2017 , 208, 621-627	6.6	40
79	Functional remediation for patients with bipolar II disorder: improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2015 , 25, 257-64	1.2	39
78	Neuropsychological disturbances and cerebral blood flow in bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005 , 39, 227-34	2.6	38
77	Relationship between sunlight and the age of onset of bipolar disorder: an international multisite study. <i>Journal of Affective Disorders</i> , 2014 , 167, 104-11	6.6	37
76	Factors associated with poor functional outcome in bipolar disorder: sociodemographic, clinical, and neurocognitive variables. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 145-154	6.5	36
75	Cognitive functioning in bipolar patients receiving lamotrigine: preliminary results. <i>Journal of Clinical Psychopharmacology</i> , 2006 , 26, 178-81	1.7	36
74	Effects of the COVID-19 pandemic and lockdown in Spain: comparison between community controls and patients with a psychiatric disorder. Preliminary results from the BRIS-MHC STUDY. <i>Journal of Affective Disorders</i> , 2021 , 281, 13-23	6.6	35
73	Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2015 , 64, 1-8	5.2	34
72	Neuropsychological and neuroimaging underpinnings of schizoaffective disorder: a systematic review. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 16-30	6.5	32
71	Impact of childhood trauma on cognitive profile in bipolar disorder. <i>Bipolar Disorders</i> , 2017 , 19, 363-374	3.8	32
70	Impact of sunlight on the age of onset of bipolar disorder. <i>Bipolar Disorders</i> , 2012 , 14, 654-63	3.8	31
69	Biological rhythm disturbance in remitted bipolar patients. <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 6	5.4	31
68	Effects of functional remediation on neurocognitively impaired bipolar patients: enhancement of verbal memory. <i>Psychological Medicine</i> , 2016 , 46, 291-301	6.9	30
67	The impact of repeated manic episodes and executive dysfunction on work adjustment in bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 247-54	5.1	28

66	The role and impact of contextual factors on functioning in patients with bipolar disorder. <i>Disability and Rehabilitation</i> , 2010 , 32 Suppl 1, S94-S104	2.4	28
65	Abnormal temperament in patients with morbid obesity seeking surgical treatment. <i>Journal of Affective Disorders</i> , 2009 , 118, 155-60	6.6	27
64	Acute and continuation risperidone monotherapy in mania. <i>Human Psychopharmacology</i> , 2004 , 19, 41-5	2.3	27
63	Risk factors for rapid cycling in bipolar disorder. <i>Bipolar Disorders</i> , 2015 , 17, 549-59	3.8	24
62	Influence of birth cohort on age of onset cluster analysis in bipolar I disorder. <i>European Psychiatry</i> , 2015 , 30, 99-105	6	24
61	1-year follow-up of patients treated with risperidone and topiramate for a manic episode. <i>Journal of Clinical Psychiatry</i> , 2003 , 64, 834-9	4.6	24
60	Resilience and mental health during the COVID-19 pandemic. <i>Journal of Affective Disorders</i> , 2021 , 283, 156-164	6.6	24
59	Course of residual symptoms according to the duration of euthymia in remitted bipolar patients. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 57-64	6.5	22
58	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , 2017 , 27, 350-359	1.2	21
57	Ziprasidone in the treatment of affective disorders: a review. <i>CNS Neuroscience and Therapeutics</i> , 2008 , 14, 278-86	6.8	20
56	Validation of the Barcelona Bipolar Eating Disorder Scale for bipolar patients with eating disturbances. <i>Psychopathology</i> , 2008 , 41, 379-87	3.4	20
55	Social cognition in bipolar disorder: Focus on emotional intelligence. <i>Journal of Affective Disorders</i> , 2017 , 217, 210-217	6.6	19
54	Modifiable and non-modifiable factors associated with functional impairment during the inter-episodic periods of bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 749-755	5.1	19
53	Meta-analysis of Voxel-Based Neuroimaging Studies using Seed-based d Mapping with Permutation of Subject Images (SDM-PSI). <i>Journal of Visualized Experiments</i> , 2019 ,	1.6	19
52	Affective versus non-affective first episode psychoses: A longitudinal study. <i>Journal of Affective Disorders</i> , 2018 , 238, 297-304	6.6	18
51	Adjunctive topiramate in bipolar II disorder. <i>World Journal of Biological Psychiatry</i> , 2003 , 4, 172-6	3.8	18
50	Social cognition in bipolar disorder: the role of sociodemographic, clinical, and neurocognitive variables in emotional intelligence. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 139, 369-380	6.5	16
49	Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019 , 113, 1-9	5.2	15

48	Dysregulated peripheral endocannabinoid system signaling is associated with cognitive deficits in first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2016 , 75, 14-21	5.2	14
47	Lifetime Psychotic Symptoms, Subthreshold Depression and Cognitive Impairment as Barriers to Functional Recovery in Patients with Bipolar Disorder. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	14
46	Solar insolation in springtime influences age of onset of bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 571-582	6.5	14
45	Functional Impairment in Older Adults With Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2017 , 205, 443-447	1.8	13
44	Cognitive Reserve Assessment Scale in Health (CRASH): Its Validity and Reliability. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	12
43	Smoking does not impact social and non-social cognition in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2018 , 199, 64-74	3.6	12
42	Restoring functioning in bipolar disorder: functional remediation. <i>Harvard Review of Psychiatry</i> , 2014 , 22, 326-30	4.1	11
41	Neuropsychological Disturbances and Cerebral Blood Flow in Bipolar Disorder		11
40	Family functioning in bipolar disorder: Characteristics, congruity between patients and relatives, and clinical correlates. <i>Psychiatry Research</i> , 2016 , 245, 66-73	9.9	10
39	Characterizing decision-making and reward processing in bipolar disorder: A cluster analysis. <i>European Neuropsychopharmacology</i> , 2018 , 28, 863-874	1.2	9
38	A prospective longitudinal study searching for predictors of response to group psychoeducation in bipolar disorder. <i>Journal of Affective Disorders</i> , 2020 , 274, 1113-1121	6.6	8
37	Postpartum bipolar episodes are not distinct from spontaneous episodes: implications for DSM-V. <i>Journal of Affective Disorders</i> , 2010 , 126, 61-4	6.6	8
36	Ethical questions in human clinical psychopharmacology: should the focus be on placebo administration?. <i>Journal of Psychopharmacology</i> , 2008 , 22, 590-7	4.6	8
35	Spanish validation of the Barcelona TEMPS-A questionnaire in patients with bipolar disorder and general population. <i>Journal of Affective Disorders</i> , 2019 , 249, 199-207	6.6	8
34	Identifying social cognition subgroups in euthymic patients with bipolar disorder: a cluster analytical approach. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	7
33	The impact of cognitive reserve, cognition and clinical symptoms on psychosocial functioning in first-episode psychoses. <i>Psychological Medicine</i> , 2020 , 1-12	6.9	6
32	Effectiveness of enhancing cognitive reserve in children, adolescents and young adults at genetic risk for psychosis: Study protocol for a randomized controlled trial. <i>Revista De Psiquiatria Y Salud Mental</i> , 2021 ,	2.7	6
31	Functional remediation improves bipolar disorder functioning with no effects on brain-derived neurotrophic factor levels. <i>European Neuropsychopharmacology</i> , 2019 , 29, 701-710	1.2	5

30	P.2.d.039 Functional remediation in bipolar II patients: improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2014 , 24, S436-S437	1.2	4
29	Effects of an integrative approach to bipolar disorders combining psychoeducation, mindfulness-based cognitive therapy and functional remediation: Study protocol for a randomized controlled trial. <i>Revista De Psiquiatria Y Salud Mental</i> , 2020 , 13, 165-173	2.7	4
28	The functioning assessment short test (FAST) applied to first-episode psychosis: Psychometric properties and severity thresholds. <i>European Neuropsychopharmacology</i> , 2021 , 47, 98-111	1.2	4
27	Clinical and Neurocognitive Predictors of Functional Outcome in Depressed Patients with Partial Response to Treatment: One Year Follow-Up Study. <i>Neuropsychiatric Disease and Treatment</i> , 2020 , 16, 589-595	3.1	3
26	Characterization of rapid cycling bipolar patients presenting with major depressive episode within the BRIDGE-II-MIX study. <i>Bipolar Disorders</i> , 2021 , 23, 391-399	3.8	3
25	Self-reported neurocognitive symptoms during COVID-19 lockdown and its associated factors in a sample of psychiatric patients. Results from the BRIS-MHC study. <i>European Neuropsychopharmacology</i> , 2021 , 53, 7-18	1.2	3
24	Long-term outcome predictors after functional remediation in patients with bipolar disorder. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	2
23	Neuropsychological development in the child and adolescent offspring of patients diagnosed with schizophrenia or bipolar disorder: A two-year follow-up comparative study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 103, 109972	5.5	2
22	Cognition and functioning in bipolar disorder1-14		1
21	Functioning Assessment Short Test (FAST)107-118		1
20	Lifting the burden of bipolar disorder: The role of psychotherapies. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 754-5	2.6	1
19	Identifying neurocognitive heterogeneity in Older Adults with Bipolar Disorder: a cluster analysis. <i>Journal of Affective Disorders</i> , 2022 , 298, 522-531	6.6	1
18	Efficacy of an integrative approach for bipolar disorder: preliminary results from a randomized controlled trial. <i>Psychological Medicine</i> , 2021 , 1-12	6.9	1
17	Euthymia is not always euthymia: Clinical status of bipolar patients after 6 months of clinical remission. <i>European Psychiatry</i> , 2016 , 33, S125-S125	6	1
16	Can we increase the subjective well-being of the general population? An umbrella review of the evidence. <i>Revista De Psiquiatria Y Salud Mental</i> , 2021 , 14, 50-64	2.7	1
15	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 26	5.4	0
14	Sex differences in neurocognitive and psychosocial functioning in bipolar disorder. <i>Journal of Affective Disorders</i> , 2022 , 296, 208-215	6.6	0
13	Cognitive clusters in first-episode psychosis. <i>Schizophrenia Research</i> , 2021 , 237, 31-39	3.6	0

12 Cognitive remediation in psychiatric disorders15-22

11 Functional remediation in bipolar disorder23-30

10 Functional remediation program: sessions and content31-106

9 Neuropsychological battery119-120

8 High Cognitive Reserve in Bipolar Disorders as a Moderator of Neurocognitive Impairment. *European Psychiatry*, **2017**, 41, S116-S116 6

7 Clinical Factors as Predictors on Functional Impairment in Bipolar Disorder. *European Psychiatry*, **2009**, 24, 1-1 6

6 S.09.05 Psycho education and cognitive remediation of bipolar disorder. *European Neuropsychopharmacology*, **2007**, 17, S191 1.2

5 Emotional intelligence: a comparison between patients after first episode mania and those suffering from chronic bipolar disorder type I.. *Psychological Medicine*, **2022**, 1-12 6.9

4 Effects of an integrative approach to bipolar disorders combining psychoeducation, mindfulness-based cognitive therapy and functional remediation: Study protocol for a randomized controlled trial. *Revista De Psiquiatria Y Salud Mental (English Edition)*, **2020**, 13, 165-173 0.2

3 Commentary on "The 2020 Royal Australian and New Zealand College of psychiatrists clinical practice guidelines for mood disorders: Bipolar disorder summary". *Bipolar Disorders*, **2021**, 23, 513-514 3.8

2 P.0412 Does sex really matter in cognitive and psychological functioning in bipolar disorder?. *European Neuropsychopharmacology*, **2021**, 53, S298-S299 1.2

1 Psychosocial Recovery-Oriented Treatments in Bipolar Disorders. *Comprehensive Approach To Psychiatry*, **2022**, 173-197 0.7