

Carla Torrent

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7341294/carla-torrent-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137
papers

9,119
citations

52
h-index

94
g-index

150
ext. papers

10,613
ext. citations

4.8
avg. IF

5.41
L-index

#	Paper	IF	Citations
137	Emotional intelligence: a comparison between patients after first episode mania and those suffering from chronic bipolar disorder type I.. <i>Psychological Medicine</i> , 2022 , 1-12	6.9	
136	Identifying neurocognitive heterogeneity in Older Adults with Bipolar Disorder: a cluster analysis. <i>Journal of Affective Disorders</i> , 2022 , 298, 522-531	6.6	1
135	Sex differences in neurocognitive and psychosocial functioning in bipolar disorder. <i>Journal of Affective Disorders</i> , 2022 , 296, 208-215	6.6	0
134	Psychosocial Recovery-Oriented Treatments in Bipolar Disorders. <i>Comprehensive Approach To Psychiatry</i> , 2022 , 173-197	0.7	
133	Characterization of rapid cycling bipolar patients presenting with major depressive episode within the BRIDGE-II-MIX study. <i>Bipolar Disorders</i> , 2021 , 23, 391-399	3.8	3
132	Resilience and mental health during the COVID-19 pandemic. <i>Journal of Affective Disorders</i> , 2021 , 283, 156-164	6.6	24
131	Commentary on "The 2020 Royal Australian and New Zealand College of psychiatrists clinical practice guidelines for mood disorders: Bipolar disorder summary". <i>Bipolar Disorders</i> , 2021 , 23, 513-514	3.8	
130	Efficacy of an integrative approach for bipolar disorder: preliminary results from a randomized controlled trial. <i>Psychological Medicine</i> , 2021 , 1-12	6.9	1
129	The functioning assessment short test (FAST) applied to first-episode psychosis: Psychometric properties and severity thresholds. <i>European Neuropsychopharmacology</i> , 2021 , 47, 98-111	1.2	4
128	Self-reported neurocognitive symptoms during COVID-19 lockdown and its associated factors in a sample of psychiatric patients. Results from the BRIS-MHC study. <i>European Neuropsychopharmacology</i> , 2021 , 53, 7-18	1.2	3
127	Effects of the COVID-19 pandemic and lockdown in Spain: comparison between community controls and patients with a psychiatric disorder. Preliminary results from the BRIS-MHC STUDY. <i>Journal of Affective Disorders</i> , 2021 , 281, 13-23	6.6	35
126	Can we increase the subjective well-being of the general population? An umbrella review of the evidence. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021 , 14, 50-64	2.7	1
125	Effectiveness of enhancing cognitive reserve in children, adolescents and young adults at genetic risk for psychosis: Study protocol for a randomized controlled trial. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021 ,	2.7	6
124	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 26	5.4	0
123	Cognitive clusters in first-episode psychosis. <i>Schizophrenia Research</i> , 2021 , 237, 31-39	3.6	0
122	P.0412 Does sex really matter in cognitive and psychological functioning in bipolar disorder?. <i>European Neuropsychopharmacology</i> , 2021 , 53, S298-S299	1.2	
121	Identifying social cognition subgroups in euthymic patients with bipolar disorder: a cluster analytical approach. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	7

120	Long-term outcome predictors after functional remediation in patients with bipolar disorder. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	2
119	Clinical and Neurocognitive Predictors of Functional Outcome in Depressed Patients with Partial Response to Treatment: One Year Follow-Up Study. <i>Neuropsychiatric Disease and Treatment</i> , 2020 , 16, 589-595	3.1	3
118	A prospective longitudinal study searching for predictors of response to group psychoeducation in bipolar disorder. <i>Journal of Affective Disorders</i> , 2020 , 274, 1113-1121	6.6	8
117	Neuropsychological development in the child and adolescent offspring of patients diagnosed with schizophrenia or bipolar disorder: A two-year follow-up comparative study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 103, 109972	5.5	2
116	Effects of an integrative approach to bipolar disorders combining psychoeducation, mindfulness-based cognitive therapy and functional remediation: Study protocol for a randomized controlled trial. <i>Revista De Psiquiatria Y Salud Mental</i> , 2020 , 13, 165-173	2.7	4
115	T27. COGNITIVE RESERVE IN CHILD AND ADOLESCENT OFFSPRING OF PATIENTS DIANOSSED WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2020 , 46, S241-S242	1.3	78
114	Effects of an integrative approach to bipolar disorders combining psychoeducation, mindfulness-based cognitive therapy and functional remediation: Study protocol for a randomized controlled trial. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2020 , 13, 165-173	0.2	
113	The impact of cognitive reserve, cognition and clinical symptoms on psychosocial functioning in first-episode psychoses. <i>Psychological Medicine</i> , 2020 , 1-12	6.9	6
112	Cognitive Reserve Assessment Scale in Health (CRASH): Its Validity and Reliability. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	12
111	Functional remediation improves bipolar disorder functioning with no effects on brain-derived neurotrophic factor levels. <i>European Neuropsychopharmacology</i> , 2019 , 29, 701-710	1.2	5
110	Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019 , 113, 1-9	5.2	15
109	Lifetime Psychotic Symptoms, Subthreshold Depression and Cognitive Impairment as Barriers to Functional Recovery in Patients with Bipolar Disorder. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	14
108	Spanish validation of the Barcelona TEMPS-A questionnaire in patients with bipolar disorder and general population. <i>Journal of Affective Disorders</i> , 2019 , 249, 199-207	6.6	8
107	Social cognition in bipolar disorder: the role of sociodemographic, clinical, and neurocognitive variables in emotional intelligence. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 139, 369-380	6.5	16
106	Meta-analysis of Voxel-Based Neuroimaging Studies using Seed-based d Mapping with Permutation of Subject Images (SDM-PSI). <i>Journal of Visualized Experiments</i> , 2019 ,	1.6	19
105	Heterogeneity of functional outcomes in patients with bipolar disorder: a cluster-analytic approach. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 516-527	6.5	56
104	Smoking does not impact social and non-social cognition in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2018 , 199, 64-74	3.6	12
103	Factors associated with poor functional outcome in bipolar disorder: sociodemographic, clinical, and neurocognitive variables. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 145-154	6.5	36

102	Modifiable and non-modifiable factors associated with functional impairment during the inter-episodic periods of bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 749-755	5.1	19
101	Cognitive reserve as an outcome predictor: first-episode affective versus non-affective psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 441-455	6.5	42
100	Affective versus non-affective first episode psychoses: A longitudinal study. <i>Journal of Affective Disorders</i> , 2018 , 238, 297-304	6.6	18
99	F12. INFLAMMATORY BIOMARKERS AND COGNITION IN FIRST EPISODE PSYCHOSIS: GENDER DIFFERENCES. <i>Schizophrenia Bulletin</i> , 2018 , 44, S222-S223	1.3	78
98	Characterizing decision-making and reward processing in bipolar disorder: A cluster analysis. <i>European Neuropsychopharmacology</i> , 2018 , 28, 863-874	1.2	9
97	Residual depressive symptoms, sleep disturbance and perceived cognitive impairment as determinants of functioning in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2017 , 210, 280-286	6.6	40
96	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , 2017 , 27, 350-359	1.2	21
95	Cognitive Impairment in Bipolar Disorder: Treatment and Prevention Strategies. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 670-680	5.8	104
94	Functional Impairment in Older Adults With Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2017 , 205, 443-447	1.8	13
93	Social cognition in bipolar disorder: Focus on emotional intelligence. <i>Journal of Affective Disorders</i> , 2017 , 217, 210-217	6.6	19
92	Solar insolation in springtime influences age of onset of bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 571-582	6.5	14
91	Impact of childhood trauma on cognitive profile in bipolar disorder. <i>Bipolar Disorders</i> , 2017 , 19, 363-374	3.8	32
90	High Cognitive Reserve in Bipolar Disorders as a Moderator of Neurocognitive Impairment. <i>European Psychiatry</i> , 2017 , 41, S116-S116	6	
89	High cognitive reserve in bipolar disorders as a moderator of neurocognitive impairment. <i>Journal of Affective Disorders</i> , 2017 , 208, 621-627	6.6	40
88	The impact of cognitive reserve in the outcome of first-episode psychoses: 2-year follow-up study. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1638-48	1.2	67
87	Neuropsychological and neuroimaging underpinnings of schizoaffective disorder: a systematic review. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 16-30	6.5	32
86	Cognitive variability in bipolar II disorder: who is cognitively impaired and who is preserved. <i>Bipolar Disorders</i> , 2016 , 18, 288-99	3.8	68
85	Dysregulated peripheral endocannabinoid system signaling is associated with cognitive deficits in first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2016 , 75, 14-21	5.2	14

84	European Psychiatric Association Guidance on psychotherapy in chronic depression across Europe. <i>European Psychiatry</i> , 2016 , 33, 18-36	6	86
83	Functional remediation in bipolar disorder: 1-year follow-up of neurocognitive and functional outcome. <i>British Journal of Psychiatry</i> , 2016 , 208, 87-93	5.4	71
82	Cognitive reserve in bipolar disorder: relation to cognition, psychosocial functioning and quality of life. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 386-98	6.5	77
81	Course of residual symptoms according to the duration of euthymia in remitted bipolar patients. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 57-64	6.5	22
80	Euthymia is not always euthymia: Clinical status of bipolar patients after 6 months of clinical remission. <i>European Psychiatry</i> , 2016 , 33, S125-S125	6	1
79	Effects of functional remediation on neurocognitively impaired bipolar patients: enhancement of verbal memory. <i>Psychological Medicine</i> , 2016 , 46, 291-301	6.9	30
78	Family functioning in bipolar disorder: Characteristics, congruity between patients and relatives, and clinical correlates. <i>Psychiatry Research</i> , 2016 , 245, 66-73	9.9	10
77	Risk factors for rapid cycling in bipolar disorder. <i>Bipolar Disorders</i> , 2015 , 17, 549-59	3.8	24
76	Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2015 , 64, 1-8	5.2	34
75	Functional remediation for patients with bipolar II disorder: improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2015 , 25, 257-64	1.2	39
74	Lifting the burden of bipolar disorder: The role of psychotherapies. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 754-5	2.6	1
73	Influence of birth cohort on age of onset cluster analysis in bipolar I disorder. <i>European Psychiatry</i> , 2015 , 30, 99-105	6	24
72	Clinical implications of predominant polarity and the polarity index in bipolar disorder: a naturalistic study. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 366-74	6.5	55
71	P.2.d.039 Functional remediation in bipolar II patients: improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2014 , 24, S436-S437	1.2	4
70	Verbal memory as a mediator in the relationship between subthreshold depressive symptoms and functional outcome in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014 , 160, 50-4	6.6	54
69	Relationship between sunlight and the age of onset of bipolar disorder: an international multisite study. <i>Journal of Affective Disorders</i> , 2014 , 167, 104-11	6.6	37
68	Restoring functioning in bipolar disorder: functional remediation. <i>Harvard Review of Psychiatry</i> , 2014 , 22, 326-30	4.1	11
67	The impact of repeated manic episodes and executive dysfunction on work adjustment in bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 247-54	5.1	28

66	Biological rhythm disturbance in remitted bipolar patients. <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 6	5.4	31
65	Validity and reliability of a rating scale on subjective cognitive deficits in bipolar disorder (COBRA). <i>Journal of Affective Disorders</i> , 2013 , 150, 29-36	6.6	80
64	Towards a clinical staging for bipolar disorder: defining patient subtypes based on functional outcome. <i>Journal of Affective Disorders</i> , 2013 , 144, 65-71	6.6	92
63	Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 149-62	6.5	373
62	Efficacy of functional remediation in bipolar disorder: a multicenter randomized controlled study. <i>American Journal of Psychiatry</i> , 2013 , 170, 852-9	11.9	211
61	Subthreshold symptoms in bipolar disorder: impact on neurocognition, quality of life and disability. <i>Journal of Affective Disorders</i> , 2012 , 136, 650-9	6.6	126
60	Neurocognitive impairment and psychosocial functioning in bipolar II disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 309-17	6.5	62
59	Impact of sunlight on the age of onset of bipolar disorder. <i>Bipolar Disorders</i> , 2012 , 14, 654-63	3.8	31
58	Neurocognitive impairment across the bipolar spectrum. <i>CNS Neuroscience and Therapeutics</i> , 2012 , 18, 194-200	6.8	54
57	Long-term outcome of cognitive impairment in bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, e899-905	4.6	114
56	Effects of atypical antipsychotics on neurocognition in euthymic bipolar patients. <i>Comprehensive Psychiatry</i> , 2011 , 52, 613-22	7.3	66
55	Six-month functional outcome of a bipolar disorder cohort in the context of a specialized-care program. <i>Bipolar Disorders</i> , 2011 , 13, 679-86	3.8	54
54	Mania and depression. Mixed, not stirred. <i>Journal of Affective Disorders</i> , 2011 , 133, 105-13	6.6	63
53	Are bipolar II patients cognitively impaired? A systematic review. <i>Psychological Medicine</i> , 2011 , 41, 1791-803	6.3	62
52	Functional remediation for bipolar disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2011 , 7, 112-6	3.2	66
51	Functional impairment and disability across mood states in bipolar disorder. <i>Value in Health</i> , 2010 , 13, 984-8	3.3	119
50	Has number of previous episodes any effect on response to group psychoeducation in bipolar patients? A 5-year follow-up post hoc analysis. <i>Acta Neuropsychiatrica</i> , 2010 , 22, 50-3	3.9	71
49	Effects of recurrence on the cognitive performance of patients with bipolar I disorder: implications for relapse prevention and treatment adherence. <i>Bipolar Disorders</i> , 2010 , 12, 557-67	3.8	145

48	The role and impact of contextual factors on functioning in patients with bipolar disorder. <i>Disability and Rehabilitation</i> , 2010 , 32 Suppl 1, S94-S104	2.4	28
47	Clinical and neurocognitive predictors of functional outcome in bipolar euthymic patients: a long-term, follow-up study. <i>Journal of Affective Disorders</i> , 2010 , 121, 156-60	6.6	226
46	Postpartum bipolar episodes are not distinct from spontaneous episodes: implications for DSM-V. <i>Journal of Affective Disorders</i> , 2010 , 126, 61-4	6.6	8
45	Effects of atypical antipsychotics on neurocognition in euthymic bipolar patients 2010 , 9,		78
44	Lithium treatment effects on the neuropsychological functioning of patients with bipolar I disorder. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1055-60	4.6	54
43	Abnormal temperament in patients with morbid obesity seeking surgical treatment. <i>Journal of Affective Disorders</i> , 2009 , 118, 155-60	6.6	27
42	Clinical predictors of functional outcome of bipolar patients in remission. <i>Bipolar Disorders</i> , 2009 , 11, 401-9	3.8	129
41	Functioning and disability in bipolar disorder: an extensive review. <i>Psychotherapy and Psychosomatics</i> , 2009 , 78, 285-97	9.4	273
40	Clinical Factors as Predictors on Functional Impairment in Bipolar Disorder. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	
39	Neurocognitive dysfunctions in euthymic bipolar patients with and without prior history of alcohol use. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1120-7	4.6	50
38	Treatment nonadherence and neurocognitive impairment in bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1017-23	4.6	95
37	Impact of caregiver group psychoeducation on the course and outcome of bipolar patients in remission: a randomized controlled trial. <i>Bipolar Disorders</i> , 2008 , 10, 511-9	3.8	138
36	Ziprasidone in the treatment of affective disorders: a review. <i>CNS Neuroscience and Therapeutics</i> , 2008 , 14, 278-86	6.8	20
35	Ethical questions in human clinical psychopharmacology: should the focus be on placebo administration?. <i>Journal of Psychopharmacology</i> , 2008 , 22, 590-7	4.6	8
34	Validation of the Barcelona Bipolar Eating Disorder Scale for bipolar patients with eating disturbances. <i>Psychopathology</i> , 2008 , 41, 379-87	3.4	20
33	Weight gain in bipolar disorder: pharmacological treatment as a contributing factor. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 4-18	6.5	118
32	Neurocognitive impairment in bipolar patients with and without history of psychosis. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 233-9	4.6	125
31	Functional outcome in bipolar disorder: the role of clinical and cognitive factors. <i>Bipolar Disorders</i> , 2007 , 9, 103-13	3.8	397

30	Cognitive impairment in schizoaffective disorder: a comparison with non-psychotic bipolar and healthy subjects. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 453-60	6.5	43
29	Validity and reliability of the Functioning Assessment Short Test (FAST) in bipolar disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007 , 3, 5	3.2	442
28	S.09.05 Psycho education and cognitive remediation of bipolar disorder. <i>European Neuropsychopharmacology</i> , 2007 , 17, S191	1.2	
27	What really matters to bipolar patientsTcaregivers: sources of family burden. <i>Journal of Affective Disorders</i> , 2006 , 94, 157-63	6.6	83
26	Cognitive impairment in bipolar II disorder. <i>British Journal of Psychiatry</i> , 2006 , 189, 254-9	5.4	198
25	Specificity of cognitive deficits in bipolar disorder versus schizophrenia. A systematic review. <i>Psychotherapy and Psychosomatics</i> , 2006 , 75, 72-84	9.4	160
24	Cognitive functioning in bipolar patients receiving lamotrigine: preliminary results. <i>Journal of Clinical Psychopharmacology</i> , 2006 , 26, 178-81	1.7	36
23	Persistent cognitive dysfunctions in bipolar I disorder and schizophrenic patients: a 3-year follow-up study. <i>Psychotherapy and Psychosomatics</i> , 2005 , 74, 113-9	9.4	125
22	Do cognitive complaints in euthymic bipolar patients reflect objective cognitive impairment?. <i>Psychotherapy and Psychosomatics</i> , 2005 , 74, 295-302	9.4	110
21	Neuropsychological disturbances and cerebral blood flow in bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005 , 39, 227-34	2.6	38
20	Impact of a psychoeducational family intervention on caregivers of stabilized bipolar patients. <i>Psychotherapy and Psychosomatics</i> , 2004 , 73, 312-9	9.4	108
19	Cognitive impairment in euthymic bipolar patients: implications for clinical and functional outcome. <i>Bipolar Disorders</i> , 2004 , 6, 224-32	3.8	449
18	Psychoeducation in bipolar patients with comorbid personality disorders. <i>Bipolar Disorders</i> , 2004 , 6, 294-308	3.8	74
17	Acute and continuation risperidone monotherapy in mania. <i>Human Psychopharmacology</i> , 2004 , 19, 41-5	2.3	27
16	Cognitive function across manic or hypomanic, depressed, and euthymic states in bipolar disorder. <i>American Journal of Psychiatry</i> , 2004 , 161, 262-70	11.9	820
15	Effects on weight and outcome of long-term olanzapine-topiramate combination treatment in bipolar disorder. <i>Journal of Clinical Psychopharmacology</i> , 2004 , 24, 374-8	1.7	44
14	Adjunctive topiramate in bipolar II disorder. <i>World Journal of Biological Psychiatry</i> , 2003 , 4, 172-6	3.8	18
13	A randomized trial on the efficacy of group psychoeducation in the prophylaxis of recurrences in bipolar patients whose disease is in remission. <i>Archives of General Psychiatry</i> , 2003 , 60, 402-7		523

12	1-year follow-up of patients treated with risperidone and topiramate for a manic episode. <i>Journal of Clinical Psychiatry</i> , 2003 , 64, 834-9	4.6	24
11	Psychoeducation efficacy in bipolar disorders: beyond compliance enhancement. <i>Journal of Clinical Psychiatry</i> , 2003 , 64, 1101-5	4.6	162
10	Quetiapine in the treatment of rapid cycling bipolar disorder. <i>Bipolar Disorders</i> , 2002 , 4, 335-40	3.8	59
9	Neuropsychological performance in depressed and euthymic bipolar patients. <i>Neuropsychobiology</i> , 2002 , 46 Suppl 1, 16-21	4	52
8	Use of topiramate in treatment-resistant bipolar spectrum disorders. <i>Journal of Clinical Psychopharmacology</i> , 2002 , 22, 431-5	1.7	53
7	Cognition and functioning in bipolar disorder1-14		1
6	Cognitive remediation in psychiatric disorders15-22		
5	Functional remediation in bipolar disorder23-30		
4	Functional remediation program: sessions and content31-106		
3	Neuropsychological battery119-120		
2	Functioning Assessment Short Test (FAST)107-118		1
1	Neuropsychological Disturbances and Cerebral Blood Flow in Bipolar Disorder		11