

Mar M Castellano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7343134/publications.pdf>

Version: 2024-02-01

33
papers

1,838
citations

331670

21
h-index

454955

30
g-index

33
all docs

33
docs citations

33
times ranked

2101
citing authors

#	ARTICLE	IF	CITATIONS
1	Editorial: Translation Regulation and Protein Folding. <i>Frontiers in Plant Science</i> , 2022, 13, 858794.	3.6	0
2	The co-chaperone HOP participates in TIR1 stabilisation and in auxin response in plants. <i>Plant, Cell and Environment</i> , 2022, 45, 2508-2519.	5.7	9
3	High overexpression of CERES, a plant regulator of translation, induces different phenotypical defence responses during TuMV infection. <i>Plant Journal</i> , 2021, 107, 256-267.	5.7	1
4	The co-chaperone HOP3 participates in jasmonic acid signaling by regulating CORONATINE-INSENSITIVE 1 activity. <i>Plant Physiology</i> , 2021, 187, 1679-1689.	4.8	7
5	Peculiarities of the regulation of translation initiation in plants. <i>Current Opinion in Plant Biology</i> , 2021, 63, 102073.	7.1	15
6	eIF2 \pm Phosphorylation by GCN2 Is Induced in the Presence of Chitin and Plays an Important Role in Plant Defense against <i>B. cinerea</i> Infection. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7335.	4.1	5
7	HOP, a Co-chaperone Involved in Response to Stress in Plants. <i>Frontiers in Plant Science</i> , 2020, 11, 591940.	3.6	12
8	Arabidopsis SME1 Regulates Plant Development and Response to Abiotic Stress by Determining Spliceosome Activity Specificity. <i>Plant Cell</i> , 2019, 31, 537-554.	6.6	42
9	A novel eIF4E-interacting protein that forms non-canonical translation initiation complexes. <i>Nature Plants</i> , 2019, 5, 1283-1296.	9.3	26
10	Coimmunoprecipitation of Interacting Proteins in Plants. <i>Methods in Molecular Biology</i> , 2018, 1794, 279-287.	0.9	21
11	HOP family plays a major role in long-term acquired thermotolerance in Arabidopsis. <i>Plant, Cell and Environment</i> , 2018, 41, 1852-1869.	5.7	37
12	HOP3, a member of the HOP family in Arabidopsis, interacts with BiP and plays a major role in the ER stress response. <i>Plant, Cell and Environment</i> , 2017, 40, 1341-1355.	5.7	52
13	HOP3 a new regulator of the ER stress response in Arabidopsis with possible implications in plant development and response to biotic and abiotic stresses. <i>Plant Signaling and Behavior</i> , 2017, 12, e1317421.	2.4	20
14	Regulation of Translation by TOR, eIF4E and eIF2 \pm in Plants: Current Knowledge, Challenges and Future Perspectives. <i>Frontiers in Plant Science</i> , 2017, 8, 644.	3.6	59
15	Dissecting the proteome dynamics of the early heat stress response leading to plant survival or death in Arabidopsis. <i>Plant, Cell and Environment</i> , 2016, 39, 1264-1278.	5.7	94
16	Evolutionary Aspects of Translation Regulation During Abiotic Stress and Development in Plants. , 2016, , 477-490.		4
17	The <i>Arabidopsis</i> 14-3-3 Protein RARE COLD INDUCIBLE 1A Links Low-Temperature Response and Ethylene Biosynthesis to Regulate Freezing Tolerance and Cold Acclimation. <i>Plant Cell</i> , 2014, 26, 3326-3342.	6.6	178
18	Regulation of Translation Initiation under Biotic and Abiotic Stresses. <i>International Journal of Molecular Sciences</i> , 2013, 14, 4670-4683.	4.1	45

#	ARTICLE	IF	CITATIONS
19	Analysis of Genome-Wide Changes in the Translatome of Arabidopsis Seedlings Subjected to Heat Stress. PLoS ONE, 2013, 8, e71425.	2.5	98
20	Regulation of Translation Initiation under Abiotic Stress Conditions in Plants: Is It a Conserved or Not so Conserved Process among Eukaryotes?. Comparative and Functional Genomics, 2012, 2012, 1-8.	2.0	47
21	Phosducin-Like Protein 3 Is Required for Microtubule-Dependent Steps of Cell Division but Not for Meristem Growth in Arabidopsis. Plant Cell, 2008, 20, 969-981.	6.6	24
22	GEM, a Novel Factor in the Coordination of Cell Division to Cell Fate Decisions in the Arabidopsis Epidermis. Plant Signaling and Behavior, 2007, 2, 494-495.	2.4	11
23	A chromatin link that couples cell division to root epidermis patterning in Arabidopsis. Nature, 2007, 447, 213-217.	27.8	119
24	Intercellular signalling in the transition from stem cells to organogenesis in meristems. Current Opinion in Plant Biology, 2005, 8, 26-31.	7.1	32
25	The genes encoding Arabidopsis ORC subunits are E2F targets and the two ORC1 genes are differently expressed in proliferating and endoreplicating cells. Nucleic Acids Research, 2005, 33, 5404-5414.	14.5	53
26	DNA Replication Licensing Affects Cell Proliferation or Endoreplication in a Cell Type-Specific Manner. Plant Cell, 2004, 16, 2380-2393.	6.6	151
27	Geminivirus DNA replication and cell cycle interactions. Veterinary Microbiology, 2004, 98, 111-119.	1.9	94
28	Targeted Destruction of DNA Replication Protein Cdc6 by Cell Death Pathways in Mammals and Yeast. Molecular Biology of the Cell, 2002, 13, 1536-1549.	2.1	75
29	G1 to S transition: more than a cell cycle engine switch. Current Opinion in Plant Biology, 2002, 5, 480-486.	7.1	155
30	Interaction of Geminivirus Rep Protein with Replication Factor C and Its Potential Role during Geminivirus DNA Replication. Virology, 2002, 302, 83-94.	2.4	82
31	Expression and Stability of Arabidopsis CDC6 Are Associated with Endoreplication. Plant Cell, 2001, 13, 2671-2686.	6.6	137
32	Expression and Stability of Arabidopsis CDC6 Are Associated with Endoreplication. Plant Cell, 2001, 13, 2671-2686.	6.6	81
33	Initiation of DNA replication in a eukaryotic rolling-circle replicon: identification of multiple DNA-protein complexes at the geminivirus origin 1. Edited by I. B. Holland. Journal of Molecular Biology, 1999, 290, 639-652.	4.2	52