

Nega Assefa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7344004/publications.pdf>

Version: 2024-02-01

109
papers

2,210
citations

361296

20
h-index

315616

38
g-index

118
all docs

118
docs citations

118
times ranked

2520
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Psychotropic medication non-adherence and its associated factors among patients with major psychiatric disorders: a systematic review and meta-analysis. <i>Systematic Reviews</i> , 2020, 9, 17. | 2.5 | 189 |
| 2 | Delay in diagnosis of pulmonary tuberculosis in low-and middle-income settings: systematic review and meta-analysis. <i>BMC Pulmonary Medicine</i> , 2017, 17, 202. | 0.8 | 163 |
| 3 | Predictors of unintended pregnancy in Kersa, Eastern Ethiopia, 2010. <i>Reproductive Health</i> , 2012, 9, 1. | 1.2 | 129 |
| 4 | Wealth Status, Mid Upper Arm Circumference (MUAC) and Antenatal Care (ANC) Are Determinants for Low Birth Weight in Kersa, Ethiopia. <i>PLoS ONE</i> , 2012, 7, e39957. | 1.1 | 114 |
| 5 | Initial findings from a novel population-based child mortality surveillance approach: a descriptive study. <i>The Lancet Global Health</i> , 2020, 8, e909-e919. | 2.9 | 89 |
| 6 | HDSS Profile: The Kersa Health and Demographic Surveillance System. <i>International Journal of Epidemiology</i> , 2016, 45, 94-101. | 0.9 | 64 |
| 7 | Mortality Surveillance Methods to Identify and Characterize Deaths in Child Health and Mortality Prevention Surveillance Network Sites. <i>Clinical Infectious Diseases</i> , 2019, 69, S262-S273. | 2.9 | 62 |
| 8 | Reported Barriers to Healthcare Access and Service Disruptions Caused by COVID-19 in Burkina Faso, Ethiopia, and Nigeria: A Telephone Survey. <i>American Journal of Tropical Medicine and Hygiene</i> , 2021, 105, 323-330. | 0.6 | 53 |
| 9 | Psychotropic medication non-adherence and associated factors among adult patients with major psychiatric disorders: a protocol for a systematic review. <i>Systematic Reviews</i> , 2018, 7, 10. | 2.5 | 48 |
| 10 | Maternal health care use among married women in Hossaina, Ethiopia. <i>BMC Health Services Research</i> , 2015, 15, 365. | 0.9 | 45 |
| 11 | Health and Demographic Surveillance Systems Within the Child Health and Mortality Prevention Surveillance Network. <i>Clinical Infectious Diseases</i> , 2019, 69, S274-S279. | 2.9 | 45 |
| 12 | Overview and Development of the Child Health and Mortality Prevention Surveillance Determination of Cause of Death (DeCoDe) Process and DeCoDe Diagnosis Standards. <i>Clinical Infectious Diseases</i> , 2019, 69, S333-S341. | 2.9 | 43 |
| 13 | Are interventions focused on gender-norms effective in preventing domestic violence against women in low and lower-middle income countries? A systematic review and meta-analysis. <i>Reproductive Health</i> , 2019, 16, 93. | 1.2 | 42 |
| 14 | One in five women suffer from pelvic floor disorders in Kersa district Eastern Ethiopia: a community-based study. <i>BMC Women's Health</i> , 2018, 18, 95. | 0.8 | 38 |
| 15 | Neonatal mortality and causes of death in Kersa Health and Demographic Surveillance System (Kersa) Tj ETQq1 1 0,784314 rgBT /Ove | 1.0 | 37 |
| 16 | Gender differences in nutritional status, diet and physical activity among adolescents in eight countries in sub-Saharan Africa. <i>Tropical Medicine and International Health</i> , 2020, 25, 33-43. | 1.0 | 33 |
| 17 | Acceptability of donor breast milk banking, its use for feeding infants, and associated factors among mothers in eastern Ethiopia. <i>International Breastfeeding Journal</i> , 2018, 13, 23. | 0.9 | 32 |
| 18 | Sexual and reproductive health knowledge among adolescents in eight sites across sub-Saharan Africa. <i>Tropical Medicine and International Health</i> , 2020, 25, 44-53. | 1.0 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Global Respiratory Syncytial Virus-Related Infant Community Deaths. <i>Clinical Infectious Diseases</i> , 2021, 73, S229-S237. | 2.9 | 29 |
| 20 | Magnitude, trends and causes of maternal mortality among reproductive aged women in Kersa health and demographic surveillance system, eastern Ethiopia. <i>BMC Women's Health</i> , 2018, 18, 198. | 0.8 | 28 |
| 21 | Neonatal hypothermia and associated factors within six hours of delivery in eastern part of Ethiopia: a cross-sectional study. <i>BMC Pediatrics</i> , 2019, 19, 252. | 0.7 | 28 |
| 22 | Design and field methods of the ARISE Network Adolescent Health Study. <i>Tropical Medicine and International Health</i> , 2020, 25, 5-14. | 1.0 | 27 |
| 23 | Teenage Pregnancy and Its Associated Factors in Eastern Ethiopia: A Community-Based Study. <i>International Journal of Women's Health</i> , 2021, Volume 13, 267-278. | 1.1 | 26 |
| 24 | Preterm births and associated factors among mothers who gave birth in Axum and Adwa Town public hospitals, Northern Ethiopia, 2018. <i>BMC Research Notes</i> , 2019, 12, 640. | 0.6 | 25 |
| 25 | Prevalence and determinants of concurrent wasting and stunting and other indicators of malnutrition among children 6-59 months old in Kersa, Ethiopia. <i>Maternal and Child Nutrition</i> , 2021, 17, e13172. | 1.4 | 25 |
| 26 | Postmortem investigations and identification of multiple causes of child deaths: An analysis of findings from the Child Health and Mortality Prevention Surveillance (CHAMPS) network. <i>PLoS Medicine</i> , 2021, 18, e1003814. | 3.9 | 24 |
| 27 | Prevalence of extrapulmonary tuberculosis among people living with HIV/AIDS in sub-Saharan Africa: a systemic review and meta-analysis. <i>HIV/AIDS - Research and Palliative Care</i> , 2018, Volume 10, 225-237. | 0.4 | 23 |
| 28 | Impact of COVID-19 on Nutrition, Food Security, and Dietary Diversity and Quality in Burkina Faso, Ethiopia and Nigeria. <i>American Journal of Tropical Medicine and Hygiene</i> , 2021, 105, 295-309. | 0.6 | 22 |
| 29 | Prevalence of hypertensive disorders of pregnancy and pregnancy outcomes in Sub-Saharan Africa: A systematic review and meta-analysis. <i>Women's Health</i> , 2020, 16, 174550652097310. | 0.7 | 22 |
| 30 | Female genital mutilation among mothers and daughters in Harar, eastern Ethiopia. <i>International Journal of Gynecology and Obstetrics</i> , 2016, 135, 304-309. | 1.0 | 21 |
| 31 | Completion and Factors Associated with Maternity Continuum of Care among Mothers Who Gave Birth in the Last One Year in Enemay District, Northwest Ethiopia. <i>Journal of Pregnancy</i> , 2020, 2020, 1-9. | 1.1 | 21 |
| 32 | Campylobacter Colonization, Environmental Enteric Dysfunction, Stunting, and Associated Risk Factors Among Young Children in Rural Ethiopia: A Cross-Sectional Study From the Campylobacter Genomics and Environmental Enteric Dysfunction (CAGED) Project. <i>Frontiers in Public Health</i> , 2020, 8, 615793. | 1.3 | 21 |
| 33 | Factor associated with experience of modern contraceptive use before pregnancy among women who gave birth in Kersa HDSS, Ethiopia. <i>BMC Public Health</i> , 2016, 16, 614. | 1.2 | 20 |
| 34 | Knowledge and Practice Related to COVID-19 and Mental Health among Adults in Sub-Saharan Africa. <i>American Journal of Tropical Medicine and Hygiene</i> , 2021, 105, 351-362. | 0.6 | 20 |
| 35 | Cervical Cancer Screening Utilization and Associated Factors Among Women Aged 30 to 49 Years in Dire Dawa, Eastern Ethiopia. <i>Cancer Control</i> , 2020, 27, 107327482095870. | 0.7 | 19 |
| 36 | The hazard of pregnancy loss and stillbirth among women in Kersa, East Ethiopia: A follow up study. <i>Sexual and Reproductive Healthcare</i> , 2012, 3, 107-112. | 0.5 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Essential newborn care practice and its predictors among mother who delivered within the past six months in Chench District, Southern Ethiopia, 2017. PLoS ONE, 2018, 13, e0208984. | 1.1 | 18 |
| 38 | Elective Cesarean Section on Term Pregnancies Has a High Risk for Neonatal Respiratory Morbidity in Developed Countries: A Systematic Review and Meta-Analysis. Frontiers in Pediatrics, 2020, 8, 286. | 0.9 | 18 |
| 39 | COVID-19 Knowledge, Perception, Preventive Measures, Stigma, and Mental Health Among Healthcare Workers in Three Sub-Saharan African Countries: A Phone Survey. American Journal of Tropical Medicine and Hygiene, 2021, 105, 342-350. | 0.6 | 18 |
| 40 | Levels of adult patients' satisfaction with nursing care in selected public hospitals in ethiopia. International Journal of Health Sciences, 2014, 8, 371-9. | 0.4 | 18 |
| 41 | A comparison of all-cause and cause-specific mortality by household socioeconomic status across seven INDEPTH network health and demographic surveillance systems in sub-Saharan Africa. Global Health Action, 2019, 12, 1608013. | 0.7 | 17 |
| 42 | The COVID-19 Pandemic and Adolescents' Experience in Sub-Saharan Africa: A Cross-Country Study Using a Telephone Survey. American Journal of Tropical Medicine and Hygiene, 2021, 105, 331-341. | 0.6 | 17 |
| 43 | Trend and causes of adult mortality in Kersa health and demographic surveillance system (Kersa) Tj ETQq1 1 0.784314 rgBT /Overlock 1.3 16 | 0.7 | 17 |
| 44 | Injury-related gaining momentum as external causes of deaths in Ethiopian health and demographic surveillance sites: evidence from verbal autopsy study. Global Health Action, 2018, 11, 1430669. | 0.7 | 15 |
| 45 | Self-care practice and associated factors among hypertensive patients in public health facilities in Harar Town, Eastern Ethiopia: A cross-sectional study. SAGE Open Medicine, 2020, 8, 205031212097414. | 0.7 | 15 |
| 46 | Design and Field Methods of the ARISE Network COVID-19 Rapid Monitoring Survey. American Journal of Tropical Medicine and Hygiene, 2021, , . | 0.6 | 15 |
| 47 | Perinatal mortality and its determinants in Sub Saharan African countries: systematic review and meta-analysis. Maternal Health, Neonatology and Perinatology, 2021, 7, 1. | 1.0 | 13 |
| 48 | Household-level double burden of malnutrition in Ethiopia: a comparison of Addis Ababa and the rural district of Kersa. Public Health Nutrition, 2021, 24, 6354-6368. | 1.1 | 13 |
| 49 | Knowledge, Attitude, Practice, and Determinants Emergency Contraceptive Use among Women Seeking Abortion Services in Dire Dawa, Ethiopia. PLoS ONE, 2014, 9, e110008. | 1.1 | 13 |
| 50 | Determinants of Desire for Children among HIV-Positive Women in the Afar Region, Ethiopia: Case Control Study. PLoS ONE, 2016, 11, e0150566. | 1.1 | 13 |
| 51 | Prevalence and determinants of Anemia among pregnant women in sub-Saharan Africa: a systematic review and Meta-analysis. Archives of Public Health, 2021, 79, 219. | 1.0 | 13 |
| 52 | Newborn Care Practice and Associated Factors among Mothers of One-Month-Old Infants in Southwest Ethiopia. International Journal of Pediatrics (United Kingdom), 2020, 2020, 1-7. | 0.2 | 12 |
| 53 | Pregnancy rates and pregnancy loss in Eastern Ethiopia. Acta Obstetrica Et Gynecologica Scandinavica, 2013, 92, 642-647. | 1.3 | 11 |
| 54 | Fertility is below replacement in Harar Health and Demographic Surveillance System (Harar HDSS), Harar town, Eastern Ethiopia. Fertility Research and Practice, 2016, 2, 10. | 4.1 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Magnitude and associated factors of substance use among pregnant women attending antenatal care in public hospitals of eastern Ethiopia. <i>BMC Psychiatry</i> , 2021, 21, 96. | 1.1 | 11 |
| 56 | In Rural Eastern Ethiopia Hearing Loss Is the Most Frequent Disability during Childhood: A Community Based Survey. <i>PLoS ONE</i> , 2016, 11, e0152791. | 1.1 | 11 |
| 57 | <p>Adapted tool for the assessment of domestic violence against women in a low-income country setting: a reliability analysis</p>. <i>International Journal of Women's Health</i> , 2019, Volume 11, 65-73. | 1.1 | 10 |
| 58 | Prevalence and predictors of adolescent linear growth and stunting across the urbanâ€“rural gradient in eastern Ethiopia. <i>Tropical Medicine and International Health</i> , 2020, 25, 101-110. | 1.0 | 10 |
| 59 | <p>Discontinuation of Reversible Long-Acting Contraceptive and Associated Factors among Female Users in Health Facilities of Hawassa City, Southern Ethiopia: Cross-Sectional Study</p>. <i>Open Access Journal of Contraception</i> , 2020, Volume 11, 113-123. | 0.6 | 10 |
| 60 | Effect of Mobile-health on maternal health care service utilization in Eastern Ethiopia: study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 102. | 0.7 | 9 |
| 61 | Birth Preparedness among Women Who Gave Birth in the Last Twelve Months in Jardega Jarte District, Western Ethiopia. <i>Journal of Pregnancy</i> , 2019, 2019, 1-8. | 1.1 | 9 |
| 62 | Maternal near miss among women admitted in major private hospitals in eastern Ethiopia: a retrospective study. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 181. | 0.9 | 9 |
| 63 | Cohort Profile: The Haramaya Health and Demographic Surveillance System (Haramaya HDSS). <i>International Journal of Epidemiology</i> , 2022, 51, e46-e54. | 0.9 | 9 |
| 64 | Causes of Death among Children Aged 5 to 14 Years Old from 2008 to 2013 in Kersa Health and Demographic Surveillance System (Kersa HDSS), Ethiopia. <i>PLoS ONE</i> , 2016, 11, e0151929. | 1.1 | 8 |
| 65 | Long-acting family planning method switching among revisit clients of public health facilities in Dire Dawa, Ethiopia. <i>Contraception and Reproductive Medicine</i> , 2016, 1, 18. | 0.7 | 8 |
| 66 | Factors associated with pelvic floor disorders in Kersa District, eastern Ethiopia: a community-based study. <i>International Urogynecology Journal</i> , 2019, 30, 1559-1564. | 0.7 | 8 |
| 67 | Male involvement in prevention of mother to child transmission of human immunodeficiency virus and associated factors in Enebiesarmider District, north West Ethiopia, 2018: a cross-sectional study. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 144. | 0.9 | 8 |
| 68 | Gynecological Morbidity among Women in Reproductive Age: A Systematic Review and Meta-Analysis. <i>Journal of Women's Health Care</i> , 2017, 06, . | 0.2 | 8 |
| 69 | Seroprevalence of anti-SARS-CoV-2 antibodies in women attending antenatal care in eastern Ethiopia: a facility-based surveillance. <i>BMJ Open</i> , 2021, 11, e055834. | 0.8 | 8 |
| 70 | Small area clustering of under-five children's mortality and associated factors using geo-additive Bayesian discrete-time survival model in Kersa HDSS, Ethiopia. <i>Spatial and Spatio-temporal Epidemiology</i> , 2016, 16, 43-49. | 0.9 | 7 |
| 71 | HIV/AIDS awareness and testing practices among adolescents in eastern Ethiopia. <i>Tropical Medicine and International Health</i> , 2020, 25, 111-118. | 1.0 | 7 |
| 72 | Children Who Received PCV-10 Vaccine from a Two-Dose Vial without Preservative Are Not More Likely to Develop Injection Site Abscess Compared with Those Who Received Pentavalent (DPT-HepB-Hib) Vaccine: A Longitudinal Multi-Site Study. <i>PLoS ONE</i> , 2014, 9, e97376. | 1.1 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | The Magnitude of Satisfaction and Associated Factors Among Household Heads Who Visited Health Facilities with Community-Based Health Insurance Scheme in Anilemo District, Hadiya Zone, Southern Ethiopia. <i>Risk Management and Healthcare Policy</i> , 2021, Volume 14, 145-154. | 1.2 | 6 |
| 74 | Prelacteal Feeding Practices and Its Associated Factors among Mother of Children Less Than 24% Years of Age in Kersa District, Eastern Ethiopia. <i>Global Pediatric Health</i> , 2021, 8, 2333794X2110183. | 0.3 | 6 |
| 75 | Determinants of Preeclampsia among Women Attending Delivery Services in Public Hospitals of Central Tigray, Northern Ethiopia: A Case-Control Study. <i>Journal of Pregnancy</i> , 2021, 2021, 1-8. | 1.1 | 6 |
| 76 | Women's health seeking behavior for pelvic floor disorders and its associated factors in eastern Ethiopia. <i>International Urogynecology Journal</i> , 2020, 31, 1263-1271. | 0.7 | 5 |
| 77 | COVID-19 Testing Experience in a Resource-Limited Setting: The Use of Existing Facilities in Public Health Emergency Management. <i>Frontiers in Public Health</i> , 2021, 9, 675553. | 1.3 | 5 |
| 78 | Community based intervention to prevent domestic violence against women in the reproductive age in Northwestern Ethiopia: a protocol for quasi-experimental study. <i>Reproductive Health</i> , 2017, 14, 155. | 1.2 | 4 |
| 79 | Consumption of dietary folate estimates and its implication for reproductive outcome among women of reproductive age in Kersa: cross-sectional survey. <i>BMC Nutrition</i> , 2021, 7, 69. | 0.6 | 4 |
| 80 | Failed induction of labor and associated factors among women undergoing induction at University of Gondar Specialized Hospital, Northwest Ethiopia. <i>BMC Pregnancy and Childbirth</i> , 2022, 22, 175. | 0.9 | 4 |
| 81 | Uncontrolled hypertension and associated factors among adult hypertensive patients on follow-up at public hospitals, Eastern Ethiopia: A multicenter study. <i>SAGE Open Medicine</i> , 2022, 10, 205031212211044. | 0.7 | 4 |
| 82 | Spatiotemporal mapping and detection of mortality cluster due to cardiovascular disease with Bayesian hierarchical framework using integrated nested Laplace approximation: A discussion of suitable statistic applications in Kersa, Oromia, Ethiopia. <i>Geospatial Health</i> , 2018, 13, . | 0.3 | 3 |
| 83 | Adverse Neonatal Outcome are More Common among Babies Born by Cesarean Section than Naturally Born Babies at Public Hospitals in Eastern Ethiopia: A Comparative Prospective Follow-Up Study at Eastern Ethiopia. <i>Global Pediatric Health</i> , 2021, 8, 2333794X2110183. | 0.3 | 3 |
| 84 | Prevalence and Factors Associated with Trachoma among Primary School Children in Harari Region, Eastern Ethiopia. <i>Ophthalmology Research an International Journal</i> , 2017, 7, 1-9. | 0.1 | 3 |
| 85 | Prevalence and Associated Factors of Gender-Based Violence Among Female Students Attending Private Colleges in Harar Town, Eastern Ethiopia. <i>Inquiry (United States)</i> , 2021, 58, 004695802110471. | 0.5 | 3 |
| 86 | Pelvic floor disorders associated with higher-level sexual dysfunction in the Kersa district, Ethiopia. <i>TäñšÄrk Jinekoloji Ve Obstetrik Dernei Dergisi</i> , 2018, 15, 210-216. | 0.3 | 3 |
| 87 | Practice and Factors Associated with Informed Consenting Process for Major Surgical Procedures Among Health-Care Workers, South Eastern Ethiopia. <i>International Journal of General Medicine</i> , 2021, Volume 14, 7807-7817. | 0.8 | 3 |
| 88 | Prevalence and antimicrobial resistance patterns of isolates in human stools and animal origin foods in Ethiopia: A systematic review and meta-analysis. <i>International Journal of Health Sciences</i> , 2021, 15, 43-55. | 0.4 | 3 |
| 89 | Determinants of maternal near-miss in private hospitals in eastern Ethiopia: A nested case-control study. <i>Women's Health</i> , 2021, 17, 174550652110619. | 0.7 | 3 |
| 90 | Household food insecurity and physically demanding work during pregnancy are risk factors for low birth weight in north Shewa zone public hospitals, Central Ethiopia, 2021: a multicenter cross-sectional study. <i>BMC Pediatrics</i> , 2022, 22, . | 0.7 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Magnitude and factors associated with anemia among pregnant women admitted to labor ward of Hiwot Fana Specialized University Hospital, Eastern Ethiopia. SAGE Open Medicine, 2021, 9, 205031212110473. | 0.7 | 2 |
| 92 | An Increased Adverse Fetal Outcome Has Been Observed among Teen Pregnant Women in Rural Eastern Ethiopia: A Comparative Cross-Sectional Study. Global Pediatric Health, 2021, 8, 2333794X2199915. | 0.3 | 2 |
| 93 | Magnitude and Determinants of Immediate Adverse Neonatal Outcomes Among Babies Born by Cesarean Section in Public Hospitals in Harari Region, Eastern Ethiopia. Research and Reports in Neonatology, 0, Volume 11, 1-12. | 0.2 | 2 |
| 94 | The Facilitators and Barriers of Adopting Amylase-Rich Flour to Enhance Complementary Foods in the Kersa District Community of Eastern Ethiopia. Nutrients, 2021, 13, 838. | 1.7 | 2 |
| 95 | Predictors of success of trial of labor after cesarean section: A nested caseâ€“control study at public hospitals in Eastern Ethiopia. Women's Health, 2021, 17, 174550652110619. | 0.7 | 2 |
| 96 | Magnitude and determinants of knowledge towards pregnancy danger signs among pregnant women attending antenatal care at Chiro town health institutions, Ethiopia. SAGE Open Medicine, 2022, 10, 205031212210751. | 0.7 | 2 |
| 97 | Setting up child health and mortality prevention surveillance in Ethiopia. Gates Open Research, 0, 5, 173. | 2.0 | 2 |
| 98 | Maternal Time Use Drives Suboptimal Complementary Feeding Practices in the El NiÃ±o-Affected Eastern Ethiopia Community. International Journal of Environmental Research and Public Health, 2022, 19, 3937. | 1.2 | 2 |
| 99 | Lifetime Prevalence of Sexual Violence and Its Associated Factors among High School Female Students in Jarso District, Oromia Region, Eastern Ethiopia. International Journal of Reproductive Medicine, 2021, 2021, 1-10. | 0.4 | 2 |
| 100 | Using traditional healers to treat child malnutrition: a qualitative study of health-seeking behaviour in eastern Ethiopia. BMC Public Health, 2022, 22, 873. | 1.2 | 2 |
| 101 | Early Marriage Among Young Girls in Eastern Ethiopia: Trends From 2008 to 2018. Women's Reproductive Health, 2023, 10, 264-279. | 0.3 | 2 |
| 102 | Physical fighting among adolescents in eastern Ethiopia: a cross-sectional study. BMC Public Health, 2021, 21, 1732. | 1.2 | 1 |
| 103 | Prioritising health-care strategies to reduce childhood mortality, insights from Child Health and Mortality Prevention Surveillance (CHAMPS): a longitudinal study. The Lancet Global Health, 2022, 10, S8. | 2.9 | 1 |
| 104 | <i>Seasonal Variability</i> Influence on the Prevalence of Diarrhoea among Under-Five-Year-old Children in Kersa District, Eastern Ethiopia: A Community-Based Longitudinal Study. Environmental Health Insights, 2022, 16, 117863022210934. | 0.6 | 1 |
| 105 | Early Marriage among young girls in Eastern Ethiopia: trend during 2008-2018. F1000Research, 0, 10, 807. | 0.8 | 1 |
| 106 | Women's hospital birth experiences in Harar, eastern Ethiopia: a qualitative study using Roy's Adaptation Model. BMJ Open, 2022, 12, e055250. | 0.8 | 1 |
| 107 | Early Marriage among young girls in Eastern Ethiopia: trend during 2008-2018. F1000Research, 0, 10, 807. | 0.8 | 0 |
| 108 | Setting up child health and mortality prevention surveillance in Ethiopia. Gates Open Research, 0, 5, 173. | 2.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Knowledge about vertical transmission of HIV and associated factors among women living with HIV or AIDS attending antiretroviral therapy clinic, Western Ethiopia. <i>Women's Health</i> , 2022, 18, 174550652110706. | 0.7 | 0 |