

Fan Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7344344/publications.pdf>

Version: 2024-02-01

169
papers

5,658
citations

93792

39
h-index

129628

63
g-index

174
all docs

174
docs citations

174
times ranked

6112
citing authors

#	ARTICLE	IF	CITATIONS
1	Analysis of <i>Lactobacillus rhamnosus</i> GG in Mulberry Galacto-Oligosaccharide Medium by Comparative Transcriptomics and Metabolomics. <i>Frontiers in Nutrition</i> , 2022, 9, 853271.	1.6	5
2	Mechanisms of efficient As(III) and As(V) removal by Ni-coprecipitated hausmannite nanocomposites. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 107684.	3.3	0
3	Effects of cobalt doping on the reactivity of hausmannite for As(III) oxidation and As(V) adsorption. <i>Journal of Environmental Sciences</i> , 2022, 122, 217-226.	3.2	5
4	Facet-dependent adsorption of aluminum(III) on hematite nanocrystals and the influence on mineral transformation. <i>Environmental Science: Nano</i> , 2022, 9, 2073-2085.	2.2	5
5	Effect and fate of Ni during aging and thermal-induced phyllo-manganate-to-tectomanganate transformation. <i>Geochimica Et Cosmochimica Acta</i> , 2022, 333, 200-215.	1.6	2
6	Transformation of the phyllo-manganate vernadite to tectomanganates with small tunnel sizes: Favorable geochemical conditions and fate of associated Co. <i>Geochimica Et Cosmochimica Acta</i> , 2021, 295, 224-236.	1.6	12
7	Molecular-Scale Understanding of Sulfate Exchange from Schwertmannite by Chromate Versus Arsenate. <i>Environmental Science & Technology</i> , 2021, 55, 5857-5867.	4.6	35
8	SnRK1.1-mediated resistance of <i>Arabidopsis thaliana</i> to clubroot disease is inhibited by the novel <i>Plasmodiophora brassicae</i> effector PBZF1. <i>Molecular Plant Pathology</i> , 2021, 22, 1057-1069.	2.0	17
9	Cadmium Isotope Fractionation during Adsorption and Substitution with Iron (Oxyhydr)oxides. <i>Environmental Science & Technology</i> , 2021, 55, 11601-11611.	4.6	58
10	Effects of Co doping on the structure and physicochemical properties of hausmannite (Mn ₃ O ₄) and its transformation during aging. <i>Chemical Geology</i> , 2021, 582, 120448.	1.4	9
11	Intrinsic mechanisms of calcium sulfite activation by siderite for atrazine degradation. <i>Chemical Engineering Journal</i> , 2021, 426, 131917.	6.6	16
12	Adsorption and precipitation of inositol hexakisphosphate onto kaolinite. <i>European Journal of Soil Science</i> , 2020, 71, 226-235.	1.8	16
13	Marker-free lines of phytase-transgenic <i>Brassica napus</i> show enhanced ability to utilize phytate. <i>Plant Cell, Tissue and Organ Culture</i> , 2020, 140, 11-22.	1.2	4
14	Preference of Co over Al for substitution of Fe in goethite (̄-FeOOH) structure: Mechanism revealed from EXAFS, XPS, DFT and linear free energy correlation model. <i>Chemical Geology</i> , 2020, 532, 119378.	1.4	14
15	Effects of Co(II) ion exchange, Ni(II)- and V(V)-doping on the transformation behaviors of Cr(III) on hexagonal turbostratic birnessite-water interfaces. <i>Environmental Pollution</i> , 2020, 256, 113462.	3.7	17
16	Transformation of Ni-containing birnessite to tectomanganate: Influence and fate of weakly bound Ni(II) species. <i>Geochimica Et Cosmochimica Acta</i> , 2020, 271, 96-115.	1.6	11
17	Coupled morphological and structural evolution of ̄-MnO ₂ to ̄-MnO ₂ through multistage oriented assembly processes: the role of Mn(III). <i>Environmental Science: Nano</i> , 2020, 7, 238-249.	2.2	10
18	Highly enhanced oxidation of arsenite at the surface of birnessite in the presence of pyrophosphate and the underlying reaction mechanisms. <i>Water Research</i> , 2020, 187, 116420.	5.3	17

#	ARTICLE	IF	CITATIONS
19	Comparing the Infection Biology of <i>Plasmodiophora brassicae</i> in Clubroot Susceptible and Resistant Hosts and Non-hosts. <i>Frontiers in Microbiology</i> , 2020, 11, 507036.	1.5	14
20	Effects of Al substitution on local structure and morphology of lepidocrocite and its phosphate adsorption kinetics. <i>Geochimica Et Cosmochimica Acta</i> , 2020, 276, 109-121.	1.6	27
21	Formation and transformation of schwertmannite through direct Fe ³⁺ hydrolysis under various geochemical conditions. <i>Environmental Science: Nano</i> , 2020, 7, 2385-2398.	2.2	14
22	The alkaline photo-sulfite system triggers Fe(IV/V) generation at hematite surfaces. <i>Chemical Engineering Journal</i> , 2020, 401, 126124.	6.6	20
23	Quantitative investigation of ZnO nanoparticle dissolution in the presence of γ -MnO ₂ . <i>Environmental Science and Pollution Research</i> , 2020, 27, 14751-14762.	2.7	3
24	Adsorption of Cr(VI) on Al-substituted hematites and its reduction and retention in the presence of Fe ²⁺ under conditions similar to subsurface soil environments. <i>Journal of Hazardous Materials</i> , 2020, 390, 122014.	6.5	43
25	Epitaxial growth mechanism of heterogeneous catalytic oxidation of Mn(II) on manganite under oxic conditions. <i>Chemical Geology</i> , 2020, 547, 119670.	1.4	6
26	The Speciation of Cd in Cd-Fe Coprecipitates: Does Cd Substitute for Fe in Goethite Structure?. <i>ACS Earth and Space Chemistry</i> , 2019, 3, 2225-2236.	1.2	20
27	Solar Irradiation Induced Transformation of Ferrihydrite in the Presence of Aqueous Fe ²⁺ . <i>Environmental Science & Technology</i> , 2019, 53, 8854-8861.	4.6	34
28	Identification and differential expression analysis of anthocyanin biosynthetic genes in leaf color variants of ornamental kale. <i>BMC Genomics</i> , 2019, 20, 564.	1.2	24
29	Identification and Characterization of <i>Plasmodiophora brassicae</i> Primary Infection Effector Candidates that Suppress or Induce Cell Death in Host and Nonhost Plants. <i>Phytopathology</i> , 2019, 109, 1689-1697.	1.1	36
30	Effects of myo-inositol hexakisphosphate, ferrihydrite coating, ionic strength and pH on the transport of TiO ₂ nanoparticles in quartz sand. <i>Environmental Pollution</i> , 2019, 252, 1193-1201.	3.7	11
31	ChIP-cloning analysis uncovers centromere-specific retrotransposons in <i>Brassica nigra</i> and reveals their rapid diversification in <i>Brassica</i> allotetraploids. <i>Chromosoma</i> , 2019, 128, 119-131.	1.0	10
32	Effects of Mn ²⁺ , Ni ²⁺ , and Cu ²⁺ on the Formation and Transformation of Hydrosulfate Green Rust: Reaction Processes and Underlying Mechanisms. <i>ACS Earth and Space Chemistry</i> , 2019, 3, 519-530.	1.2	14
33	The catalytic effect of AQDS as an electron shuttle on Mn(II) oxidation to birnessite on ferrihydrite at circumneutral pH. <i>Geochimica Et Cosmochimica Acta</i> , 2019, 247, 175-190.	1.6	19
34	Transformation of Co-containing birnessite to todorokite: Effect of Co on the transformation and implications for Co mobility. <i>Geochimica Et Cosmochimica Acta</i> , 2019, 246, 21-40.	1.6	38
35	Formation of Zn-Al layered double hydroxides (LDH) during the interaction of ZnO nanoparticles (NPs) with ¹³ -Al ₂ O ₃ . <i>Science of the Total Environment</i> , 2019, 650, 1980-1987.	3.9	28
36	Transformation of clay minerals in nanoparticles of several zonal soils in China. <i>Journal of Soils and Sediments</i> , 2019, 19, 211-220.	1.5	20

#	ARTICLE	IF	CITATIONS
37	A Quantitative Model for the Coupled Kinetics of Arsenic Adsorption/Desorption and Oxidation on Manganese Oxides. <i>Environmental Science and Technology Letters</i> , 2018, 5, 175-180.	3.9	44
38	Structure and properties of vanadium-doped γ -MnO ₂ and enhanced Pb ²⁺ adsorption phenol/photocatalytic degradation. <i>Materials Chemistry and Physics</i> , 2018, 208, 258-267.	2.0	24
39	Symbiosis mechanism of iron and manganese oxides in oxic aqueous systems. <i>Chemical Geology</i> , 2018, 488, 162-170.	1.4	18
40	Dissolution and phase transformation processes of hausmannite in acidic aqueous systems under anoxic conditions. <i>Chemical Geology</i> , 2018, 487, 54-62.	1.4	28
41	Coordination geometry of Zn ²⁺ on hexagonal turbostratic birnessites with different Mn average oxidation states and its stability under acid dissolution. <i>Journal of Environmental Sciences</i> , 2018, 65, 282-292.	3.2	13
42	Efficient catalytic As(III) oxidation on the surface of ferrihydrite in the presence of aqueous Mn(II). <i>Water Research</i> , 2018, 128, 92-101.	5.3	66
43	Enhanced photocatalytic H ₂ -production activity of C-dots modified g-C ₃ N ₄ /TiO ₂ nanosheets composites. <i>Journal of Colloid and Interface Science</i> , 2018, 513, 866-876.	5.0	178
44	Interaction mechanism and kinetics of ferrous sulfide and manganese oxides in aqueous system. <i>Journal of Soils and Sediments</i> , 2018, 18, 564-575.	1.5	6
45	Effect of Cd and Al Coincorporation on the Structures and Properties of Goethite. <i>ACS Earth and Space Chemistry</i> , 2018, 2, 1283-1293.	1.2	8
46	Photochemical Formation and Transformation of Birnessite: Effects of Cations on Micromorphology and Crystal Structure. <i>Environmental Science & Technology</i> , 2018, 52, 6864-6871.	4.6	45
47	Synthetic Polymer Affinity Ligand for <i>Bacillus thuringiensis</i> (<i>Bt</i>) Cry1Ab/Ac Protein: The Use of Biomimicry Based on the <i>Bt</i> Protein's Insect Receptor Binding Mechanism. <i>Journal of the American Chemical Society</i> , 2018, 140, 6853-6864.	6.6	26
48	Effects of <i>Myo</i> -inositol Hexakisphosphate on Zn(II) Sorption on γ -Alumina: A Mechanistic Study. <i>ACS Earth and Space Chemistry</i> , 2018, 2, 787-796.	1.2	15
49	CD-MUSIC-EDL Modeling of Pb ²⁺ Adsorption on Birnessites: Role of Vacant and Edge Sites. <i>Environmental Science & Technology</i> , 2018, 52, 10522-10531.	4.6	30
50	Photochemical oxidation and dissolution of arsenopyrite in acidic solutions. <i>Geochimica Et Cosmochimica Acta</i> , 2018, 239, 173-185.	1.6	38
51	Jasmonic Acid-Mediated Aliphatic Glucosinolate Metabolism Is Involved in Clubroot Disease Development in <i>Brassica napus</i> L.. <i>Frontiers in Plant Science</i> , 2018, 9, 750.	1.7	36
52	The preferential retention of VI _{Zn} over IV _{Zn} on birnessite during dissolution/desorption. <i>Applied Clay Science</i> , 2018, 161, 169-175.	2.6	8
53	Genome-wide identification, and phylogenetic and expression profiling analyses of CaM and CML genes in <i>Brassica rapa</i> and <i>Brassica oleracea</i> . <i>Gene</i> , 2018, 677, 232-244.	1.0	13
54	Effects of Mn average oxidation state on the oxidation behaviors of As(III) and Cr(III) by vernadite. <i>Applied Geochemistry</i> , 2018, 94, 35-45.	1.4	23

#	ARTICLE	IF	CITATIONS
55	High-performance Cu ²⁺ adsorption of birnessite using electrochemically controlled redox reactions. <i>Journal of Hazardous Materials</i> , 2018, 354, 107-115.	6.5	50
56	Catalytic oxidation of arsenite and reaction pathways on the surface of CuO nanoparticles at a wide range of pHs. <i>Geochemical Transactions</i> , 2018, 19, 12.	1.8	14
57	The distinct effects of isomorphous substitution of various divalence trace metals on hematite structure. <i>Materials Chemistry and Physics</i> , 2018, 217, 40-47.	2.0	5
58	Zinc removal from aqueous solution using a deionization pseudocapacitor with a high-performance nanostructured birnessite electrode. <i>Environmental Science: Nano</i> , 2017, 4, 811-823.	2.2	18
59	Comparison of Archaeal Populations in Soil and Their Encapsulated Iron-Manganese Nodules in Four Locations Spanning from North to South China. <i>Geomicrobiology Journal</i> , 2017, 34, 811-822.	1.0	3
60	Mechanisms of Mn(II) catalytic oxidation on ferrihydrite surfaces and the formation of manganese (oxyhydr)oxides. <i>Geochimica Et Cosmochimica Acta</i> , 2017, 211, 79-96.	1.6	100
61	Distinct effects of Al ³⁺ doping on the structure and properties of hexagonal turbostratic birnessite: A comparison with Fe ³⁺ doping. <i>Geochimica Et Cosmochimica Acta</i> , 2017, 208, 268-284.	1.6	26
62	Self-assembly of birnessite nanoflowers by staged three-dimensional oriented attachment. <i>Environmental Science: Nano</i> , 2017, 4, 1656-1669.	2.2	24
63	Effects of polyphosphates and orthophosphate on the dissolution and transformation of ZnO nanoparticles. <i>Chemosphere</i> , 2017, 176, 255-265.	4.2	28
64	In situ detection of intermediates from the interaction of dissolved sulfide and manganese oxides with a platinum electrode in aqueous systems. <i>Environmental Chemistry</i> , 2017, 14, 178.	0.7	3
65	Enhancement of Zn ²⁺ and Ni ²⁺ removal performance using a deionization pseudocapacitor with nanostructured birnessite and its carbon nanotube composite electrodes. <i>Chemical Engineering Journal</i> , 2017, 328, 464-473.	6.6	44
66	Local structure of Cu ²⁺ in Cu-doped hexagonal turbostratic birnessite and Cu ²⁺ stability under acid treatment. <i>Chemical Geology</i> , 2017, 466, 512-523.	1.4	31
67	Rapid determination of the Mn average oxidation state of Mn oxides with a novel two-step colorimetric method. <i>Analytical Methods</i> , 2017, 9, 103-109.	1.3	40
68	Oxidation and Catalytic Oxidation of Dissolved Sulfide By Manganite in Aqueous Systems. <i>Clays and Clay Minerals</i> , 2017, 65, 299-309.	0.6	8
69	THE PROPERTIES OF CLAY MINERALS IN SOIL PARTICLES FROM TWO ULTISOLS, CHINA. <i>Clays and Clay Minerals</i> , 2017, 65, 273-285.	0.6	19
70	Influences and Mechanisms of As(V) Concentration and Environmental Factors on Hydrosulfate Green Rust Transformation. <i>Acta Chimica Sinica</i> , 2017, 75, 608.	0.5	4
71	Cadmium Removal from Aqueous Solution by a Deionization Supercapacitor with a Birnessite Electrode. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 34405-34413.	4.0	67
72	Host Range of <i>Plasmodiophora brassicae</i> on Cruciferous Crops and Weeds in China. <i>Plant Disease</i> , 2016, 100, 933-939.	0.7	26

#	ARTICLE	IF	CITATIONS
73	Putative role of IAA during the early response of <i>Brassica napus</i> L. to <i>Plasmodiophora brassicae</i> . <i>European Journal of Plant Pathology</i> , 2016, 145, 601-613.	0.8	25
74	A sol-gel derived pH-responsive bovine serum albumin molecularly imprinted poly(ionic liquids) on the surface of multiwall carbon nanotubes. <i>Analytica Chimica Acta</i> , 2016, 932, 29-40.	2.6	49
75	Preparation and characterization of biocompatible molecularly imprinted poly(ionic liquid) films on the surface of multi-walled carbon nanotubes. <i>RSC Advances</i> , 2016, 6, 43526-43538.	1.7	21
76	Enhanced Dissolution and Transformation of ZnO Nanoparticles: The Role of Inositol Hexakisphosphate. <i>Environmental Science & Technology</i> , 2016, 50, 5651-5660.	4.6	60
77	The associations of heavy metals with crystalline iron oxides in the polluted soils around the mining areas in Guangdong Province, China. <i>Chemosphere</i> , 2016, 161, 181-189.	4.2	82
78	Facile synthesis of birnessite-type manganese oxide nanoparticles as supercapacitor electrode materials. <i>Journal of Colloid and Interface Science</i> , 2016, 482, 183-192.	5.0	36
79	Mechanisms on the morphology variation of hematite crystals by Al substitution: The modification of Fe and O reticular densities. <i>Scientific Reports</i> , 2016, 6, 35960.	1.6	43
80	Size-controlled synthesis and formation mechanism of manganese oxide OMS-2 nanowires under reflux conditions with KMnO ₄ and inorganic acids. <i>Solid State Sciences</i> , 2016, 55, 152-158.	1.5	13
81	Surface speciation of myo-inositol hexakisphosphate adsorbed on TiO ₂ nanoparticles and its impact on their colloidal stability in aqueous suspension: A comparative study with orthophosphate. <i>Science of the Total Environment</i> , 2016, 544, 134-142.	3.9	24
82	Characteristics of clay minerals in soil particles of two Alfisols in China. <i>Applied Clay Science</i> , 2016, 120, 51-60.	2.6	31
83	Facile crystal-structure-controlled synthesis of iron oxides for adsorbents and anode materials of lithium batteries. <i>Materials Chemistry and Physics</i> , 2016, 170, 239-245.	2.0	17
84	Effects of Al ³⁺ doping on the structure and properties of goethite and its adsorption behavior towards phosphate. <i>Journal of Environmental Sciences</i> , 2016, 45, 18-27.	3.2	31
85	Influence factors for the oxidation of pyrite by oxygen and birnessite in aqueous systems. <i>Journal of Environmental Sciences</i> , 2016, 45, 164-176.	3.2	25
86	Redox Reactions between Mn(II) and Hexagonal Birnessite Change Its Layer Symmetry. <i>Environmental Science & Technology</i> , 2016, 50, 1750-1758.	4.6	102
87	Effects of crystallite size on the structure and magnetism of ferrihydrite. <i>Environmental Science: Nano</i> , 2016, 3, 190-202.	2.2	77
88	The Presence of Ferrihydrite Promotes Abiotic Formation of Manganese (Oxyhydr)oxides. <i>Soil Science Society of America Journal</i> , 2015, 79, 1297-1305.	1.2	35
89	Formation of todorokite from α -disordered-H ⁺ -birnessites: the roles of average manganese oxidation state and interlayer cations. <i>Geochemical Transactions</i> , 2015, 16, 8.	1.8	25
90	Desorption of myo-inositol hexakisphosphate and phosphate from goethite by different reagents. <i>Journal of Plant Nutrition and Soil Science</i> , 2015, 178, 878-887.	1.1	20

#	ARTICLE	IF	CITATIONS
91	Interaction mechanisms and kinetics of ferrous ion and hexagonal birnessite in aqueous systems. <i>Geochemical Transactions</i> , 2015, 16, 16.	1.8	22
92	Absorption mechanisms of Cu ²⁺ on a biogenic bixbyite-like Mn ₂ O ₃ produced by <i>Bacillus CUA</i> isolated from soil. <i>Geochemical Transactions</i> , 2015, 16, 5.	1.8	6
93	Structure and properties of Co-doped cryptomelane and its enhanced removal of Pb ²⁺ and Cr ³⁺ from wastewater. <i>Journal of Environmental Sciences</i> , 2015, 34, 77-85.	3.2	30
94	Structure and properties of vanadium(V)-doped hexagonal turbostratic birnessite and its enhanced scavenging of Pb ²⁺ from solutions. <i>Journal of Hazardous Materials</i> , 2015, 288, 80-88.	6.5	30
95	Surface Mn(II) oxidation actuated by a multicopper oxidase in a soil bacterium leads to the formation of manganese oxide minerals. <i>Scientific Reports</i> , 2015, 5, 10895.	1.6	39
96	High Co-doping promotes the transition of birnessite layer symmetry from orthogonal to hexagonal. <i>Chemical Geology</i> , 2015, 410, 12-20.	1.4	27
97	Oxidation process of dissolvable sulfide by synthesized todorokite in aqueous systems. <i>Journal of Hazardous Materials</i> , 2015, 290, 106-116.	6.5	24
98	Fe-doped cryptomelane synthesized by refluxing at atmosphere: Structure, properties and photocatalytic degradation of phenol. <i>Journal of Hazardous Materials</i> , 2015, 296, 221-229.	6.5	46
99	Size-dependent sorption of myo-inositol hexakisphosphate and orthophosphate on nano- γ -Al ₂ O ₃ . <i>Journal of Colloid and Interface Science</i> , 2015, 451, 85-92.	5.0	33
100	Geochemical Characteristics of Trace Elements in Argillans of Alfisols in Central China. <i>Pedosphere</i> , 2015, 25, 415-427.	2.1	6
101	Effects of phosphate and silicate on the transformation of hydroxycarbonate green rust to ferric oxyhydroxides. <i>Geochimica Et Cosmochimica Acta</i> , 2015, 171, 1-14.	1.6	27
102	Microcalorimetric Study on the Growth and Metabolism of a Manganese-Oxidizing Bacterium and its Mutant Strain. <i>Geomicrobiology Journal</i> , 2015, 32, 585-593.	1.0	1
103	Transformation from Phyllophanates to Todorokite under Various Conditions: A Review of Implication for Formation Pathway of Natural Todorokite. <i>ACS Symposium Series</i> , 2015, , 107-134.	0.5	4
104	Influence of vanadium doping on the supercapacitance performance of hexagonal birnessite. <i>Journal of Power Sources</i> , 2015, 277, 26-35.	4.0	32
105	Graphene-modified nanosized Ag ₃ PO ₄ photocatalysts for enhanced visible-light photocatalytic activity and stability. <i>Applied Catalysis B: Environmental</i> , 2015, 162, 196-203.	10.8	298
106	Iron-Manganese Nodules Harbor Lower Bacterial Diversity and Greater Proportions of Proteobacteria Compared to Bulk Soils in Four Locations Spanning from North to South China. <i>Geomicrobiology Journal</i> , 2014, 31, 562-577.	1.0	17
107	Catalytic oxidation of manganese(II) by multicopper oxidase CueO and characterization of the biogenic Mn oxide. <i>Water Research</i> , 2014, 56, 304-313.	5.3	71
108	Synthesis and Visible-Light Photocatalytic Performance of Cadmium Sulfide and Oxide Hexagonal Nanoplates. <i>ChemPlusChem</i> , 2014, 79, 1726-1732.	1.3	7

#	ARTICLE	IF	CITATIONS
109	Effects of crystalline phase and morphology on the visible light photocatalytic H ₂ -production activity of CdS nanocrystals. <i>Dalton Transactions</i> , 2014, 43, 7245-7253.	1.6	99
110	Facile hydrothermal synthesis and electrochemical properties of orthorhombic LiMnO ₂ cathode materials for rechargeable lithium batteries. <i>RSC Advances</i> , 2014, 4, 13693-13703.	1.7	21
111	Effects of Co and Ni co-doping on the physicochemical properties of cryptomelane and its enhanced performance on photocatalytic degradation of phenol. <i>Materials Chemistry and Physics</i> , 2014, 148, 783-789.	2.0	13
112	One-step synthesis of γ -MnO ₂ nanoparticles using ascorbic acid and their scavenging properties to Pb(II), Zn(II) and methylene blue. <i>Materials Chemistry and Physics</i> , 2014, 148, 1149-1156.	2.0	12
113	Zn sorption to biogenic bixbyite-like Mn ₂ O ₃ produced by <i>Bacillus CUA</i> isolated from soil: XAFS study with constraints on sorption mechanism. <i>Chemical Geology</i> , 2014, 389, 82-90.	1.4	18
114	One-step hydrothermal synthesis of LiMn ₂ O ₄ cathode materials for rechargeable lithium batteries. <i>Solid State Sciences</i> , 2014, 31, 16-23.	1.5	38
115	Effects of Co and Ni co-doping on the structure and reactivity of hexagonal birnessite. <i>Chemical Geology</i> , 2014, 381, 10-20.	1.4	66
116	Transformation of hydroxycarbonate green rust into crystalline iron (hydr)oxides: Influences of reaction conditions and underlying mechanisms. <i>Chemical Geology</i> , 2013, 351, 57-65.	1.4	36
117	Effects of Fe doping on the structures and properties of hexagonal birnessites – Comparison with Co and Ni doping. <i>Geochimica Et Cosmochimica Acta</i> , 2013, 117, 1-15.	1.6	71
118	Characteristics of Phosphate Adsorption-Desorption Onto Ferrihydrite. <i>Soil Science</i> , 2013, 178, 1-11.	0.9	155
119	Microstructure, Interaction Mechanisms, and Stability of Binary Systems Containing Goethite and Kaolinite. <i>Soil Science Society of America Journal</i> , 2012, 76, 389-398.	1.2	28
120	Fourier transform infrared spectroscopy study of acid birnessites before and after Pb ²⁺ adsorption. <i>Clay Minerals</i> , 2012, 47, 191-204.	0.2	44
121	Role of Counteranions in Sol-Gel-Derived Alkoxy-Functionalized Ionic-Liquid-Based Organic-Inorganic Hybrid Coatings for SPME. <i>Chromatographia</i> , 2012, 75, 1421-1433.	0.7	20
122	Sorption behavior of heavy metals on birnessite: Relationship with its Mn average oxidation state and implications for types of sorption sites. <i>Chemical Geology</i> , 2012, 292-293, 25-34.	1.4	157
123	Characterization of Ni-rich hexagonal birnessite and its geochemical effects on aqueous Pb ²⁺ /Zn ²⁺ and As(III). <i>Geochimica Et Cosmochimica Acta</i> , 2012, 93, 47-62.	1.6	83
124	One-step synthesis of sea urchin-like γ -MnO ₂ using KIO ₄ as the oxidant and its oxidation of arsenite. <i>Materials Letters</i> , 2012, 77, 60-62.	1.3	16
125	Synthesis of hureaulite by a reflux process at ambient temperature and pressure. <i>Microporous and Mesoporous Materials</i> , 2012, 153, 115-123.	2.2	17
126	Large-scale size-controlled synthesis of cryptomelane-type manganese oxide OMS-2 in lateral and longitudinal directions. <i>Journal of Materials Chemistry</i> , 2011, 21, 5223.	6.7	23

#	ARTICLE	IF	CITATIONS
127	Environmental significance of mineral weathering and pedogenesis of loess on the southernmost Loess Plateau, China. <i>Geoderma</i> , 2011, 163, 219-226.	2.3	41
128	Effect of Cobalt-Doped Framework on Formation of Todorokite from Layered Manganese Oxides with Mg ²⁺ /Co ²⁺ Ions as Template. <i>Pedosphere</i> , 2011, 21, 730-737.	2.1	3
129	Roles of manganese oxides in degradation of phenol under UV-Vis irradiation: Adsorption, oxidation, and photocatalysis. <i>Journal of Environmental Sciences</i> , 2011, 23, 1904-1910.	3.2	31
130	Formation and Transformation of Iron Oxide-Kaolinite Associations in the Presence of Iron(II). <i>Soil Science Society of America Journal</i> , 2011, 75, 45-55.	1.2	18
131	Factors Influencing the Elemental Distribution in Iron-Manganese Cutans of Three Subtropical Soils. <i>Soil Science</i> , 2011, 176, 48-56.	0.9	4
132	CO ₂ -exchange mechanism of birnessite and its application for the removal of Pb ²⁺ and As(III). <i>Journal of Hazardous Materials</i> , 2011, 196, 318-326.	6.5	48
133	Î±-MnO ₂ nanowires transformed from precursor Î³-MnO ₂ by refluxing under ambient pressure: The key role of pH and growth mechanism. <i>Materials Chemistry and Physics</i> , 2011, 125, 678-685.	2.0	32
134	Oxidation behavior and kinetics of sulfide by synthesized manganese oxide minerals. <i>Journal of Soils and Sediments</i> , 2011, 11, 1323-1333.	1.5	22
135	Electrochemical preparation of nanosized manganese dioxides from manganese chloride solutions. <i>Ionics</i> , 2011, 17, 209-216.	1.2	8
136	XAFS studies on surface coordination of Pb ²⁺ on birnessites with different average oxidation states. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2011, 379, 86-92.	2.3	14
137	Characterization of Co-doped birnessites and application for removal of lead and arsenite. <i>Journal of Hazardous Materials</i> , 2011, 188, 341-349.	6.5	70
138	Synthesis of Ramsdellite by Refluxing Process and Its Influencing Factors. <i>Wuji Cailiao Xuebao/Journal of Inorganic Materials</i> , 2011, 26, 321-326.	0.6	0
139	Pb ²⁺ adsorption on birnessite affected by Zn ²⁺ and Mn ²⁺ pretreatments. <i>Journal of Soils and Sediments</i> , 2010, 10, 870-878.	1.5	24
140	Effect of 1-1 electrolyte concentration on the adsorption/desorption of copper ion on synthetic birnessite. <i>Journal of Soils and Sediments</i> , 2010, 10, 879-885.	1.5	11
141	Aging promotes todorokite formation from layered manganese oxide at near-surface conditions. <i>Journal of Soils and Sediments</i> , 2010, 10, 1540-1547.	1.5	16
142	Synthesis of MnPO ₄ ·H ₂ O by refluxing process at atmospheric pressure. <i>Solid State Sciences</i> , 2010, 12, 808-813.	1.5	19
143	Shape-controlled Synthesis of Nanostructure Ramsdellite-type Manganese Oxide at Atmospheric Pressure. <i>Chinese Journal of Chemistry</i> , 2010, 28, 2301-2307.	2.6	3
144	Cobalt-doped todorokites prepared by refluxing at atmospheric pressure as cathode materials for Li batteries. <i>Electrochimica Acta</i> , 2010, 55, 9157-9165.	2.6	18

#	ARTICLE	IF	CITATIONS
145	Synthesis of a Nanofibrous Manganese Oxide Octahedral Molecular Sieve with $\text{Co}(\text{NH}_3)_6^{3+}$ Complex Ions as a Template via a Reflux Method. <i>Crystal Growth and Design</i> , 2010, 10, 3355-3362.	1.4	11
146	The Influence of Zn^{2+} and Mn^{2+} on Pb^{2+} Adsorption Behaviors of Birnessite. , 2010, , 151-153.		1
147	Factors Governing the Formation of Lithiophorite at Atmospheric Pressure. <i>Clays and Clay Minerals</i> , 2009, 57, 353-360.	0.6	10
148	Relationship Between Pb^{2+} Adsorption and Average Mn Oxidation State in Synthetic Birnessites. <i>Clays and Clay Minerals</i> , 2009, 57, 513-520.	0.6	71
149	Relation of lead adsorption on birnessites with different average oxidation states of manganese and release of $\text{Mn}^{2+}/\text{H}^+/\text{K}^+$. <i>Journal of Environmental Sciences</i> , 2009, 21, 520-526.	3.2	26
150	Synthesis of todorokite-type manganese oxide from Cu-buserite by controlling the pH at atmospheric pressure. <i>Microporous and Mesoporous Materials</i> , 2009, 117, 41-47.	2.2	23
151	Birnessites with Different Average Manganese Oxidation States Synthesized, Characterized, and Transformed to Todorokite at Atmospheric Pressure. <i>Clays and Clay Minerals</i> , 2009, 57, 715-724.	0.6	41
152	Geochemical characteristics of selected elements in iron-manganese cutans and matrices of Alfisols in central China. <i>Journal of Geochemical Exploration</i> , 2009, 103, 30-36.	1.5	12
153	Characteristics of Iron-Manganese Cutans and Matrices in Alfisols and Ultisols of Subtropical China. <i>Soil Science</i> , 2009, 174, 238-246.	0.9	4
154	Characteristics of micromorphology and element distribution of iron-manganese cutans in typical soils of subtropical China. <i>Geoderma</i> , 2008, 146, 40-47.	2.3	40
155	DETERMINATION OF THE POINT-OF-ZERO CHARGE OF MANGANESE OXIDES WITH DIFFERENT METHODS INCLUDING AN IMPROVED SALT TITRATION METHOD. <i>Soil Science</i> , 2008, 173, 277-286.	0.9	123
156	Influence of Mn(III) availability on the phase transformation from layered buserite to tunnel-structured todorokite. <i>Clays and Clay Minerals</i> , 2008, 56, 397-403.	0.6	45
157	Adsorption and redox reactions of heavy metals on synthesized Mn oxide minerals. <i>Environmental Pollution</i> , 2007, 147, 366-373.	3.7	256
158	Composition and transformation of 1.4 nm minerals in cutan and matrix of alfisols in central China. <i>Journal of Soils and Sediments</i> , 2007, 7, 240-246.	1.5	19
159	Elemental Composition and Geochemical Characteristics of Iron-Manganese Nodules in Main Soils of China. <i>Pedosphere</i> , 2006, 16, 72-81.	2.1	66
160	Adsorption ($\text{As}^{\text{III}},\text{V}$) and oxidation (As^{III}) of arsenic by pedogenic Fe-Mn nodules. <i>Geoderma</i> , 2006, 136, 566-572.	2.3	36
161	The controlling effect of pH on oxidation of Cr(III) by manganese oxide minerals. <i>Journal of Colloid and Interface Science</i> , 2006, 298, 258-266.	5.0	50
162	Effects of Reaction Conditions on the Formation of Todorokite at Atmospheric Pressure. <i>Clays and Clay Minerals</i> , 2006, 54, 605-615.	0.6	20

#	ARTICLE	IF	CITATIONS
163	Adsorption and redox reactions of heavy metals on Fe-Mn nodules from Chinese soils. <i>Journal of Colloid and Interface Science</i> , 2005, 284, 600-605.	5.0	83
164	Pathways of birnessite formation in alkali medium. <i>Science in China Series D: Earth Sciences</i> , 2005, 48, 1438-1451.	0.9	34
165	Factors governing formation of todorokite at atmospheric pressure. <i>Science in China Series D: Earth Sciences</i> , 2005, 48, 1678-1689.	0.9	10
166	Synthesis of todorokite by refluxing process and its primary characteristics. <i>Science in China Series D: Earth Sciences</i> , 2004, 47, 760-768.	0.9	9
167	Synthesis of Birnessite from the Oxidation of Mn^{2+} by O_2 in Alkali Medium: Effects of Synthesis Conditions. <i>Clays and Clay Minerals</i> , 2004, 52, 240-250.	0.6	68
168	Synthesis of Todorokite at Atmospheric Pressure. <i>Chemistry of Materials</i> , 2004, 16, 4330-4336.	3.2	88
169	Differences in potassium forms between cutans and adjacent soil matrix in a Grey Clay Soil. <i>Geoderma</i> , 2002, 106, 289-303.	2.3	13